

INDEX

- A
 A alpha fibers, 822, 823t
 Abbe-Estlander flap, 366, 664, 665
 Abbe flap, 664f
 Abdomen
 children, 528
 examination of
 in trauma patient, 352–353
 fat graft harvest, 501, 501f
 A beta fibers, 822, 823t
 ABG, 28
 Ablative skin resurfacing
 classification of, 1420t
 Abnormal flexor activity, 346
 Abnormal posturing, 346
 Abrasions, 360, 396–397. *See also* Dermabrasion; Microdermabrasion
 corneal, 470f, 1402
 Abscess
 pharyngeal space, 282f
 pterygomandibular space, 282f
 subperiosteal, 304
 Abutment fracture, 270
 Abutment transfer impression
 closed-tray technique, 258f
 Accelerated fractionation, 636
 Access flap, 205–206
 Accessory muscles
 ribs, 103
 Accessory ostia, 298
 ACE distraction dental implant system, 184
 ACE inhibitors. *See* Angiotensin-converting enzyme (ACE) inhibitors
 Acellular dermal matrix (AlloDerm), 220–221, 221f
 Acetaminophen
 for fever, 287
 Acetazolamide
 for OSA, 1302
 Acetylcholinesterase
 reversal doses of, 99t
 Acetylsalicylic acid
 inhibiting platelet function, 78
 Acid-base analysis, 53–54
 Acid-base disturbances, 53–54
 Acid-etch splints, 396f, 397t
 Acquired anomalies, 1205
 Acquired immunodeficiency disease (AIDS).
 See also Human immunodeficiency virus (HIV)
 immunocompromised, 283
 Acral-lentiginous melanoma, 684, 703
 Acromegaly, 76
 Acrylic resin, 505
 Acrylic splint therapy
 mandibular fractures
 children, 425
 ACTH, 34
 Actinic cheilitis, 662f, 663f
 lower lip, 618f
 Actinic keratosis, 698, 699f
 Active jaw exercise
 for TMJ, 955
 Acupressure
 for TMJ, 957
 Acupuncture
 for TMJ, 957
 Acyclovir, 687
 Adalimumab
 for rheumatoid arthritis, 36
 Addison's disease, 61, 682
 A delta fibers, 822–823, 823t
 Adenocarcinoma
 metastasizing to condyle, 945
 polymorphous
 low-grade, 672
 recurrent low-grade, 674f
 Adenoids
 children, 103
 cystic carcinoma, 672
 hypertrophy, 298
 Adenoma. *See* Pleomorphic adenoma
 Adenomatoid odontogenic tumors, 593f, 594f
 ADHD
 anesthesia with, 119
 Adjuvant chemotherapy, 639
 Adnexal tumors, 697
 Adolescents
 dentoalveolar injuries, 383–384
 midface advancement surgery
 timing of, 1269–1270
 pregnancy testing, 107
 psychological assessment, 105
 Adrenal crisis, 61
 Adrenal glands
 assessment of, 61, 74
 disorders of, 34
 Adrenal insufficiency, 34
 Adrenocorticotrophic hormone (ACTH), 34
 Adult respiratory distress syndrome (ARDS), 348, 354
 Advanced Trauma Life Support (ATLS), 330
 Advancement flaps, 712–713, 772, 772f
 buccal, 772f
 double, 771f
 Advancement genioplasty
 soft tissue changes associated with, 1232t
 AEV-12 hand engine, 1430
 Affective disorders, 38–39
 African Americans
 hypertension, 49
 oral cancer, 617
 AFS, 301, 304f
 Afterload, 22, 26, 49
 Age
 determining preoperative risk, 18
 wound healing, 12
 Aggressive mesenchymal tumors
 children, 602
 Agonist drugs, 84
 AIC, 52–53
 AIDS. *See also* Human immunodeficiency virus (HIV)
 immunocompromised, 283
 Air bags, 529
 Air leak test, 290, 291f
 Airways, 404
 assessment of, 28, 73–74
 in asthma, 29
 BSSO, 1161
 children, 103, 528
 craniofacial dysostosis syndrome, 902–903
 gunshot wounds, 515–516
 management of difficult, 75f
 obstruction of
 in odontogenic infection, 281
 oral cancer, 635
 panfacial fractures, 552
 security of, 284
 trauma patient, 330
 Alabaster skin, 1428

- Alanine aminotransferase (ALAT), 35, 77
- Alar base
alterations in, 1256
cinch suture, 1237f
reduction, 1363f
- Alar cinch, 1236, 1441f
with V-Y closure, 1236–1237
- Alar width
rhinoplasty, 1353
- ALAT, 35, 77
- Albright's syndrome, 597, 682
- Albumin, 34
- Albuterol
for asthma, 29
- Alcohol abuse, 39, 281, 1298
anesthesia with, 121
immunocompromised, 283
squamous cell carcinoma, 617
- Alcohol withdrawal
oral cancer, 635
- Alfentanil
chemical structure of, 88f
end-stage TMJ disease, 1017
pharmacology of, 89
- Alignment, 795f
- Allen's test
abnormal, 808f
- Allergic fungal sinusitis (AFS), 301, 304f
- Allergic rhinitis, 106–107, 299
- Allevyn spray, 718
- AlloDerm, 220–221, 221f
- Allogenic bone implants, 166
- Allografts, 786t, 787
- Alloplastic chin implants
soft tissue changes associated with, 1232t
- Alloplastic esthetic facial augmentation,
1435–1447
- Alloplastic graft, 787
- Alloplastic materials, 1008
- Alopecia, 1403
- Alpha-blockers
for hypertension, 32
- Alpha-glucosidase inhibitors
mechanism of action, 60t
- Alpha-hydroxy acid, 1422
- Alpha-interferon
for central giant cell granuloma, 604
- Aluminum oxide, 1008
cemented abutment
with all-ceramic crown, 257f
- Alveolar and dental fractures
etiology of, 383–384
hard tissue and pulp, 387–397
historic perspectives of, 383
incidence of, 383–384
management of, 383–399
maxillofacial examination, 384–386
patient history, 384
physical examination, 384
radiographic examination, 386–387
- Alveolar artery, 1248
- Alveolar bone
in edentulous patient
characteristics of, 157–158
injuries
diagram of, 390f
loss, 263f
preservation of, 167–171
- Alveolar cleft
grafting, 859–869
allogeneic bone and bone substitutes,
863–864
bilateral, 865f
calvarial bone, 863
central incisor, 861
dental vs. chronologic age, 861
lateral incisor, 861
late secondary, 862
maxillary central incisor, 865f
multidisciplinary team, 862
outcomes, 859
pre-vs. postsurgical orthodontics, 864–865
primary, 860
rationale for, 859
secondary, 860–862
social issues, 861
source of bone graft, 862–864, 863t
sulcular incision, 866f
surgical technique, 865–866
timing, 859–862, 860t, 861t
unilateral, 862f, 864f
reconstruction
occlusal radiograph, 868f, 869f
reconstruction of, 859–869
- Alveolar distraction devices, 1293f
- Alveolar distraction osteogenesis, 183–185,
230–231
dental implants, 1290–1293
- Alveolar distractors, 1291f
- Alveolar mucosa
treatment, 396–397
- Alveolar osteitis, 149, 151
- Alveolar process
anterior, 1182
fractures
treatment, 395–396
growth of, 1063
- Alveolar ridge
cancer, 621
survival, 645
reconstructive surgery of, 180–181
squamous cell carcinoma, 621f
- Alveoloplasty, 168–169
- Alveolus
squamous cell carcinoma, 644–645
- Ameloblastic carcinoma, 588–589
- Ameloblastic fibroma, 590f
- Ameloblastic fibro-odontoma, 590, 590f
- Ameloblastoma, 583–588
benign, 588f, 589f
malignant metastasizing, 588
mural unicystic, 586
peripheral, 587–588
solid or multicystic, 583–585, 584f, 585f
unicystic, 585–586, 586f, 587f
- American College of Cardiology
cardiovascular risk factors, 19–20, 20t
perioperative evaluation for noncardiac
surgery, 47
- American M-16, 512
- American Society of Anesthesiologists (ASA)
Classification of Physical Status,
66, 66t
- Amide
avoiding in malignant hyperthermia, 38
- Amifostine, 638
- Aminocaproic acid, 473
- Aminosteroids
pharmacology of, 98
properties, 99t
- Amitriptyline
end-stage TMJ disease, 1022, 1023
- Amoxicillin
for bites, 362
for infectious endocarditis prophylaxis, 24t
for odontogenic infection, 289
for rhinosinusitis, 305, 502
for sinus infection, 305
- Amphetamine abuse
anesthesia with, 121
- Amphotericin B
for fungal sinusitis, 307
- Ampicillin, 944
for COPD, 30
for infectious endocarditis prophylaxis, 24t
- Amyloidosis, 38
- Anakinra
for rheumatoid arthritis, 36
- Ancient Egypt, 189
- Andreasen classification, 387
- Anemia, 30–31
- Anemia of chronic disease, 38
- Anesthesia
general
risk after myocardial infarction, 20
inhalation
pharmacology of, 93–97
properties of, 94t
local
TMJ, 953
outpatient
distribution of, 84–85
pharmacodynamics of, 83–85
pharmacokinetics of, 84–85

- pharmacology of, 83–100
 - regional
 - end-stage TMJ disease, 1017
- Aneurysmal bone cyst, 605, 606f
- Aneurysms
 - maxillary fractures, 442
- Angina, 19, 48–49, 66–67
 - Ludwig's, 284
- Angiogenesis, 5, 8
- Angiography
 - for neck injuries, 518
- Angiotensin-converting enzyme (ACE)
 - inhibitors
 - for aortic regurgitation, 25
 - for congestive heart failure, 22, 26
 - for hypertension, 32
- Angiotensin receptor blockers (ARB)
 - for hypertension, 32
- Angle fractures, 409
 - Champy method, 373f
 - load-sharing fixation, 375
 - widening mandible, 381f
- Angle regions
 - bimanual pressure over, 406f
- Animal bites, 362
- Ankylosed maxillary cuspid
 - partially submerged, 1116f
- Ankylosed permanent tooth, 1131–1132
- Ankylosed primary tooth, 1131
- Ankylosed teeth, 1115, 1131
 - orthodontics, 1132
- Ankylosing spondylitis, 37, 1036, 1037
- Ankylosis, 390–391, 460, 1289
 - after prosthesis placement, 1038
 - bilateral bony, 1039f–1040f
 - computed tomography, 428f
 - of condyle, 1040
 - extra articular, 1035
 - and mandibular fractures, 428–429
 - of TMJ, 1035f, 1041f–1043f
 - and traumatically induced effusions, 412
 - of zygomatic arch coronoid, 460
- Anodontia, 238f
- Anomalies. *See also* Congenital anomalies; Developmental anomalies
 - acquired, 1205
 - Kleeblattschädel, 925–926, 926f
- Anorexia nervosa, 39
- Anosmia, 503
- Antagonist drugs, 84
- Anterior capsular release, 975
- Anterior dislocation, 410–411
- Anterior ethmoidal artery, 465
- Anterior ethmoidal nerve, 1349
- Anterior mandible
 - FPD, 262
- Anterior maxillary congenital deformities, 1287f
- Anterior maxillary defect
 - interpositional grafting, 230f
- Anterior maxillary osteotomy, 1193–1196
- Anterior maxillary segmental osteotomies, 1123, 1123f
- Anterior nasal spine, 436
 - reduction
 - maxillary osteotomy, 1241f
 - poor esthetic outcome, 1241f
- Anterior open bite, 1262–1263, 1291f
- Anterior segmental setback osteotomy
 - soft tissue changes associated with, 1226t
- Anteroposterior arch asymmetry, 1129
- Anteroposterior orthopedic treatment, 1073–1076, 1076–1077
- Anticholinergic medications
 - effects of, 100t
 - with ketamine, 111
 - pharmacology of, 99–100
 - reversal doses of, 99t
- Anticholinesterase
 - pharmacology of, 98–99
- Anticytokines
 - for rheumatoid arthritis, 36
- Antidepressants, 953t
 - for TMJ, 952–953
- Antiemetic medications, 100–101
- Antihistamines
 - adverse effects of, 307
 - children, 115
 - for TMJ, 952
- Antileukotriene drugs
 - for asthma, 29
- Antineoplastic drugs
 - and wound healing, 11
- Antioxidants, 1421
- Antiphospholipid antibodies, 37
- Anxiolytics
 - for TMJ, 952
- AO/ASIF
 - compression plates, 402
 - fracture management biomechanical principles, 373
- Aortic regurgitation, 24–25, 68
- Aortic stenosis, 25, 68
- Apert syndrome, 527, 915, 917f–922f, 922f–923f
 - cranial vault expansion, 915
 - lower facial esthetic reconstruction, 915
 - primary cranio-orbital decompression, 915
 - total midface deformity, 915
- Aphthous stomatitis, 692f
- Aphthous ulcers, 691–692
- Apical repositioned flap
 - canine teeth labially impacted, 135f
- Apnea, 58
- Apoptosis
 - vs. proliferation, 576f
- Approximation, 832
- Arachidonic acid, 1019f
- ARB
 - for hypertension, 32
- Arch, 1386f
 - creating space in, 1121–1122
 - length, 1111–1132, 1112f
 - load, 403f
 - width, 1113
- Arch bars, 372f, 415, 439f
 - isolated mandibular body fracture, 377f
- Archigenes, 383
- Arcus marginalis, 466
- ARDS, 348, 354
- Aripiprazole
 - for psychotic disorders, 39
- Arnold's nerve, 1451
- Arrhythmias, 51–52
- Arterial blood gases (ABG), 28
- Arterial oxygen tension, 332
- Arthrocentesis
 - TMJ, 963–987
- Arthroplasty
 - condyle, 1003f
- Arthroscope
 - TMJ, 969
- Arthroscopic knives, 1000f, 1006f
- Arthroscopic osteoplasty, 978f
- Arthroscopy
 - TMJ, 963–987
 - contraindications for, 967–968
 - development of, 964–965
 - history, 965–966
 - imaging, 966
 - indications for, 966–967
 - instruments, 968–971, 985–986
 - patient selection, 965–966
 - physical examination, 965–966
- Articular apparatus
 - nonfracture injuries of, 410–411, 410t
- Articular cartilage, 934, 935f
- Articular disk
 - TMJ, 935–936
- Articular eminence
 - endaural view, 973f
- Articular tubercle
 - disk impingement, 972f
- ASA Classification of Physical Status, 66, 66t
- Ascending ramus fracture, 409
- Aseptic necrosis, 1250, 1250f
- Asian lid crease reformation, 1334f
- Asian upper eyelid, 1320
 - blepharoplasty, 1334
- Aspart
 - onset, peak and duration, 61t
- Aspartate aminotransferase (AST), 77
- Aspergillus flavus*, 301
- Aspergillus fumigatus*, 300–301

- Aspergillus* sinusitis, 304f
 Aspiration, 106
 Aspirin
 for cerebrovascular disease, 37
 determining preoperative risk, 18
 for fever, 287
 Aspirin-sensitivity triad, 299
 AST, 77
 Asthma, 28–29, 299
 bronchial, 72–73
 pulmonary assessment, 54–55
 questions about, 29t
 Asymmetric hybrid functional appliance, 1073f
 Asymmetric skull
 CT, 1209f
 Asymmetry. *See also* Facial asymmetry
 anteroposterior arch, 1129
 zygomatic arch fractures, 457
 Asymptomatic patients
 screening tests for, 79
 Atenolol
 avoidance in liver disease, 35
 ATLS, 330
 Atracurium
 properties, 99t
 Atrial dysrhythmias, 27
 Atrial fibrillation, 24, 27, 51
 Atrial flutter, 27
 Atrioventricular blocks, 27–28
 Atrophic mandible, 185f
 augmentation, 195–197
 gingival graft, 211
 iliac crest corticocancellous block graft augmentation, 196f
 implants without grafting, 197
 plane radiograph, 196f
 wishboning, 380, 380f
 Atrophic maxilla
 gingival graft, 211
 Atropine, 99, 106, 473
 with ketamine, 111
 Attention deficit hyperactivity disorder (ADHD)
 anesthesia with, 119
 Auditory canal
 external
 sectioned, 995f
 Auricle. *See* Ear
 Auriculotemporal nerve, 1390
 Auriculotemporal syndrome, 1263
 Austin-Flint murmur, 25
 Autism
 anesthesia with, 119–120
 Autogenous bone grafts
 sites for, 787–792
 Autogenous conchal cartilage, 1008
 Autogenous fascia interpositional grafts, 1007
 Autogenous grafts, 168
 Autoimmune disease, 690–691
 implants, 252
 Autologous fat injection, 1413–1414, 1414f
 Autologous fat transfer, 1412–1415
 complications, 1414–1415
 Automatic implantable cardioverter
 defibrillators (AIC), 52–53
 Avulsions, 361–362, 393–394
 ear, 368f
 lip, 369f
 maxillary fractures, 441
 splints, 395, 396t
 temporary storage of, 393
 treatment, 393–394, 395t
 Axial frontonasal flaps, 772, 773f
 Axial pattern flaps, 716–717
 Azathiaprine
 for rheumatoid arthritis, 36
 Azithromycin
 for infectious endocarditis prophylaxis, 24t
 for rhinosinusitis, 502
 B
 Babinski sign, 346
Bacteroides (Porphyromonas), 140, 426
 Baker-Gordon phenol peel, 1427–1428
 complications from, 1428f
 formula of, 1428t
 frothing from, 1429f
 Ballistics, 510
 Balloon catheters
 nasal packing, 517f
 Bands of Büngner, 824
 Bar attachment, 264, 265f
 overdenture, 264f
 Barbiturates
 pharmacology of, 89–91
 Barbituric acid
 chemical structure of, 90f
 Bar-clip attachments, 265
 Bardach two-flap palatoplasty, 852
 Barium swallow
 vs. esophagoscopy
 for neck gunshot injuries, 518
 Barlow's syndrome, 69
 Barosinusitis, 299
 Bar-retained denture, 264f
 Barton dressing, 287f
 Basal cell cancer
 nasal, 707f
 Basal cell carcinoma, 700, 706f, 712f
 indiscreet temple, 716f
 of left temple, 714f
 Mohs' micrographic surgery removal, 717f
 NMCS, 697
 nodulo-ulcerative, 701f
 resection, 719f
 superficial, 718f
 Basal cell nevus syndrome, 698
 clinical features of, 570t
 Basaloid squamous cell carcinoma, 632
 Base alar reduction
 nasal, 1363
 Basic fibroblast growth factor (bFGF), 193
 Basic multicellular unit (BMU), 7
 Basilar skull fractures, 471
 Battle's sign, 346, 429, 471
 Beaking, 974, 977f
 Beck's triad, 338
 Behçet's syndrome, 692
 Bekhterev's disease, 1036
 Belfast Study Group, 139, 140
 Bell hand engine, 1430
 Bell's phenomenon, 1330
 Benign fibro-osseous disease, 597–600
 cemento-osseous dysplasia, 598–599
 fibrous dysplasia, 597–598
 Benign mucosa membrane pemphigoid (BMMP), 690–691
 Benign ventricular ectopy, 52
 Benzamides
 children, 117
 Benzodiazepines, 952t, 953t
 for delirium tremens, 39, 635
 for depression, 39
 in elderly, 41
 with ketamine, 111
 pharmacology of, 85–87
 for TMJ, 952
 Benzylisoquinolines
 pharmacology of, 98
 properties, 99t
 Bernard flap, 666, 666f
 Beta-agonists
 for asthma, 29
 Beta-antagonist
 for hyperthyroidism, 34
 Beta blockers, 20, 23
 for atrial fibrillation, 24
 for hypertension, 32
 Beta carotene, 641
 Beta-lactam
 for odontogenic infection, 289
 Beta-sympathetic antagonists
 reduction in liver disease, 35
 bFGF, 193
 Bicoronal flap, 551
 Bicortical screws, 1259f
 Bicuspid
 mandible
 impacted, 136
 progressive soft tissue recession, 212f
 Biguanides
 mechanism of action, 60t
 Bilateral alar base wedge, 1243f

- Bilateral body osteotomy, 1125f
 Bilateral sagittal split osteotomy (BSSO), 1137
 bleeding, 1160
 complications of, 1155–1156
 indications for, 1150
 of mandible, 1214
 for mandibular horizontal deficiency, 1153f–1154f
 modification, 1155
 technique, 1150–1155
 illustrated, 1152f
 of vertical ramus, 1150–1161, 1277
 Bilevel positive airway pressure (Bi-PAP)
 OSA, 1304
 Bilobed flap of Zitelli
 nasal, 714
 Bilobed flaps, 771f, 773–774
 Bimanual examination, 496, 496f
 Biofeedback
 for TMJ, 957
 Biologic creep, 712
 Biopsy forceps
 TMJ arthroscopy, 970
 Bi-PAP
 OSA, 1304
 Bipolar (manic-depressive) disorders, 39
 Bite appliances, 1009
 Bite depth, 1106
 Black necrotic eschars, 301
 Blade implants, 190f
 Blair, Vilray, 840
 Blair's horizontal osteotomy of vertical ramus, 1135, 1136f
 Blanch test, 338
 Bleeding
 BSSO, 1160
 control of, 339–340
 flaps, 720
 gunshot wounds, 516–517
 with impacted teeth removal, 150
 internal sites of, 341
 Le Fort level fractures, 438
 lower eyelid blepharoplasty, 1341
 mandible, 1249
 maxilla, 1247–1249
 maxillary fractures, 442
 TMJ
 internal derangement, 1010
 upper eyelid blepharoplasty, 1340
 Bleeding disorders
 assessment of, 78
 Bleomycin, 682
 Blepharoplasty, 1317–1342
 adjunctive procedures, 1341–1342
 anatomy, 1317–1326
 anesthesia, 1331
 chief concern, 1326–1327
 complications, 1339–1341
 lower eyelids, 1334–1337
 patient evaluation, 1326–1331
 photographic documentation, 1331
 physical examination, 1328–1330
 postoperative management of, 1337–1339
 upper eyelids, 1331–1334
 Blind finger dissection, 1397f
 Blindness, 464
 maxillary fractures, 442
 Blood clot, 4, 4f, 8
 Blood pressure
 children, 105, 528
 in trauma patient, 337
 Blow-in fractures, 467, 472
 children, 536–537
 Blown pupil, 347
 Blow-out fractures, 457f, 477, 485
 bilateral, 536f
 children, 536–537
 of left orbital floor, 538f
 orbital, 484
 Blue bloater, 73
 BMMP, 690–691
 BMP, 13, 785, 787
 BMU, 7
 Boat tail bullet, 514
 Body fracture, 409
 Body temperature
 restoration and maintenance of, 343
 Bolton's analysis, 1112–1113, 1113f
 Bonded orthodontic bracket, 134
 Bone
 allogenic implants, 166
 biology of, 785–786
 healing
 osseointegration, 192–193
 secondary, 373f, 374f
 indirect healing, 6, 373f, 374f
 loss
 secondary, 159
 maturation stages of, 167f
 regeneration of, 6
 principles of, 162–164
 remodeling, 7
 tension-stress, 164
 volume
 implant prosthodontics, 252
 inadequate posterior, 236f
 wound healing, 6–7
 Bone grafts, 165–167, 786t
 autogenous
 sites for, 787–792
 benefits of, 1268–1269
 biology of, 786–787
 cleft maxilla/palate, 1269f
 timing and sequencing, 1268–1269
 cranial, 788, 788f, 789f, 790f
 cranial onlay
 maxilla, 263f
 guided
 augmentation, 223
 harvesting, 196
 iliac crest, 268f, 789–791, 862–863
 inlay, 179–180
 intraoral, 787–788
 donor site, 787f
 onlay, 177–179, 1274f
 orbital floor
 zygomatic arch fractures, 457
 panfacial fractures, 551–552, 552f
 sinus, 232–234, 241f
 tibial, 791–792, 792f
 vertical alveolar augmentation, 223–234
 Bone marrow needle, 108, 108f
 Bone morphogenetic proteins (BMP), 13, 785, 787
 Bone plates, 372f, 378f, 439
 biomechanical effectiveness of, 377f
 device, 185
 fatigue, 379–380
 vs. lag screws, 379
 Le Fort I level fracture, 375f
 load-bearing fixation, 375f
 strong, 380f
 symphysis fracture, 382f
 Bone tunnel fixation, 1399f, 1400
 Booster seats, 529
 Botulinum toxin A, 1329
 Botulinum toxin-assisted brow lift, 1401
 Bowman-Birk inhibitor, 641
 Bowstring test, 496, 496f
 Brachycephaly, 889f, 895f, 908f
 Brachytherapy, 637
 Brackets, 1130f
 Bradycardia, 25
 with hypertension, 345
 Brain
 damage caused by hypertension, 32
 growth
 craniofacial dysostosis syndrome, 901–902
 limitations, 887–888
 Brånemark drilling system, 191
 Brånemark protocol, 201
 Breast-feeding
 cleft lip/palate, 844
 Breast-feeding mothers, 42
 medications for, 42t
 Breath-holding test, 28
 Breathing
 trauma patient, 332–337
 Bridging fixation. *See* Load-bearing fixation
 Bronchi
 children, 103
 Bronchial asthma, 72
 Bronchiectasis, 73

- Bronchitis, 73
 Bronchoscope
 rigid, 624
 Bronchospasm, 29
 Bronstein and Merrill arthroscopic staging
 IJD, 968t
 Brophy, Truman, 840
 Brow
 youthful, 1384f
 Brow incision
 lateral, 452, 482
 Brow lift, 1383–1403, 1395
 bony landmarks, 1384–1389
 complications, 1402–1403
 endoscopic view, 1391–1393, 1396–1400, 1396f
 muscle and fascial anatomy, 1385–1386
 positions, 1383f
 postoperative care, 1402
 preoperative evaluation, 1393–1395
 skin care and micropigmentation, 1401–1402
 vessel and nerve anatomy, 1389–1391
 Brown dermatome, 718
 Brown technique, 423f
 Bruxism
 drug-induced, 1023
 implants, 252
 BSSO. *See* Bilateral sagittal split osteotomy (BSSO)
 Buccal advancement flaps, 772f
 Buccal artery, 144
 Buccal flaps
 full-thickness mucoperiosteal, 866
 Buccal fragment
 after osteotomy, 180f
 Buccal mucosa
 flap, 1270f
 squamous cell carcinoma, 621f, 642, 642f
 verrucous carcinoma, 631f
 Buccal object rule, 133
 Buccal segment, 1257f
 Buccal space
 borders of, 278t
 infection, 279t
 Buccinator, 1184
 Buckshot, 513
 Bulimia, 39
 Bullets
 diameter, 511
 fragmentation, 511
 kinetic energy, 510–511
 velocity, 511
 wounding power, 510–511
 Bullous pemphigoid, 691
 Bundle branch blocks, 28
 Büngner's band, 6
 Bupivacaine
 for blepharoplasty, 1331
 end-stage TMJ disease, 1017
 Burns, 1248f
 TMJ
 arthroscopy, 986
 Burrow's triangle, 367f, 665f, 772
 Buser periosteal elevator, 213, 218
 Busulfan, 682
 Buttress, 547–548
 Butyrophenones
 for psychotic disorders, 39
 C
 Cadaveric mandible tray
 atrophic mandible, 182f
 Cadaveric mandibular adjustment, 183
 Calcified sialoliths, 674
 Calcifying epithelial odontogenic tumors, 592
 Calcifying odontogenic cysts (COC), 582, 583f
 Calcitonin
 for central giant cell granuloma, 604
 Calcium channel blockers
 for aortic regurgitation, 25
 for hypertension, 32
 Calcium hydroxide paste, 388
 Caldwell-Luc procedure, 152, 232–234, 308, 309f
 Caldwell's view
 zygomatic complex fractures, 448
 Caliber, 512
 Caloric response, 347, 347f
 Calvaria
 bone formation in, 192–193
 Canaliculus, 364, 365f
 Cancellous grafts, 165
 Cancer chemotherapy
 adjuvant, 639
 immunocompromised, 283
 induction, 639
 neoadjuvant, 639
 nonmelanoma skin cancer, 708
 oral cancer, 638–640
 palliative, 639
Candida, 680
 Candidosis, 680–681, 692
 HIV, 689
 oral, 680f, 681f
 Canine teeth
 labially impacted
 apical repositioned flap, 135f
 removal of, 136
 palatal impacted
 removal of, 136
 Cannula, 1408–1409, 1409f
 TMJ arthroscopy, 970
 Canthal ligament
 lateral, 1321–1322
 Canthal ligaments, 1322f
 Canthal tendons, 446
 Canthotomy
 lateral, 453
 Cantilevered fixed partial denture, 263, 263f
 extension of, 265
 Cantilevering, 256f
 Capillary filling time, 338
 Capnography, 59
 Capsaicin
 end-stage TMJ disease, 1017
 Capsular ligament, 936, 936f
 Capsular tightening procedure, 1005f
 Carbamazepine, 691
 Carbon dioxide lasers
 photoaging, 1431
 Carbon dioxide snow, 386
 Carboplatin, 639, 640
 Cardiac assessment, 47–53
 algorithm, 72f
 arrhythmias, 51–52
 automatic implantable cardioverter
 defibrillators, 52–53
 chest pain suggesting myocardial
 infarction, 50
 decompensated congestive heart failure, 50
 myocardial ischemia, 48–49
 recent myocardial infarction, 49–50
 Cardiac disease, 18–28
 assessment of, 66–70, 107
 cardiac dysrhythmias, 26–28
 congestive heart failure, 26
 coronary artery disease, 18–22
 mitral valve prolapse, 24–25
 Cardiac dysrhythmias, 26–28
 Cardiac output
 age-related changes, 41
 children, 104–105
 Cardiac risk
 index of, 67t
 morbidity and mortality based on, 48t
 Cardiac tamponade, 338, 339
 Cardiomyopathy, 69
 Cardiovascular system
 nicotine effect on, 57
 normal function, 105t
 C-arm fluoroscopy unit, 499
 Carotid artery, 1248
 Carotid stenosis, 37
 Carpenter syndrome, 903
 Carroll-Girard screw, 451, 452f
 Cartilage. *See also* specific cartilage
 nasal septum, 1357f
 nose, 1347–1348
 TMJ, 934–935
 Cartridges, 512
 muzzle energy, 511t
 velocities, 511t
 Cast cap splints, 415
 Cataplexy, 1298

- Cataract surgery, 472
 Cat bites, 362f
 Catecholamines, 338
 Cavernous sinus thrombosis, 278, 304
 Cavity, 511
 CCR, 30
 Cefazolin
 for infectious endocarditis prophylaxis, 24t
 Cefotaxime, 944
 Cefpodoxime
 for rhinosinusitis, 502
 Cefprozil
 for rhinosinusitis, 502
 Cefuroxime
 for rhinosinusitis, 502
 Celecoxib
 for rheumatoid arthritis, 36
 Cell cycle, 576f
 Cellulitis, 282f
 Cemento-osseous dysplasia, 598–599
 Cement retention
 vs. screw retention, 260t
 Central anticholinergic syndrome, 99–100
 Central giant cell granuloma, 603–605, 603f, 604f
 Central sleep apnea, 1298
 Cephalometric analysis, 1113f
 craniofacial dysostosis syndrome, 905
 Cephalometric films
 alveolar ridge, 163f
 edentulous mandible, 194
 implants, 253, 253f
 lateral
 facial asymmetry, 1209
 for preprosthetic and reconstructive surgery, 161
 Cephalometric radiographs
 lateral
 facial asymmetry, 1209
 posteroanterior
 facial asymmetry, 1209
 Cephalosporin
 avoided with renal patients, 31
 for rhinosinusitis, 305
 for TMJ arthroscopy, 984
 Cerebral. *See* Brain
 Cerebral palsy, 1207
 anesthesia with, 119
 Cerebrospinal fluid (CSF)
 normal values of, 495t
 Cerebrovascular disease, 37
 Cervical incisions, 551
 Cervical lymphadenectomy
 lip cancer, 666
 Cervical lymph nodes
 levels, 619–620
 squamous cell carcinoma, 646–648
 Cervical spine
 injuries, 350–351
 radiograph, 351, 351f
 trauma patient, 330
 Cervical wire, 134
 Cervicofacial liposuction, 1407–1411
 anesthesia, 1409
 complications, 1411
 history, 1407
 indications for, 1407–1408
 instrumentation, 1408–1409
 patient evaluation, 1408
 technique, 1410–1411
 Champy method, 373f
 Champy miniplate technique, 376
 Charcot-Leyden crystals, 301, 303
 Chase method, 40
 Cheek
 augmentation, 1443–1446, 1445f
 stabilization, 1444f
 undermining, 1444f
 high-velocity entrance wound, 520f
 Cheever, David, 435
 Chemexfoliation, 1341–1342
 Chemical peeling, 1341–1342, 1421–1422
 deep, 1427–1429
 medium-depth, 1424–1427, 1424t, 1425f, 1426f, 1431f
 superficial, 1422–1423
 Chemoreceptor trigger zone, 100, 100f
 Chemotherapy. *See* Cancer chemotherapy
 Cherubism, 604–605, 605f
 Chest
 examination of
 in trauma patient, 348–349
 normal radiography of, 348f
 Chest tube
 for pneumothorax, 333, 334f
 Chest wall
 children, 528
 inspection of, 332
 Chewing, 405
 Child abuse, 384, 529
 Children, 42
 abdomen, 528
 adenoids, 103
 aggressive mesenchymal tumors, 602
 airways, 103, 528
 anatomic considerations, 528–529
 blood pressure, 105, 528
 blow-in fractures, 536–537
 blow-out fracture, 536–537
 bronchi, 103
 cardiac output, 104–105
 cardiovascular system, 104–105
 chest wall, 528
 condylar process, 529
 condyle fracture
 open reduction, 539
 cranial vault fractures, 532
 craniomaxillofacial fractures, 527–542
 complications, 531–532
 diagnosis of, 529–530
 epidemiology of, 530–532
 historic perspectives, 527–528
 mechanism of, 530t
 patterns of, 530, 532–542
 prevention of, 529
 by region, 530t, 531t
 treatment, 531t
 dentoalveolar injuries, 383–384, 397–398, 398t, 541–542
 emergency treatment on full stomach, 106
 endotracheal intubation, 104
 facial trauma, 540f
 fluid requirements for, 42t
 FRC, 104
 frontal sinus fractures, 532–534
 hypothermia, 528
 impacted teeth, 144
 impacted tooth removal, 142–143
 Le Fort (midface) fractures, 534
 mandible, 529
 mandibular condyle fractures, 538–539
 mandibular fractures, 424–425, 538–542
 mandibular subcondyle fractures, 538–539
 maxillary fractures, 441
 nasal air passages, 528
 nasal fractures, 537–538
 naso-orbitoethmoid fractures, 532–534
 neural innervation, 105
 paranasal sinuses, 529
 parasymphysal fractures, 541
 periosteum, 529
 permanent tooth buds, 529
 resorbable fixation materials, 542
 ribs, 103
 sedation, 103–123
 anatomic and physiologic considerations, 103–105
 perioperative complications, 115–116
 pharmacologic agents, 110–115
 preoperative evaluation, 105–106
 routes of administration, 107–110
 techniques for, 107–115
 substance abuse, 120–123
 supraorbital ridge fractures, 532
 tongue, 103
 tonsils, 103
 trachea, 103, 104
 upper respiratory infection, 106–107
 urine output in, 42t
 ventilation, 103
 zygomatic complex fractures, 534–537
 Chin
 alloplastic augmentation, 1435–1437
 alloplastic implants

- soft tissue changes associated with, 1232t
- augmentation, 1438f
 - liposuction, 1412
- poor esthetic results, 1241
- ptosis, 1242, 1243f
- Chin cup, 1077f
- Chinese gunpowder, 509
- Chin-lift procedure, 330, 332f
- Chin-neck anatomy, 1100
- Chin point deviation
 - distraction, 1280f
- Chisel, 1248f
- Chloral hydrate
 - children, 115
- Chlordiazepoxide
 - reduction in liver disease, 35
- Chlorhexidine
 - for alveolar osteitis, 151
- Cholesterol, 19
- Chondrocytes, 934
- Chondroitin
 - TMJ, 942
- Chondroma, 601, 602f
- Chronic obstructive pulmonary disease (COPD), 29–30
- Chronic renal disease
 - immunocompromised, 283
- Chuck changer, 242f
- Chyle leak, 519f
- Cicatricial pemphigoid, 690–691, 690f, 691f
- Cigarette smoking, 300
 - involuntary exposure
 - risks of, 58
 - lip cancer, 659
 - perioperative effects of, 56–58
 - preoperative cessation of, 30
- Cilia, 297, 298f
- Ciliary nerve, 1326
- Cimetidine, 106
- Cinch suture
 - alar base, 1237f
- Ciprofloxacin
 - for odontogenic infection, 289
- Circle of knowledge and caution, 1373–1374, 1375f
- Circulation
 - trauma patient, 337–344
- Circumoral tissue
 - collapsed, 182f
- Circumvestibular incision, 1271, 1271f
 - intraoral mucosal, 534
- Cisatracurium
 - properties, 99t
- Cisplatin, 639, 640
- Clarithromycin
 - for infectious endocarditis prophylaxis, 24t
 - for rhinosinusitis, 502
- Clavicle
 - bone formation in, 192–193
- Clear cell odontogenic carcinoma, 589
- Cleft lip/palate, 839–855, 842f, 1206
 - bilateral repair, 847–849, 850f, 851f, 852f
 - bone graft reconstruction, 881
 - breast-feeding, 844
 - classification, 842, 843f
 - complex facial clefting, 853–855
 - dental and prosthetic rehabilitation, 883–884, 883f, 884f
 - embryology, 841
 - etiology, 841–842
 - feeding, 843–844
 - fistula closure, 872–875
 - indications for, 872–873
 - operative technique, 873–875, 873f, 874f
 - genetics, 841–842
 - historical perspective of, 840–841
 - incidence of, 1267
 - lip adhesion, 847
 - midfacial deficiency
 - orthognathic surgery, 881
 - nasal deformity reconstruction, 881–882
 - orthognathic surgery, 1267–1275
 - bone grafting with maxillary advancement, 1272–1273
 - presurgical counseling, 1270–1271
 - outcome, 855
 - prenatal counseling, 842–843
 - presurgical taping and orthopedics, 846–853
 - reconstruction stages, 871t
 - repair, 849–853
 - revisional surgery, 881–883
 - scar revision surgery, 882–883
 - secondary procedures, 871–884
 - staged reconstruction of, 845t
 - submucous, 880–881
 - treatment planning and timing, 844–846
 - unilateral repair, 847, 848f, 849f, 853f
 - velopharyngeal dysfunction, 875–880, 875f
 - complications, 879–880
 - operative technique, 878–879
 - timing, 877–878
 - Z-type repair, 849f
- Cleft maxilla/palate
 - bone grafting, 1269f
 - timing and sequencing, 1268–1269
- Cleidocranial dysplasia
 - multiple impacted teeth in, 132f
- Click-murmur syndrome, 69
- Clindamycin
 - for infectious endocarditis prophylaxis, 24t
 - for sinus infection, 305
- Clinical and dental model diagnosis, 1111–1118
- Clinical diagnosis, 564
- Clinical examination, 565–566
- Clinical impression, 564
- Clinical neurosensory testing (CNT), 825–826, 826t
 - algorithm, 827f
- Clinician
 - neophyte vs. expert clinician
 - case study, 567–568
- Clip overdenture retention
 - two-implant bar, 194f
- Clonidine
 - for hypertension, 32
 - for hypertensive crisis, 50t
 - for opioid withdrawal, 39–40
- Closed lock phenomenon, 990
- Closed pneumothorax, 333, 335f
- Closed reduction, 401
 - mandibular fracture, 413–414
- Closed technique
 - subepithelial connective tissue grafting
 - implants
 - recipient-site surgery, 214–215, 215
- Cloverleaf skull anomaly, 925–926, 926f
- CNT, 825–826, 826t
 - algorithm, 827f
- Coaptation, 832–833
- Cobalt
 - effect on wound healing, 12
- COC, 582, 583f
- Cocaine, 40
 - anesthesia with, 121
- Coil springs, 1126f
- Cold
 - common, 299
- Cold therapy
 - for TMJ, 956
- Collateral (diskal) ligaments, 936
- Colonial America, 189
- Combes' formula, 1422t
- Commando's operation, 645
- Comminuted fractures, 409f, 410
 - grossly, 410
 - mandible
 - fixation, 375
- Commissure height, 1090
- Common cold, 299
- Competitive antagonists, 84
- Complete strip technique, 1362f
- Complex fractures, 410
- Compliance, 22
- Complicated fractures, 410
- Composite grafts, 719
- Compound fracture, 409–410, 409f
- Compression (Raney) clips, 483
- Compression plates, 372f, 378f
 - AO/ASIF, 402
 - osteosynthesis
 - vs. noncompression plate osteosynthesis, 378

- Computed tomography (CT), 569
 abdominal injuries, 352, 354t
 ankylosis, 428f
 asymmetric skull, 1209f
 cervical lymph nodes, 647, 647f
 cervical spine injuries, 351
 condyle mechanical displacement, 1159
 craniofacial dysostosis syndrome, 905
 edentulous mandible, 194
 facial asymmetry, 1209
 frontal sinus
 anterior table fractures, 499
 posterior table fractures, 499
 head trauma, 345, 346f
 implants, 253, 270f
 intracerebral hemorrhage, 346f
 mandibular cancer, 645–646
 mandibular fracture, 407
 mandibular fragmentation
 gunshot wounds, 520f
 maxillary fractures, 439f
 maxillary sinuses, 163f
 NOE fracture, 496, 497f
 oral cancer, 625, 625f
 orbital fractures, 468, 470
 OSA, 1301
 osteomeatal complex, 303f
 osteomyelitis, 315
 panfacial fractures, 550–551, 550f, 551f
 paranasal sinuses, 304f
 pediatric craniomaxillofacial fractures, 529–530
 preprosthetic and reconstructive surgery, 161
 sinus infection, 302–303
 subarachnoid hemorrhage, 346f
 TMJ, 977f
 zygomatic complex fractures, 447–448, 448, 449f, 450f, 454f
- Computer-databasing program, 1090f
 Computer-generated scanner, 1431
 Computerized cephalometric prediction, 1107–1108
- Concha bullosa, 298
 Conchal cartilage
 autogenous, 1008
 Conchal hypertrophy, 1453
 Concussion, 391, 503
 Conduit nerve repair, 833f, 834t
 Condylectomy, 1009
 Condyles, 783–784
 adenocarcinoma metastasizing to, 945
 arthroplasty, 1003f
 asymmetry
 panoramic radiography of, 1208f
 children, 529
 classification of, 408
 dislocation, 411f
 fractures, 409, 1035f
 abnormal growth from, 1208f
 children
 open reduction, 539
 closed treatment, 382f
 complications, 429–430
 endoscopic management of, 421f
 IMF, 415
 mandibular hypoplasia, 427f
 with midsymphysis fracture, 381
 open reduction, 418–420
 indications for, 419–420, 419t
 panoramic films, 407, 407f
 range of motion, 406
 stabilization of, 422f–423f
 surgery, 420
 inappropriate positioning of, 1189f
 mandible, 934f
 mechanical displacement of, 1159
 remodeling, 978f
 resorption
 idiopathic, 1291f
 spontaneous resorption of, 1160
 trauma, 1208
 Condylotomy, 1009
 Conformal radiation, 636–637
 Congenital agenesis
 premaxilla, 1285
 Congenital anomalies, 1205, 1206–1207
 altered anatomy in, 104
 cleft lip/palate, 1206
 congenital hemifacial hyperplasia, 1207
 hemifacial microsomia, 1206, 1206f
 plagiocephaly, 1206–1207
 Congenital hemifacial hyperplasia, 1207
 Congestive heart failure, 26, 67–68
 decompensated, 50
 ECG, 22
 symptoms of, 22
 Connective tissue disorders, 36
 implants, 252
 Conscious sedation, 93
 Contact sports, 383
 Contemporary orthognathic treatment
 planning, 1087–1088, 1088f
 Context-sensitive half-time, 85, 86f
 Continuous passive motion (CPM), 540
 device, 1044f
 Continuous positive airway pressure (CPAP)
 OSA, 1304
 Continuous wire loop technique, 415
 Contractility, 49
 Contusions, 360, 397
 Converse-Wood-Smith technique, 1452–1453
 COPD, 29–30
 Copper
 effect on wound healing, 12
 Cornea
 abrasions, 470f, 1402
 laceration, 472f
 reflex, 347
 Coronal forehead lift, 1395
 Coronal incision, 483, 497
 Coronal synostosis
 bilateral, 889
 craniofacial skeleton, 904f
 unilateral, 888–889
 Coronary artery disease, 18–22, 66–67
 echocardiography, 19
 history, 19
 left ventricular dysfunction, 22–23
 physical examination, 19
 postoperative ECG, 20–22
 Cor pulmonale, 73
 Corrugator supercilii, 1387, 1389f, 1392
 Cortical grafts, 165
 Corticosteroids, 62t
 for TMJ, 951–952
 Cortisol, 34
 Cortisporin
 for TMJ arthroscopy, 984
 Cosmetic surgery
 history of, 1317
 Cost
 gunshot wounds, 510
 C osteotomy, 1136, 1137f, 1146–1150
 different forms of, 1149f
 Costochondral grafts, 788–789
 Cottle elevator, 1357f
 Cover screws, 244f
 Cowley, R.A., 527
 COX-2. *See* Cyclooxygenase-2 (COX-2)
 inhibitors
- CPAP
 OSA, 1304
 CPM, 540
 device, 1044f
 Cranial base
 development of, 1060
 malformations, 1065–1066
 neonatal, 1061f
 Cranial bone grafts, 788, 788f, 789f, 790f
 Cranial nerves
 peripheral, 357
 Cranial nerve VII, 1325
 anatomy of, 1325f
 marginal mandibular branch of, 1139–1140
 Cranial onlay bone grafts
 maxilla, 263f
 Cranial vault, 897f
 development of, 1059–1060
 fractures
 children, 532
 Craniofacial defects
 maxillofacial prostheses, 268–269
 Craniofacial dysostosis syndrome

- airway, 902–903
- anthropometric surface measurements, 905
- Apert syndrome, 915
- brain growth, 901–902
- Carpenter syndrome, 923
- cephalometric analysis, 905
- cranial vault dead space, 906–907
- Crouzon syndrome, 907–915
- CT, 905
- dentition, 903
- extremities, 903
- frontoforehead esthetic unit, 903
- hearing, 903
- hydrocephalus, 902
- ICP, 901–902
- incision placement, 906
- intervention timing, 906
- maxillary-nasal base esthetic unit, 904
- morphologic considerations, 903
- occlusion, 903
- orbitonasozygomatic esthetic unit, 903–904
- Pfeiffer syndrome, 922–923
- posterior cranial vault esthetic unit, 903
- quantitative assessment, 904
- reconstruction staging, 901–927
- Saethre-Chotzen syndrome, 923–925
- soft tissue, 907
- surgery
 - historic perspectives, 905–906
 - vision, 902
- Craniofacial fibrous dysplasia, 597
- Craniofacial growth and development, 1051–1080
 - during adulthood, 1064
 - dental development, 1063
 - embryonic period, 1051–1056
 - facial development, 1063–1064
 - factors influencing, 1064–1070
 - fetal period, 1056–1058
 - orthodontic camouflage, 1079–1080
 - orthopedic and orthodontic considerations, 1070–1080
 - postnatal, 1058–1064
 - postnatal factors, 1068–1070
 - prenatal factors, 1065–1068
 - skeleton, 1058–1063
- Craniofacial malformations, 1065–1066
- Craniofacial skeleton
 - growth and remodeling field of, 165f
- Craniomaxillofacial fractures
 - children, 527–542
 - complications, 531–532
 - diagnosis of, 529–530
 - epidemiology of, 530–532
 - historic perspectives, 527–528
 - mechanism of, 530t
 - patterns of, 530, 532–542
 - prevention of, 529
 - by region, 530t, 531t
 - treatment, 531t
- Craniosynostosis. *See* Nonsyndromic cranio-synostosis
- Crawford tube, 364, 365f, 503
- C-reactive protein (CRP), 314
- Creatinine, 77
- Creatinine clearance (CCR), 30
- Crestal incision, 242
 - edentulous mandible, 194
 - for mylohyoid ridge reduction, 171
- Cribriiform plate, 465
- Cricothyroidotomy, 281, 516
- Cricothyrotomy
 - children, 116
- Cromolyn sodium
 - for asthma, 56
- Cross-hair incision, 996
- Cross-lip mucosal flaps, 662, 665f
- Crouzon syndrome, 104, 907–915, 909f
 - and Le Fort III osteotomy, 527
 - and Le Fort I osteotomy, 916f
 - lower facial esthetic reconstruction, 912–915
 - management of, 905
 - pediatric cranio-orbital procedure, 910f–912f
 - primary cranio-orbital decompression, 907–908
 - repeat craniotomy, 908–909
 - total midface deformity, 909–912
- Crown
 - fracture
 - with pulp involvement, 389
 - without pulp involvement, 388–389, 390f
 - height, 1090
 - infraction, 387
 - splints, 224
- Crown-root fracture, 389
- Crow's feet, 1329, 1401
- CRP, 314
- Crural excision, 1362f
- Cryer, Matthew, 840
- Cryer elevator, 146
- Cryotherapy
 - for TMJ, 956
- CSF
 - normal values of, 495t
- CT. *See* Computed tomography (CT)
- Culture
 - odontogenic infection, 286–287
- Curve of Spee, 1107, 1126–1129, 1211
 - in maxillary arch, 1130
 - measurement for, 1107
 - and subapical osteotomy, 1128f
- Curve of Wilson, 1115, 1115f
- Curvilinear incision
 - partial-thickness, 213
- Cushing's disease, 34
- Cushing's phenomenon, 345
- Cuspid-molar position, 1115f
- Cutaneous horns, 698
- Cutback incisions, 219
- Cutting forceps
 - TMJ arthroscopy, 970
- Cyclooxygenase-2 (COX-2) inhibitors, 641
 - end-stage TMJ disease, 1019
 - for rheumatoid arthritis, 36
 - for TMJ, 951
- Cyclophosphamide, 682
- Cyclosporine
 - for rheumatoid arthritis, 36
- CYP-450, 85
- Cystic fibrosis, 301–302
- Cytochrome P-450 (CYP-450), 85
- Cytokines
 - TMJ, 942
- Cytomegalovirus, 686
- D
- Dacryocystorhinostomy, 364, 503–504
- DalPont's modification of sagittal osteotomy, 1137f, 1153
- Dantrolene, 38, 95
 - for malignant hyperthermia, 62–63
- Database acquisition and treatment planning, 1087–1109
- Data collection, 1088–1092
 - conventional records, 1088–1089
 - direct measurement, 1089–1090
- Davis, Christopher, 964
- Davis method, 1453–1454, 1453f, 1455f
- Débridement, 795f
- Deciduous teeth
 - impacted, 131
- Decongestants, 502
- Decortication, 1164f
- Deep bite, 1095f
- Deep heat
 - for TMJ, 956
- Deep spaces
 - head and neck
 - borders of, 278t
 - infections, 279t
 - severity score for, 278
- Deep temporal
 - infection, 279t
- Deep vein thrombosis
 - oral cancer, 635
- Defect fracture, 321f, 375
- Definitive restoration, 237f
- Deformities, 1205
- Degenerative joint disease, 1208
- Degree of dislocation, 408
- Degree of displacement, 408

- Delay, 710
 Delayed union
 mandible, 425–426, 1251
 maxilla, 1250–1251
 Delirium tremens, 635
 Deltopectoral flap, 778
 Dental arches, 548–549
 Dental caries
 prevention of, 141
 Dental examination, 1105–1107
 Dental follicle, 575
 Dental fractures. *See* Alveolar and dental fractures
 Dental implants
 alveolar distraction osteogenesis, 1290–1293
 history of, 189–190
 Dental models
 facial asymmetry, 1215f
 Dental papilla, 575
 Dental tissue injuries
 diagram of, 388f
 DentaScan software, 645–646
 Dentate patients
 intermaxillary techniques in, 415–417
 Dentigerous cyst, 576–578, 577f, 578f
 vs. enlarged dental follicle, 577
 prognosis, 577–578
 treatment, 577–578
 Dentition
 craniofacial dysostosis syndrome, 903
 Dentoalveolar fracture, 409
 Dentoalveolar injuries, 383–399, 384f
 adolescents, 383–384
 children, 383–384, 397–398, 398t, 541–542
 classification of, 387–388
 etiology of, 383–384
 hard tissue and pulp, 387–397
 historic perspectives of, 383
 incidence of, 383–384
 maxillofacial examination, 384–386
 patient history, 384
 physical examination, 384
 radiographic examination, 386–387
 Dentoalveolar trauma record, 386, 386f
 Dentofacial deformity
 macroesthetic examination of, 1092–1102
 miniesthetic examination of, 1102–1104
 systematic clinical examination of, 1092–1107
 Dentures
 bar-retained, 264f
 conditioning material, 245f
 fixed partial, 236f, 258
 hybrid
 implant, 254
 mandibular hybrid, 265f
 Denture-sore mouth, 680
 Depression, 38, 1298
 Depressor muscle, 1394f, 1398f
 Depressors, 1385–1386
 Depressor supercili, 1387
 Depth gauge, 242f
 Dermabrasion
 full-face, 1432f
 motorized, 1430–1432, 1431t
 Dermal fat grafts, 1414, 1414f
 Dermal graft, 1004f, 1006
 Dermal substitutes
 wound healing, 13–14
 Dermasanding
 manual, 1429–1430, 1430f, 1430t
 Dermatofibrosarcoma protuberans, 697
 Dermis, 709
 Desflurane, 95
 chemical structure of, 96f
 children, 115
 pharmacology of, 97
 Desmoplastic fibroma, 602f, 603f
 Developmental anomalies, 1205, 1207
 intrinsic jaw-growth deformities, 1207
 secondary growth deformities, 1207
 Deviated septum, 1256f
 Dexamethasone, 100
 impacted teeth removal, 149
 Diabetes, 281, 282, 424
 effect on wound healing, 10
 implants, 252
 Diabetes insipidus, 607
 Diabetes mellitus, 32–33, 59–61, 76–77
 insulin, 60
 type 2, 33
 diet only, 60
 oral hypoglycemic agents, 60
 Diabetic ketoacidosis (DKA), 32, 77
 Diagnostic list, 1118
 Diagnostic peritoneal lavage (DPL), 352, 354t
 Diagnostic process, 564–566, 564f
 Diamond fraise, 1430
 Diastolic decompensation, 23
 Diazepam
 chemical structure of, 86f
 end-stage TMJ disease, 1022
 with ketamine, 111
 pharmacology of, 86–87
 reduction in liver disease, 35
 Diazoxide
 for hypertensive crisis, 50t
 Diet
 TMJ, 950
 Dietary supplements
 determining preoperative risk, 17–18
 Differential diagnosis
 developing, 566–568
 to final diagnosis
 case study, 564
 microscopic, 571–572
 Differential osteotomy
 knife-edge ridges, 1294f
 Digital videography, 1092, 1093f
 Digoxin
 for congestive heart failure, 22–23, 26
 Dingman, Reed, 840
 Diplopia, 468, 474–475, 503, 1330
 lower eyelid blepharoplasty, 1341
 persistent posttraumatic, 474
 upper eyelid blepharoplasty, 1340
 zygomatic arch fractures, 458–459, 458f, 459f
 Dipyrindamole
 for cerebrovascular disease, 37
 Direct bone healing, 6, 7f
 Direct bone union, 371
 Direct brow lift, 1400
 Direct fixation, 401
 Direct fracture, 409f
 Direct wiring, 415
 Discoid lupus erythematosus (DLE), 691f
 Disk
 horizontal incision, 996
 partial displacement, 1000f, 1001f
 Diskal ligaments, 936
 Disk dancing, 1279, 1279f
 Dislocated fracture, 410
 Displaced fracture, 410
 Displaced tooth, 1115f
 Displaced zygomatic complex
 elderly, 486f–487f
 Displacements, 391
 Dissector, 1368f
 Distal root
 overdevelopment of, 140
 Distoangular impaction, 143
 bone removal, 146
 removal of, 148f
 Distoangular teeth
 eruption, 140
 Distraction approach, 906
 Distraction devices
 disadvantages of, 1292
 Distraction osteogenesis, 1277–1294, 1293f
 alveolar, 183–185, 230–231
 dental implants, 1290–1293
 bony edge separation, 1277f
 complications of, 1293–1294
 mandibular symphysis, 1124–1125, 1125f
 mandibular widening, 1280–1281
 protocol, 1278t
 and regenerate chamber, 1278f, 1279f
 simultaneous maxillary and mandibular, 1281–1282
 soft tissue changes associated with, 1233, 1234t
 transport, 1286–1289, 1289f

- neocondyle, 1289–1290
 - Distractor, 1281f
 - DKA, 32, 77
 - DLE, 691f
 - Dog bites, 362
 - Dog-ears, 715f
 - Doll's eye reflex, 347, 347f
 - Donor tissue
 - soft tissue grafts, 209
 - Dorsal hump
 - removal of, 1358f
 - Dorsal nasal artery, 1346
 - Dorsal reduction, 1359f
 - Double advancement flap, 771f
 - Double-ring sign, 533
 - Double vision, 469f
 - Double V-Y closure, 1239–1241, 1242f
 - Down syndrome, 74, 1066
 - anesthesia with, 119–120
 - Doxacurium
 - properties, 99t
 - DPL, 352, 354t
 - Draining sinus tract, 292f
 - Dressing plate, 613f
 - Drug dependence, 1298
 - Dry eye
 - upper eyelid blepharoplasty, 1340
 - Dry socket. *See* Alveolar osteitis
 - D-tubocurarine
 - properties, 99t
 - Dual-incision approach
 - subepithelial connective tissue graft
 - harvesting, 212–213, 214
 - subepithelial connective tissue grafting, 213f
 - Dual-suture alar cinch technique, 1239f
 - Duchenne's disease
 - anesthesia with, 120
 - Duchenne's muscular dystrophy, 1207
 - Dufourmental flap, 714–716
 - Duke University Activity Status Index, 70, 71t
 - Dying patient
 - avoidance of, 652–653
 - Dynamic sphincter pharyngoplasty, 878
 - Dysplastic nevi, 683
- E
- Ear, 1451. *See also* Protruding ear
 - avulsive injuries, 368f
 - blood supply, 1450–1451, 1452f
 - defect conversion, 367f
 - deformities, 1451–1452
 - development of, 1450f
 - embryology of, 1449
 - hematomas, 365–366
 - injuries, 365–366, 366f
 - nerve supply, 1451
 - osseointegration implants, 368f
 - surgical anatomy of, 1449–1450
 - Earlobe
 - protruding
 - correction of, 1456
 - EB. *See* Epidermolysis bullosa (EB)
 - EBV, 686, 688
 - Ecchymosis, 405f, 437, 447, 494, 685
 - upper eyelid blepharoplasty, 1340
 - Economically disadvantaged
 - maxillofacial trauma, 384
 - Ecstasy
 - anesthesia with, 121–123
 - Ectodermal dysplasia, 238f
 - Edentulism
 - functional effects of, 158–159
 - Edentulous fractures
 - mandibular fracture, 423–425
 - Edentulous mandible, 193–197
 - flap design for implant placement, 207f
 - incision design, 194
 - osseointegration, 193–197
 - physical examination, 194
 - prepared for bone graft, 224f
 - radiologic examination, 194
 - simultaneous gingival grafting, 212f
 - Edentulous maxilla, 197–199, 197f, 226f–227f, 228f
 - atrophy, 236f
 - flap design for implant placement, 207f
 - Parel's classification of, 197
 - with severe atrophy, 232f
 - Edentulous patients
 - alveolar bone characteristics, 157–158
 - closed reduction, 417
 - Edentulous restorations, 263–264
 - FDP, 265–266
 - implant-retained overdentures, 263–264
 - implant-supported overdentures, 264–265
 - Edinger-Westphal nucleus, 347
 - EDTA, 944
 - Eight-ball hyphema, 472–473
 - Elastic fibers, 709
 - Elderly, 40–42
 - displaced zygomatic complex, 486f–487f
 - drug modifications in, 41–42
 - hypertension, 49
 - impacted teeth, 142–143, 144, 149
 - maxillary fractures, 441
 - orbital injuries, 481
 - wound healing, 12
 - Elective lymph node dissection, 667
 - Elective neck dissection (END), 647, 648
 - vs. elective neck irradiation, 650
 - Electric drill, 145
 - Electrolytes and acid-base disturbances, 53–54
 - Electrometric test, 386
 - Elevators, 1385–1386
 - Buser periosteal, 213, 218
 - Cottle, 1357f
 - Cryer, 146
 - J-shaped, 1438, 1438f
 - curved hook, 450
 - periosteal, 866, 1387f
 - TMJ arthroscopy, 970, 971f
 - Elevator technique, 136
 - Elliptic incision
 - for frenum attachment excision, 173
 - Ellis classification, 387, 387f
 - Ellis technique, 423f
 - Embryo, 1052f
 - amnion, 1053f
 - lateral view, 1053f
 - scanning electron micrograph, 1055f
 - Emergence delirium, 93
 - Emergency treatment on full stomach
 - children, 106
 - Eminectomy, 1046
 - Emphysema, 73
 - Enalaprilat
 - for hypertension, 32
 - for hypertensive crisis, 50t
 - Enamel fractures, 387
 - Enamel organ, 575, 575f
 - END, 647, 648
 - vs. elective neck irradiation, 650
 - Endocarditis
 - cardiac conditions associated with, 23t
 - prophylaxis if, 24t
 - Endochondral bones
 - formation of, 192–193
 - Endocrine disorders, 32–34, 59–61, 74–77
 - diabetes, 281, 282, 424
 - effect on wound healing, 10
 - implants, 252
 - diabetes insipidus, 607
 - diabetes mellitus, 32–33, 59–61, 76–77
 - insulin, 60
 - type 2, 33, 60
 - hyperglycemia, 60–61
 - hypoglycemia, 60–61
 - thyroid disorders, 33–34
 - Endonasal rhinoplasty
 - surgical sequence for, 1356t
 - Endoscopic lens system
 - TMJ
 - arthroscopy, 970f
 - Endoscopy
 - sinus infection, 302–303
 - complications of, 309
 - Endosseous implants, 191–192, 270f
 - long-term
 - first, 189
 - Endotracheal intubation
 - children, 104
 - for flail chest, 337
 - Endotracheal tube stabilizer pad, 980f
 - End-stage renal disease (ESRD), 31, 77

- End-to-side anastomosis, 805f
- Enflurane
 avoided with renal patients, 31
 chemical structure of, 96f
- England, 189
- Enophthalmos, 468, 479
 zygomatic arch fractures, 457–458, 458f
- Entubulation (conduit) nerve repair, 833f, 834t
- Entubulation techniques, 833–834
- Envelope flap, 144, 146f
- Envelope incision, 144, 145f
- Environment
 craniofacial growth and development, 1068–1070
 craniofacial malformations, 1066–1068
- Enzyme induction, 85
- Ephelides, 683
- Epidermis, 709
- Epidermodysplasia verruciformis, 698
- Epidermolysis bullosa (EB), 685–686
 atrophicans generalisata gravis Herlitz type, 686
 bullosa acquisita, 686
 Cockayne-Touraine type, 686
 dystrophica Hallopeau-Siemens, 686
 simplex Koebner type, 686
- Epidural hemorrhage, 345f
- Epilepsy, 78
- Epinephrine, 95, 338, 340
 for arrhythmias, 52
 for blepharoplasty, 1331
- Epiphora, 364, 1263, 1327
- Epistat, 438
- Epistaxis, 437
- Epithelialized palatal graft technique
 implants, 210–111
- Epstein-Barr virus (EBV), 686, 688
- ePTFE, 223
- Erich arch bars, 415f
- Erythema multiforme, 693–694, 694f
- Erythematous lesions, 685–686
- Erythrocyte sedimentation rate (ESR), 314
- Erythromycin
 for COPD, 30
- Erythroplakia, 618, 619, 619f
- Esmolol
 for hypertensive crisis, 50t
- Esophagoscopy, 624
 vs. barium swallow
 for neck gunshot injuries, 518
- ESR, 314
- ESRD, 31, 77
- Essential hypertension, 31–32, 37
- Esthetic facial augmentation
 alloplastic, 1435–1447
- Esthetic flaps, 710
- Esthetic implants
 flaps, 207f
- Esthetic ridge defect
 large-volume combination hard and soft tissue
 reconstruction of, 219f
- Esthetic tooth wax-up, 200
- Estlander flap, 664
- Etanercept
 for rheumatoid arthritis, 36
- Ethanol, 35
- Ethmoid bone, 437, 465
- Ethmoid bulla
 anatomy and physiology of, 297
- Ethmoid fracture, 535f
- Ethmoid sinus, 494f
 anatomy and physiology of, 297
- Ethylenediaminetetraacetic acid (EDTA), 944
- Etomidate
 chemical structure of, 92f
 pharmacology of, 92
- Exarticulations, 393–394
- Excisional biopsy, 570, 704
- Exercise therapy
 for TMJ, 954–955
- Exercise tolerance
 assessment of, 70–71
 determining preoperative risk, 17
- Exfoliative cytology, 569–570
- Exophthalmos, 468, 495, 607
- Exostoses, 169
- Expanded polytetrafluoroethylene (ePTFE), 223
- Extended neck dissection, 649
- External auditory canal
 sectioned, 995f
- External ballistics, 510
- External ear
 anatomy of, 1451f
- External fixator, 796f
- External neurolysis, 830–831
- External pin fixation, 416
- External rhinoplasty
 surgical sequence for, 1356t
- Extraction
 vs. nonextraction, 1130
- Extraction wounds, 7–8
- Extraoral inverted L osteotomy, 1147f, 1148f
- Extraoral vertical subcondylar osteotomy, 1145f
- Extraosseous devices, 184–185
- Extravasated blood
 lesions, 685
- Extravasation
 with TMJ arthroscopy, 984–985
- Extremities
 craniofacial dysostosis syndrome, 903
 examination of
 in trauma patient, 353–354
- Extrusive luxation, 392
- Eyebrows
 anatomy, 1318
 examination of, 1328
 fat pad, 1318
 female position, 1318f
 male position, 1318f
 reconstruction of, 363
- Eyelids. *See also* Lower eyelids; Upper eyelids
 aging skin changes, 1319
 arteries, 1324
 avulsive injuries of, 362f
 cheek contour, 1318
 connective tissue, 1321
 crease reformation, 1332–1334
 cross-section, 1319f
 fat pads, 1323
 innervation, 1325–1326
 laceration, 470f, 475, 476f
 layers of, 466t
 lymphatics, 1324–1325
 musculature, 1322–1323
 normal position of, 1320f
 reconstruction
 history of, 1317
 resection of, 364f
 skin thickness, 1319
 soft tissue injuries, 364–365
 surgical repair of, 364f
 topography, 1319–1320
 vasculature, 1324
 veins, 1324
- Eyes
 adnexa, 1319–1326
 examination of, 447
 injuries, 471–476
 sagittal view of, 455f
 surface evaluation, 1330
- F
- Face
 asymmetry, 412f
 bones, 192–193
 and reconstruction, 164
 buttresses, 547–548
 developing, 1054f
 esthetic augmentation
 alloplastic, 1435–1447
 examination of, 404–405
 expression muscles, 445
 fractures
 evaluation of, 405
 frontal view of, 1057f
 gunshot wounds, 363, 363f
 blind clamping, 516f
 hemiatrophy, 1207, 1207f
 horizontal buttresses of, 548f
 liposuction

- postoperative instructions, 1418
- lower
 - for macroesthetic examination, 1100, 1101
- macroesthetic examination, 1100, 1101
- profiles, 1101
 - Dedo classification of, 1367f, 1367t
- prosthesis, 270f
- scars, 1263
- skeleton
 - surgical approach to, 551, 551f
- trauma
 - children, 540f
 - psychosocial issues, 384
- vertical buttresses of, 548f
- wounds, 357
 - grazing gunshot, 523f
- Face-bow transfer, 1215f
- Face lift
 - dressings, 1373f
 - skin incision, 1376f
- Facemask, 1078f
- Facial artery, 1346, 1389
- Facial asymmetry, 1205–1217, 1267
 - acquired, 1208
 - condylar trauma, 1208
 - degenerative joint disease, 1208
 - juvenile idiopathic arthritis, 1208
 - basal view, 1214f
 - clinical assessment of, 1208–1209
 - delayed treatment, 1210
 - etiology, 1205
 - frontal view, 1217f
 - lateral and frontal view, 1216f
 - midface deficiency, 1213f
 - orthodontic considerations, 1210–1212
 - radiography, 1209
 - surgery, 1209–1216
 - techniques, 1212–1216
 - TMJ function, 1210
- Facial nerve, 357, 483, 992, 1325, 1390
 - anatomy of, 358f
 - zone of arborization, 358f
 - gunshot wound, 522
 - landmarks, 993f
- Facial primordia
 - development of, 1053–1054
- Falls, 383, 530
- Familial gigantiform cementoma, 599
- Fasting, 105–106
- Fat debulking, 1332
- Fat embolism syndrome, 341f, 354
- Fat grafts, 1401
 - abdominal
 - harvest of, 501, 501f
 - dermal, 1414, 1414f
- Fat injection
 - autologous, 1413–1414, 1414f
- Fat pads, 1322f
- Fat transfer
 - autologous, 1412–1415
 - complications, 1414–1415
- Femur
 - fracture of, 341f, 353
- Fenoldopam
 - for hypertensive crisis, 50t
- Fentanyl
 - chemical structure of, 88f
 - children, 115
 - end-stage TMJ disease, 1022
 - pharmacology of, 88–89
- Fernandez technique, 423f
- Fetus
 - changing body proportions, 1059f
- FEV1, 56f
- Fever
 - odontogenic infection, 283, 287–288
 - with osteomyelitis, 314
- FFP, 343
- Fiberoptic laryngoscopy
 - children, 528
- Fiberoptic nasal examination, 295
- Fibrin clots, 8
- Fibroblasts, 5, 786
- Fibroma
 - mandible, 313f
- Fibromyalgia, 941
- Fibro-osseous disease
 - benign, 597–600
 - cemento-osseous dysplasia, 598–599
 - fibrous dysplasia, 597–598
- Fibro-osseous neoplasms
 - juvenile aggressive ossifying fibroma, 600
 - ossifying fibroma, 599–600
- Fibrous dysplasia, 597–598, 597f, 598f
- Fibrous inflammatory hyperplasia, 172
- Fibular grafts, 268
- Field of vision
 - TMJ
 - arthroscopy, 970f
- Figure-eight alar cinch suture technique, 1238f
- Figure-of-eight wire, 421, 424f
- Final diagnosis
 - determining, 568–569
- Fine-needle aspiration biopsy (FNAB), 570, 704
 - parotid gland tumors, 672
- Firearms
 - terminology of, 512–514
- First molars
 - progressive soft tissue recession, 212f
- Fissure bur, 146f, 242, 242f
- Fistulas, 1252–1253
 - residual oronasal, 1271
- Fitzpatrick skin types, 697, 698t
- Fixed crown-and-bridge restoration, 197, 197f, 198
- Fixed partial denture (FPD), 236f, 258, 260–263, 263, 263f
 - anterior mandible, 262
 - cantilevered, 263, 263f
 - esthetic zone, 261–262
 - extension of, 265
 - mandibular, 268f
 - posterior mandible, 262–263
 - posterior maxilla, 262
- Flail chest, 332, 335–336, 336f
- Flaps, 710–711. *See also* specific flaps
 - blood supply, 770
 - complications, 780–781
 - configuration, 770
 - design, 712–716, 771–772
 - implants, 205–208, 206f, 207f
 - lateral advancement, 208, 208f
 - location, 770
 - necrosis, 709
 - nomenclature, 770–771
 - principles, 769–771
 - superiorly based, 779f
 - tissue content, 770
 - transfer method, 770–771
 - types of, 772–780
 - undermining, 712
- Flavopiridol, 640
- Flexor
 - abnormal activity, 346
- Floating forehead technique, 905
- Floating teeth, 607, 608f
- Floor of mouth
 - cancer, 621–622, 622f, 644
 - examination of, 406
 - lowering procedures, 175, 179f
 - squamous cell carcinoma, 644f
- Florid cemento-osseous dysplasia, 599, 599f
- Fluctuance, 280
- Fluid
 - management
 - oral cancer, 635
 - requirements in children, 42t
- Flumazenil, 86
 - chemical structure of, 86f
 - pharmacology of, 87
- Fluorescein dye, 470, 499
- Fluoroquinolone
 - for rhinosinusitis, 305
- 5-fluorouracil, 639, 640
- Fluoxetine (Prozac)
 - TMJ, 953
- FNAB, 570, 704
 - parotid gland tumors, 672
- Focal cemento-osseous dysplasia, 599
- Foley catheter
 - contraindications for in trauma patients, 343f
- Follicular sac
 - dentigerous cyst in, 141

- odontogenic tumor in, 141
- Fontana-Masson stain, 683–684
- Fontanelles
 - neonatal skull, 1060f
- Forced expiratory volume in 1 second (FEV1), 56f
- Forced vital capacity (FVC), 56f
- Forceps, 308f
- Forehead, 1383–1403
 - anatomy, 1318, 1384–1389
 - bony landmarks, 1384–1389
 - endoscopic view, 1390f, 1391–1393, 1391f
 - esthetic considerations, 1384–1389
 - flaps, 774
 - lift
 - complications, 1402–1403
 - endoscopic, 1396–1400, 1396f
 - postoperative care, 1402
 - skin care and micropigmentation, 1401–1402
 - muscle and fascial anatomy, 1385–1386
 - positions, 1383f
 - preoperative evaluation, 1393–1395
 - soft tissue injuries, 363–364
 - vessel and nerve anatomy, 1389–1391
 - youthful, 1384
- FPD, 263, 263f. *See also* Fixed partial denture (FPD)
 - extension of, 265
- Fractionation, 636
- Fractured teeth
 - assessment of, 385
- Fracture lines, 408
- Fractures. *See also* specific fractures
 - bone healing after, 6
- Frank-Starling curve, 24
- FRC
 - children, 104
- Free autogenous grafts, 786t
- Free fibula flap, 811–814, 814f
 - anatomic considerations, 811–813, 811f
 - elevation, 813f
 - morbidity following, 813–814
 - technique, 812–813
- Free flaps. *See also* Radial forearm free flaps
 - iliac crest osteomyocutaneous, 814–815
 - microvascular, 792
 - radial forearm, 804–811
- Free gingival grafts, 210
- Free tissue transfer
 - head and neck, 803
 - versatility of, 815–816
- Frenectomy, 172–174
- Frenum attachments
 - excision of, 173, 173f, 174f
 - exposure of, 173f
 - wide-based, 174
- Fresh frozen plasma (FFP), 343
- Frey's syndrome, 1263
- Fricke, Johann Karl George, 1317
- Frontal bone, 491, 492f, 1384
 - fracture, 535f
 - injuries
 - complications of, 503
 - ossification of, 491
 - osteology of, 492–493
 - posttraumatic deformity correction, 504–505
- Frontalis muscle, 1318, 1385–1386, 1387f
- Frontal recess
 - anatomy and physiology of, 297
- Frontal sinus, 492f, 494f
 - anatomy and physiology of, 491–494
 - anterior table fractures, 499
 - depressed injury, 495
 - development of, 491
 - embryology of, 491
 - fractures, 495f
 - children, 532–534
 - classification of, 496–497
 - clinical findings, 494–497
 - patient evaluation, 494–497
 - surgery, 497–502
 - neovascular structures, 493
 - osteology of, 492f
 - physiology of, 491–492
 - posterior table fractures, 499–500
- Frontoforehead esthetic unit
 - craniofacial dysostosis syndrome, 903
- Frown lines
 - glabella, 1389f
- Frozen section specimens, 634f
- Full-arch ceramometal restoration, 265, 266f
- Full histologic periosteal refixation, 1399
- Full-jacketed bullet, 514f
- Full-metal jacket, 514
- Full-thickness mucoperiosteal buccal flaps, 866
- Full-thickness skin grafts, 8, 717–718
- Functional appliances, 1075f
- Functionally stable fixation, 371–372, 373
- Functional matrix concept, 164
- Functional residual capacity (FRC)
 - children, 104
- Fungal balls
 - maxillary sinus, 303f
- Fungal disease
 - oral cavity, 680–681
- Fungal sinusitis, 303–304
- Furlow double opposing Z-plasty procedure, 876
- Furnas technique, 1452
- Furosemide
 - for congestive heart failure, 22
- Fusobacterium*, 140, 288
- FVC, 56f
- G
- GABAergics, 1024
- Gabapentin
 - for seizure disorders, 37
- GABA receptor, 84
- Galeal tissue, 1399
- Galen, 383
- Gamma-aminobutyric acid (GABA)
 - receptor, 84
- Ganglion cysts
 - TMJ, 945
- Gap arthroplasty, 1038, 1290f
- Gastritis, 35
- Gastroesophageal reflux disease (GERD), 300, 1298
- Gauge, 512
- GCS. *See* Glasgow Coma Scale (GCS)
- General anesthesia
 - risk after myocardial infarction, 20
- Gene therapy
 - wound healing, 13
- Genetics
 - craniofacial growth and development, 1068
 - craniofacial malformations, 1065–1066
- Genial advancement
 - with hyoid myotomy and suspension
 - OSA, 1307–1308
 - OSA, 1307
- Genial segment surgical procedures
 - anterior repositioning, 1229–1232
 - posterior repositioning, 1232–1233
 - soft tissue changes associated with, 1229–1233
 - vertical repositioning, 1233
- Genial tubercle
 - advancement, 1307f
 - reduction, 169–170
- Genioglossus attachment, 175
- Genioglossus muscle, 169
- Genioplasty
 - advancement
 - soft tissue changes associated with, 1232t
 - reduction
 - soft tissue changes associated with, 1233t
 - setback
 - soft tissue changes associated with, 1233t
- Genitourinary tract
 - examination of
 - in trauma patient, 353
- GERD, 300, 1298
- Geriatric patients. *See* Elderly
- German measles, 689
- Germinated tooth, 136f
- Germ layer formation, 1051
- GFR, 30
- Ghost cell tumor
 - malignant epithelial odontogenic, 589
- Giant cell granuloma

- central, 603–605, 603f, 604f
- Giant cell tumor, 604
- Gilles's approach, 451f
- Gillies, H., 527
- Gillies and Harrison total midface advancement, 527
- Gingiva
 - examination of, 406
 - excess display on smile, 1102–1103, 1103f
 - grafts
 - dental implants, 210–211, 210f
 - indications for, 211
 - edentulous mandibular site, 212f
 - melanin pigmentation
 - smoking, 682
 - squamous cell carcinoma, 644–645
 - trauma
 - treatment, 396–397
- Ginglymoarthrodial, 933
- Ginglymoid, 933
- Glabella
 - crease, 1393
 - frown lines, 1389f
 - lacerations, 494
 - vertical rhytids, 1398
- Glargine
 - onset, peak and duration, 61t
- Glasgow Coma Scale (GCS), 78, 78t, 329t
 - development of, 328
 - for grading consciousness, 346
 - and head injuries, 348
- Glenoid fossa
 - coronal section, 992f
 - horizontal incision, 996
- Gliding hole, 379
- Globes
 - evaluation of, 468
 - penetrating injury, 472
 - perforated, 516f
- Globulomaxillary lesion, 608, 609f
- Glogau's classification
 - photoaging, 1419, 1419t
- Glomerular filtration rate (GFR), 30
- Glossectomy, 643
- Glucocorticoids
 - for asthma, 56
 - for rheumatoid arthritis, 36
 - for TMJ, 951
- Gluconeogenesis, 35
- Glutamine, 12
- Glycogen storage, 35
- Glycolic acid, 1341
 - resorbable plating system, 441–442
- Glycopyrrolate, 99, 106
 - with ketamine, 111
- Goiter, 76
- Goldenhar's syndrome, 74, 104
- Goldman Index, 66
- Gold salts
 - for rheumatoid arthritis, 36
- Gold wire splinting
 - Lebanon, 383f
- Gompertzian kinetics, 638
- Gonial arc, 1140f
- Gonorrhea, 682
- Goode method, 1353, 1353f
- Gorham's disease, 612, 612f
- Gorlin's syndrome, 698
- Grafts, 710. *See also* specific graft
- Granulation tissue, 5
- Grasping forceps
 - TMJ arthroscopy, 970
- Graves' disease, 76
- Grayson nasoalveolar molding appliance, 846f
- Greater auricular nerve, 1371f
 - cable graft, 833f
- Greenstick fracture, 410
- Grossly comminuted fractures, 410
- Ground substance, 709, 934, 935
- Group A Coxsackievirus, 688
- Growth
 - factors
 - effect on wound healing, 12–13
 - mandibular fracture, 426
 - modification
 - orthopedic treatment for, 1070–1079
- Growth deformities
 - secondary, 1207
- Guided bone grafts
 - augmentation, 223
- Gullwing incision, 497
- Gummy smile, 1097f
- Gunning's splints, 440–441, 441
- Gunshot wounds, 509–524
 - bone grafting, 523–524
 - classification of, 514–515
 - closed vs. open management, 522–527
 - contamination, 522
 - cost, 510
 - delayed vs. early management, 522–527
 - demographics, 509–510
 - face, 363, 363f
 - blind clamping, 516f
 - hemorrhage, 516–517
 - history, 509
 - incidence, 509–510
 - late reconstruction, 524
 - mandible, 795f
 - mouth, 521f
 - neck, 517–519
 - decision tree, 519f
 - surgery, 520–522
 - treatment, 515–522
- Gustatory sweating, 1263
- H
 - Haemophilus influenzae*, 300, 305
 - TMJ, 944
- Hageman factor, 4
- Hairy leukoplakia, 689
- Haller cell, 298
- Halothane, 95f
 - for asthma, 56
 - chemical structure of, 96f
 - children, 114
 - pharmacology of, 93, 96
- Hamartomatous fibro-osseous disease, 597
- Handguns, 512
- Hank's balanced salt solution, 393, 393f
- Hard palate
 - cancer, 622, 622f
- Hardy, Michael, 964
- Harness restraints, 529
- Haversian remodeling, 371
- Head
 - assessment of
 - in trauma patient, 345–346
 - examination of, 357
- Headache, 1299
 - frontal sinus, 503
- Head and neck
 - assessment
 - odontogenic infection, 277–278
 - cancer, 697–720
 - inoperable, 652
 - survival, 652
 - treatment failure, 652
 - deep spaces of
 - borders of, 278t
 - infections, 279t
 - severity score for, 278, 280t
 - free tissue transfer, 803
 - infections of
 - drainage of, 285f
 - radiation
 - implants, 252
- Headgear, 1074f, 1076f, 1078f
- Healing by secondary intention, 710–711
- Hearing
 - craniofacial dysostosis syndrome, 903
- Heart
 - age-related changes, 41
 - of infants, 42
- Heart blocks, 27–28
- Heat therapy
 - for TMJ, 956
- Hemangioendothelioma
 - salivary gland, 672
- Hemangiomas, 684
- Hematomas, 685
 - in bone healing, 6
 - cervicofacial liposuction, 1411
 - ear, 365–366
 - flaps, 780
 - maxillary fractures, 442

- nasal septum, 364
- protruding ear, 1457
- upper eyelid blepharoplasty, 1340
- in wound healing, 10
- Hematuria, 353
- Hemifacial hyperplasia
 - congenital, 1207
- Hemifacial microsomia, 104, 1206, 1206f
- Hemimandibular hyperplasia/elongation, 1207
- Hemorrhage. *See* Bleeding
- Hemostasis, 10, 357
- Hemothorax, 334–335
- Hemotympanum, 346
- Heparin
 - DVT, 635
 - in spinal cord disorders, 38
- Hepatitis, 35
- Hepatitis A, 35
- Hepatitis B, 35
- Hepatitis C, 35
- Hepatogastrointestinal disorders, 34–36
 - liver disease, 34–35
 - peptic ulcer disease, 35–37
- Herbal supplements
 - determining preoperative risk, 18
- Herbst appliance, 1303
- Hereditary diseases, 685–686
- Herpes
 - cytology, 687f
- Herpes simplex infection, 1432
- Herpes simplex virus (HSV), 686
- Herpes zoster, 688f
- Herpetic
 - gingivostomatitis, 686f
- Herpetic gingivostomatitis, 686f
- Herpetic whitlow, 687, 687f
- Hertwig's root sheath, 575
- Hexed implant, 256f
- High-flow vascular malformation, 606f, 607f
- High-velocity accident, 350
- High-voltage stimulation
 - for TMJ, 956
- Hilum
 - calcified stone
 - sialogram, 675f
 - stones, 675–676
- Hippocrates, 383
- Hirudo medicinalis*, 780
- Histamine antagonists
 - children, 117
- HIV. *See* Human immunodeficiency virus (HIV)
- Hofer's subapical osteotomy, 1138f
- Holmium:YAG (HO:YAG) lasers
 - TMJ arthroscopy, 971
- Hooding, 1393
- Hooked probe
 - TMJ arthroscopy, 970
- Horizontal glabellar lines, 1398
- Horizontal impaction, 143, 147f
 - bone removal, 145–146
- Horizontal osteotomy
 - for horizontal chin deficiency, 1172f
 - for horizontal chin excess, 1171f
 - of the symphysis, 1168–1173, 1168f
 - complications, 1173
 - indications for, 1168
 - technique, 1168–1173
 - various forms of, 1169f–1170f
- Horizontal osteotomy of vertical ramus
 - Blair's, 1135, 1136f
- Horizontal ramus
 - sagittal osteotomy, 1164
- Horizontal tightening, 1335
- Hoshino, Kazumasa, 964
- Hospice, 653
- HO:YAG lasers
 - TMJ arthroscopy, 971
- HPV
 - squamous cell carcinoma, 617
- HSV, 686
- Hullihen's mandibular subapical osteotomy, 1135, 1135f
- Human bites, 362
- Human immunodeficiency virus (HIV), 11, 689
 - immunocompromised, 283
 - implants, 252
- Human papilloma virus (HPV)
 - squamous cell carcinoma, 617
- Hunsuck modification, 1254
- Hyaluronidase
 - for blepharoplasty, 1331
- Hybrid dentures
 - implant, 254
- Hydantoin, 682
- Hydralazine, 691
- Hydration
 - for fever, 287
- Hydrocephalus
 - craniofacial dysostosis syndrome, 902
- Hydrocodone
 - for TMJ, 951
- Hydrogen peroxide, 360
- Hydroxy acids, 1421
- Hydroxychloroquine
 - for rheumatoid arthritis, 36
- Hydroxylapatite coatings
 - implants, 190, 192
- Hyoid myotomy, 1308f
- Hyoid suspension, 1308
- Hyperbaric oxygen therapy
 - flaps, 780–781
 - implants, 252
 - jaws, 794
 - odontogenic infection, 281
 - osteomyelitis, 317
 - osteoradionecrosis, 320
 - wound healing, 11–12
- Hyperdivergent faces, 1211
- Hyperfractionation, 636
- Hyperglycemia, 60–61, 77, 344
 - effect on wound healing, 10
- Hyperkalemia, 31
- Hypermobile tissue, 172
- Hyperparathyroidism, 603, 604, 605f
- Hyperpigmentation, 1425f
- Hypersomnolence, 1298
- Hypersplenism, 35
- Hypertension, 31–32, 49, 1299
 - African Americans, 49
 - with bradycardia, 345
 - elderly, 49
 - essential, 31–32, 37
 - and preoperative patient assessment, 69–70
 - risk factors for, 70
- Hypertensive crisis
 - medications for, 50t
- Hypertensive urgency, 49
- Hyperthyroidism, 33–34, 61–62, 76
- Hypertrophic cardiomyopathy, 69
- Hypertrophic scars, 9, 359
 - protruding ear, 1458
- Hypertrophic subaortic stenosis
 - idiopathic, 69
- Hyphema, 470, 472, 473f
- Hypnagogic hallucinations, 1298
- Hypodivergent faces, 1211
- Hypoglycemia, 59, 60–61, 344
- Hypokalemia, 53
- Hypo-ophthalmos, 479
- Hypopnea, 58
- Hypotension, 70
 - with tachycardia, 345
- Hypothermia
 - children, 528
- Hypothyroidism, 34, 62, 74
- Hypovolemia, 338
- Hypovolemic shock
 - estimated blood loss, 342t
 - estimated fluid loss, 342t
 - with multisystem injuries, 341–344
 - treatment, 343–344
- Hypoxia, 345
- I
- Ibuprofen
 - for rheumatoid arthritis, 36
- ICP
 - craniofacial dysostosis syndrome, 901–902
- Ideal face, 1094f
- Idiopathic condylar resorption, 1291f
- Idiopathic hypertrophic subaortic stenosis (IHSS), 69

- Idiopathic vesiculoulcerative disease, 691–692
 - IGF-I, 76
 - IHSS, 69
 - IJD, 967, 967t, 968t
 - Iliac corticocancellous graft, 231–232
 - Iliac crest
 - bone grafts, 268f, 789–791, 862–863
 - corticocancellous block graft augmentation
 - atrophic mandible, 196f
 - osteomyocutaneous free flap, 814–815
 - harvesting, 815f
 - morbidity following, 815
 - Ilizarov, 164
 - Illicit drug abusers, 39–40
 - Imaging, 568–569
 - gunshot wounds
 - neck, 519–520
 - panfacial fractures, 550–551
 - Imbrication, 1371, 1372f
 - vs. plication, 1372f
 - IMF. *See* Internal maxillary fixation (IMF)
 - Imipramine
 - end-stage TMJ disease, 1022
 - Imiquimod, 698, 708
 - Immunocompromised
 - effect on wound healing, 10–11
 - factors associated with, 282t
 - odontogenic infection, 282–283
 - Impacted fractures, 410
 - Impacted teeth, 139–153
 - age, 144
 - angulation of, 143
 - bone removal, 145
 - children, 144
 - debridement, 146
 - defined, 132
 - depth of impaction, 143
 - etiology, 132–133, 132f
 - evaluation of, 133
 - incidence of, 131–132
 - management of, 131–136
 - multiple, 131f, 132f
 - perioperative care, 143–149
 - relationship to ramus anterior border, 143
 - removal of, 146f
 - age, 142–143
 - antibiotics, 147–149
 - bleeding, 150
 - children, 142–143
 - complications of, 149
 - compromised medical status, 143
 - contraindications for, 142–143
 - for dental caries prevention, 141
 - indications for, 140–142
 - irrigation, 147
 - for odontogenic cyst and tumor
 - prevention, 141
 - orthodontic considerations, 141
 - pain, 142, 150
 - for pericoronitis, 140–141
 - postoperative course, 149–150
 - to prevent jaw fractures, 142
 - root resorption, 142
 - steroids, 149
 - stiffness, 150
 - surgical damage to adjacent structures, 143
 - swelling, 150
 - roots, 144
 - surgery of, 133, 135, 143–149
 - alveolar osteitis, 151
 - complications of, 150
 - determining difficulty of, 143–144
 - fracture, 151
 - irrigation, 151
 - nerve disturbances, 151
 - rare complications, 152
 - technique, 144–147
 - surgical exposure, 133–134
 - vs. unerupted teeth, 140
 - uprighting, 135–136
- Impingement lesions
 - progressive stages, 973t
- Implant driver, 242f
- Implant level transfer impression
 - open-tray technique, 258f
- Implant prosthodontics, 251–271, 254
 - biomechanical considerations, 251–252
 - crown-to-implant ratio, 254–255, 255f
 - full-arch restoration, 255, 255f
 - implant selection, 255–256
 - occlusion, 255
 - patient factors, 251–252
 - periimplant biology, 251
 - radiographic evaluation, 252–253
 - complications of, 269–270
 - abutment fracture, 270
 - porcelain fracture, 270
 - radiographic bone loss, 270
 - resin base fracture, 270
 - screw loosening, 270
 - soft tissue, 269–270
 - contemporary techniques, 266–267
 - immediate load, 267
 - immediate placement, 266
 - immediate restoration, 266–267
 - maxillofacial prostheses, 267–268
 - surgical installation stability, 266
 - edentulous restorations, 263–264
 - FPD, 260–263
 - maintenance of, 270–271
 - single-tooth replacement, 258–260
 - cemented single units, 259–260
 - esthetic zone, 259
 - nonrestorable tooth, 258–259
 - screw-retained single units, 260
 - success criteria, 271
- Implant-retained obturator, 269f
- Implant-retained overdentures, 264
- Implants. *See also* specific implants
 - advances in, 167–171
 - angulation, 200
 - bone healing around, 193
 - depth, 200–201
 - four or more, 195
 - placed too far facially, 260f
 - presurgical planning for placement, 252f
 - soft tissue, 205–221
 - with acellular dermal matrix, 220–221
 - augmentation guidelines, 209
 - epithelialized palatal graft technique, 210–111, 210–211
 - flaps, 205–208, 206f, 207f
 - grafts, 208–209
 - nonsubmerged placement, 206
 - subepithelial connective tissue grafting, 212–215
 - submerged placement, 205–206
 - vascularized interpositional periosteal connective tissue flap, 217–220
- two, 195
- without grafting
 - atrophic mandible, 197
- Implant-supported overdentures
 - attachment mechanisms for, 265
- Incisional biopsy, 570, 704
- Incisions. *See also* specific incisions
 - brow lift, 1400f
- Incisors
 - altering axial inclination of, 1122
 - angulation, 1113
 - implant
 - preoperative view of, 213f
 - progressive soft tissue recession, 212f
 - mandibular
 - apical fractures, 390f
 - correct underangulated, 1126
 - crowding of, 141
 - impacted, 132f
 - maxillary
 - altering mesiodistal angulation of, 1122
 - correct underangulated, 1125–1126
 - extraction of, 1122
 - subluxation, 392f
 - position in facial asymmetry, 1212
- Indalones
 - for psychotic disorders, 39
- Indirect bone healing, 6, 373f, 374f
- Indirect fixation, 401
- Indirect fracture, 409f, 410
- Induction agents
 - children, 113–114
- Induction chemotherapy, 639
- Infants, 42

- seat belts, 529
- Infection
 - cervicofacial liposuction, 1411
 - flaps, 720
 - with impacted teeth removal, 150
 - lip cancer, 659
 - mandibular fracture, 426
 - maxillary fractures, 442
 - nasofrontal duct, 503
 - TMJ
 - arthroscopy, 986
 - internal derangement, 1010
- Infectious endocarditis
 - cardiac conditions associated with, 23t
 - prophylaxis if, 24t
- Infectious hepatitis, 35
- Inferior alveolar canal
 - potential tooth proximity to, 820t
- Inferior alveolar injuries, 820
- Inferior alveolar nerve
 - anesthesia, 149, 151
 - damage, 1254
 - BSSO, 1157
 - numbness, 405
- Inferior border augmentation, 182–183
- Inferior lid
 - cross-section of, 481f
- Inferiorly based pharyngeal flap, 878
- Inferior mandibular osteotomy, 1308f
- Inferior meatus
 - anatomy and physiology of, 297
- Inferior orbital fissure, 464
- Inferior orbital rim, 485f
- Inferior suspensory ligament
 - Lockwood's, 466
- Inflammation cascade, 951f, 954
- Inflammatory papillary hyperplasia, 172
- Inflammatory resorption, 391
- Infliximab
 - for rheumatoid arthritis, 36
- Informed consent
 - suction-assisted lipectomy, 1416–1417
- Infrahyoid muscles, 938
- Inframandibular muscles, 940, 940f
- Infraorbital nerve, 437, 445, 464
 - and external nasal branch, 1349
 - and lower eyelid conjunctiva, 1326
- Infraorbital paresthesia
 - zygomatic arch fractures, 457
- Infraorbital rim
 - internal fixation of, 456
 - surgery
 - pitfalls in, 453–455
- Infraorbital space
 - borders of, 278t
 - infection, 279t
- Infratemporal space
 - infection, 279t
- Infundibulum
 - anatomy and physiology of, 297
- Inhalation agents, 96–98, 114t
 - chemical structure of, 96f
 - children, 114–115
- Inhalational substance abuse
 - anesthesia with, 122
- Inhalation anesthetics
 - pharmacology of, 93–97
 - properties of, 94t
- Inhalation induction
 - disadvantages of, 109
- Injury severity scores, 329–330
 - mortality rates for
 - by age, 330t
- Inlay bone grafts, 179–180
- Inoculation, 8
- Insulin, 60
 - onset, peak and duration, 61t
- Insulin-like growth factor (IGF-I), 76
- Intercanthal region, 550
- Intercartilaginous incision, 1349f
 - rhinoplasty, 1354–1355, 1356f
- Interdental eyelet wiring, 415
- Interdental osteotomies, 1130f
- Interferon
 - nonmelanoma skin cancer, 709
- Interlabial gap, 1090
- Intermaxillary fixation, 439f
- Internal ballistics, 510
- Internal fixation
 - biomechanic studies vs. clinical outcomes, 374–375
 - selection of, 374
 - zygomatic arch fractures, 455–456
- Internal inflammatory resorption, 391
- Internal joint derangement (IJD), 967, 967t, 968t
- Internal maxillary artery, 1346
- Internal maxillary fixation (IMF), 402
 - for condylar fractures
 - length of, 415
 - for mandibular fractures
 - length of, 415
 - screws, 415, 416f
- Internal nasal nerve, 1349
- Internal neurolysis, 831–832, 832f
- Internal replacement resorption, 391
- Internal wire fixation
 - symphysis fracture, 373f
- Interorbital space, 493
- Interpolation flaps, 774–775
- Interpositional grafts, 179, 183
 - anterior maxillary defect, 230f
 - vertical alveolar augmentation, 230
- Interproximal tooth size reduction, 1121
- Interrupted strip technique, 1363f
- Interstitial radiotherapy, 637
- Intrabony tumors
 - salivary gland, 674
- Intracartilaginous incision
 - rhinoplasty, 1355
- Intracerebral hemorrhage, 345f
 - CT, 346f
- Intracranial hypertension, 887
- Intracranial pressure (ICP)
 - craniofacial dysostosis syndrome, 901–902
- Intramuscular sedation, 109
- Intranasal sedation, 109
- Intraoperative stereotactic navigation, 308f
- Intraoral approach
 - to zygomatic arch, 450
- Intraoral bone grafts, 787–788
 - donor site, 787f
- Intraoral incisions
 - atrophic mandible, 196
- Intraoral vertical subcondylar osteotomy (IVSO), 1145, 1250
- Intraosseous infusions, 108, 108f
- Intraosteal wiring
 - mandibular fracture, 421
- Intravenous resuscitation fluid, 342
- Intravenous tubing
 - maxillary distractors, 1285f
- Intrinsic jaw-growth deformities, 1207
- Intrusive luxation, 392
- Inverted L osteotomy, 1136, 1146–1150
 - extraoral, 1147f, 1148f
- Ionizing radiation, 699
- Iontophoresis
 - for TMJ, 956–957
- Irrigation system
 - TMJ
 - arthroscopy, 968–969
- Ischemic heart disease, 66–67
- Isoflurane, 95
 - chemical structure of, 96f
 - pharmacology of, 96–97
- Isolated mandibular body fracture
 - arch bars and miniplate, 377f
- Isometric jaw exercise
 - for TMJ, 955
- Issue ischemia, 10
- IVSO, 1145, 1250
- Ivy, Robert, 840
- Ivy loops, 416f
 - wiring, 415
- J
- Jacketed bullets, 514
- Jackson Pratt drain, 285, 286f
- Jaws
 - aneurysmal bone cyst, 605
 - benign fibro-osseous disease, 597–600
 - benign nonodontogenic lesions, 597–613
 - bony reconstruction of, 783–798

- anatomic considerations, 783–787
- limitations of, 785
- chondroma, 601
- drug-induced clenching, 1023
- examination of, 404–405
- exercise therapy
 - for TMJ, 955
- fractures of
 - prevention of, 142
- Langerhans cell histiocytosis, 607–608
- lesions with giant cells, 603–605
- neurogenic tumors, 610–611
- nonodontogenic cysts, 608–610
- osteoblastoma, 600
- osteochondroma, 601–602
- osteoid osteoma, 600
- osteoma, 601
- pediatric aggressive mesenchymal tumors, 602
- rotational mechanics, 972f
- synovial chondromatosis, 601–602
- vascular malformations, 605–607
- Jaw thrust procedure, 330, 332f
- Jessner's solution, 1422t, 1423, 1426f, 1427f
- Joe Hall Morris external fixator, 417f
- Johnson, Lanny, 964
- Joint disorders, 36
- Joyce, John, 964
- J-shaped curved hook elevator, 450
- J-shaped elevator, 1438, 1438f
- J stripper, 1188f
- Jug-handle view
 - zygomatic complex fractures, 448
- Juvenile aggressive ossifying fibroma, 600
- Juvenile idiopathic arthritis, 1208
- Juvenile rheumatoid arthritis, 1037
- K
 - Kaban protocol, 1038
 - Kaminishi, Ronald, 964
 - Kaposi's sarcoma, 685
 - Karapandzic flap, 366, 663, 664, 664f, 665
 - Kartagener's triad, 302
 - Kazanjian, V.H., 527
 - Kazanjian flap vestibuloplasty, 178f
 - Kelly clamp
 - for pneumothorax, 333
 - Keloids, 9
 - protruding ear, 1458
 - Keratinized gingiva, 192
 - Keratitis sicca, 1330f
 - Ketamine, 110–112
 - avoiding in malignant hyperthermia, 38
 - cardiovascular effect, 111
 - chemical structure of, 93f
 - children, 111
 - disadvantages of, 111
 - pharmacology of, 92–93
- Ketorolac
 - end-stage TMJ disease, 1017
 - pharmacology of, 97
- KGF-2, 13
- Ki-67, 653
- Kidneys
 - age-related changes, 41
 - disease, 30–31
 - assessment of, 77–78
 - caused by hypertension, 32
 - chronic
 - immunocompromised, 283
 - end-stage, 31, 77
 - insufficiency, 54
 - chronic, 30–31
 - normal architecture of, 55f
- Kiesselbach's plexus, 1347
- Killian incision
 - rhinoplasty, 1354
- Kitayama technique, 423f
- Klearway titratable appliance, 1303, 1304f
- Klebsiella*, 300
- Klebsiella pneumoniae*, 287
- Kleeblattschadel anomaly, 925–926, 926f
- Klein's tumescent technique, 1409
- Klippel-Feil, 74
- Knife-edge ridges, 1292
 - differential osteotomy, 1294f
- Kobert technique, 422f
- Kole's subapical osteotomy, 1138f
- Kolle, Frederick, 1317
- Kussmaul's sign, 338
- L
 - Labetalol
 - for hypertension, 32
 - for hypertensive crisis, 50t
 - Labial frenectomy, 172–174
 - Labial mucosal advancement flaps, 662
 - Labial pedicle
 - for anterior maxillary osteotomy, 1195f, 1196f
 - Labial splint, 416
 - Labial structures
 - maxillary surgical procedures, 1225, 1225f
 - Labii superioris, 445
 - Labiomental sulcus, 1229
 - Lacerations, 360–361, 437
 - under chin, 405
 - closure of, 362f
 - and facial injuries, 397
 - glabella, 494
 - maxillary fractures, 442
 - Lacrimal apparatus, 465, 493–494
 - Lacrimal glands, 364, 1326
 - prolapse, 1332
 - Lacrimal injuries, 475
 - Lacrimal probe, 365f
 - Lacrimal sac, 484
 - incision of, 504f
 - Lacrimal secretion, 1330
 - Lacrimal system, 466, 1326, 1326f
 - Lactating mothers, 42
 - medications for, 42t
 - Lag screws, 372f, 375, 379f, 1154
 - vs. bone plates, 379
 - fixation technique, 379, 401
 - placement of, 380f
 - Lambdoid synostosis
 - unilateral, 890
 - Lamellar bone, 193
 - Lamotrigine
 - for seizure disorders, 37
 - LAN. *See* Lingual nerve (LAN)
 - Lane's osteotomy, 1137f
 - Langerhans cell, 709
 - histiocytosis, 607–608
 - Lanz, Otto, 435
 - Lap belts, 529
 - Laryngoscope, 624
 - Laryngoscopy
 - fiberoptic
 - children, 528
 - Laryngospasm
 - children, 115–116
 - Laser ablation, 641
 - leukoplakia, 632
 - Laser-assisted uvulopalatoplasty
 - OSA, 1306–1307
 - Laser Doppler flowmetry (LDF), 386
 - Lasers
 - skin resurfacing, 1342
 - TMJ arthroscopy, 970–971
 - vestibuloplasty, 175
 - Lateral brow incision, 452, 482
 - Lateral canthal ligament, 1321–1322
 - Lateral canthotomy, 453
 - Lateral capsular prolapse, 973
 - Lateral cartilage
 - lower
 - anatomy of, 1349f
 - Lateral cephalometric radiographs
 - facial asymmetry, 1209
 - Lateral crural steal, 1360f
 - Lateral dislocation, 411
 - Lateral luxation, 392
 - Lateral maxillary osteotomy, 1273f
 - Lateral pharyngeal space
 - borders of, 278t
 - infection, 279t
 - Lateral pterygoid muscle, 784
 - Lateral tarsal strip procedure, 1335
 - Lateral temporomandibular ligaments, 936
 - Lateral tuberculectomy, 1003f
 - Latissimus dorsi myocutaneous flaps, 780
 - LDF, 386

- Lebanon
 gold wire splinting, 383f
LeClerc procedure, 1046f
Leeches
 medicinal, 780
Le Fort, René, 435, 527, 1179
Le Fort classification system
 maxillary fractures, 435–436, 435f
Le Fort fractures, 405f
 bone plates, 375f
 children, 534
 hemorrhage, 438
 orbital fractures with, 477
Le Fort III osteotomy, 527
Le Fort I maxillary osteotomy
 delayed hemorrhage, 1248
Le Fort I island
 maxillary tumor, 645f
Left medial canthus
 reattachment, 477f
Left ventricular dysfunction, 22–23
Lens
 discoloration, 473
Lentigo maligna, 703f
Lentigo maligna melanoma, 684, 703
Lentigo simplex, 683
Leukocytes, 4, 6, 8
Leukoplakia, 618f, 619, 632–633
 proliferative verrucous variant
 gingiva, 618f
 transformation to squamous cell
 carcinoma, 632
 treatment
 Cochrane review, 632
 ventral tongue, 632f
Leukotrienes
 end-stage TMJ disease, 1019
Levator aponeurosis
 cross-sectional view of, 1320f
Levator palpebrae superioris muscle, 466,
 1323, 1325, 1328
Levofloxacin
 for rhinosinusitis, 502
Lichen planus, 692–693, 692f, 693f
Lidocaine, 359
 for blepharoplasty, 1331
 reduction in liver disease, 35
Lid retractor, 468
Lifting, 710
Ligaments
 TMJ, 936–937
Limberg flaps, 773
Lincomycin
 for alveolar osteitis, 151
Linear fracture
 load-sharing fixation, 375
 orbital, 484
Linear tomography, 254f
 implants, 253
Lingual frenectomy, 174
Lingual frenum attachment, 174f
Lingual nerve (LAN), 821
 blocks
 for genial tubercle reduction, 169
 for mylohyoid ridge reduction, 171
 exposure technique, 831f
 injuries, 820, 822, 1254
Lingual splint, 416, 416f, 1259f
Lipexeresis, 1407
Liposculpting, 1407–1418
Liposuction. *See also* Cervicofacial liposuction
 as adjunctive procedure, 1411–1412
 facial
 postoperative instructions, 1418
 syringe system, 1409f
Liposuction-assisted rhytidectomy, 1412, 1413f
Lipping, 974, 977f
Lips
 avulsive injuries, 369f
 cancer, 659–667, 662–663
 anatomic considerations, 659–660
 cervical lymphadenectomy, 666
 cervical metastasis from, 660
 epidemiology, 659–660
 etiology, 659–660
 neglected, 620f
 oral, 641–645
 staging, 661t
 surgery, 661–662
 treatment, 660–661
 results, 666–667
 tumor node metastasis system, 661t
 excision, 662, 662f
 injuries, 366
 lower
 actinic cheilitis, 618f
 changes with orthodontic incisor
 retraction, 1224
 lymphatic drainage, 660
 metastasis from, 660
 squamous cell carcinoma, 661f, 663f
 ultraviolet lip, 618
 W excision, 662, 662f
 mucosa, 175f
 squamous cell carcinoma, 641–645, 642f
 vermillion injuries, 360
Lip shave, 641, 662
Lip-splitting approach
 incision for, 646f
Lipswitch flap, 775
Lipswitch vestibuloplasty, 175, 194
Lip-tooth-gingival relationship
 direct measurement of, 1091f
Lispro
 onset, peak and duration, 61t
Lithium carbonate
 for affective disorders, 39
 for bipolar disorders, 39
Lithotripsy
 for parotid gland sialoliths, 676
Little's area, 1347
Liver disease, 34–35
 assessment of, 77
L-lactic acid resorbable plating system, 441–442
Load-bearing fixation
 bone plate, 375f
 vs. load-sharing fixation, 375–376
Load-sharing fixation
 vs. load-bearing fixation, 375–376
Local anesthetics
 TMJ, 953
Local flaps, 769–781, 772–776
Localized pigmented lesions, 682–685
Locking plate-screw systems, 378–379, 379f
Lockwood's ligament, 446, 466, 1322
Long dolichocephalic faces, 159
Long drills, 242
Long-term endosseous implant
 first, 189
Loracarbef
 for rhinosinusitis, 502
Lorazepam
 chemical structure of, 86f
 for delirium tremens, 39, 635
 pharmacology of, 87
L osteotomy, 1137f, 1294f
 inverted, 1136, 1146–1150, 1147f, 1148f
 reverse, 1290f
Lower eyelids
 blepharoplasty, 1334–1337
 complications of, 1340–1341
 ectropion, 1341
 fat removal, 1341
 lateral canthopexy, 1337
 midfacial rejuvenation, 1337
 retraction, 1340–1341
 skin pinch excision, 1337
 transconjunctival approach, 1335–1336,
 1338f
 transcutaneous approach, 1335, 1336f
 crease, 1320
 examination of, 1329
 fat pads, 1324
 retractors, 1323
LSD
 anesthesia with, 122
L-shaped incision, 996
Ludwig's angina, 284
Luhr, Hans, 527
Lumbar puncture, 347
Lunchtime peels, 1423
Lungs
 age-related changes, 41
 assessment of, 28

- volume, 59f
- Lupus anticoagulant, 37
- Lupus erythematosus, 691
- Luxation injury
 - permanent dentition malformation, 399f
- Lymphocytes, 11
- Lyons, Chalmers, 840
- Lyophilized dura, 1008
- Lysergic acid diethylamide (LSD)
 - anesthesia with, 122
- M
- Macroesthetic examination
 - oblique view, 1100
 - profile view, 1101
- Macroglossia, 1117f
- Macrolides
 - for rhinosinusitis, 305
- Macrophages, 4, 6, 193
- Macular lesions, 565, 566f
- Magnetic resonance imaging (MRI), 569
 - closed lock phenomenon, 990
 - dislocated disk, 991f
 - oral cancer, 625
 - orbital fractures, 470
 - osteomyelitis, 315
 - TMJ, 975, 976f
 - tongue, 643f
- Major Trauma Outcome Study, 329
- Malignancy
 - HIV, 689
 - masquerading as osteomyelitis, 320f
- Malignant epithelial odontogenic ghost cell tumor, 589
- Malignant hyperthermia, 37–38, 62–63, 95
- Mallampati classification, 74, 76f
- Mallampati test, 281–282
- Malnutrition
 - immunocompromised, 283
- Malocclusion, 405
- Malunion
 - mandibular fracture, 426
 - maxillary fractures, 442
 - zygomatic arch fractures, 457
- Mandible. *See also* Atrophic mandible; Edentulous mandible
 - ablative defect
 - delayed reconstruction of, 796, 797f
 - advancement, 1251f
 - OSA, 1307
 - posterior airway, 1301f
 - sagittal split osteotomy, 1283f
 - soft tissue changes associated with, 1230t
 - alveolus, 784
 - anatomy of, 934
 - angle
 - functional forces acting across, 376f
 - inferior border augmentation, 1437–1439, 1440f
 - anterior
 - FPD, 262
 - anterior segmental osteotomy
 - soft tissue changes associated with, 1229t
 - anterior teeth
 - anterior osteotomies, 1124
 - bilateral mandibular body osteotomies, 1124
 - crowded, 1123–1125
 - distalize posterior teeth, 1124
 - extraction and retraction, 1124
 - slenderizing and retraction, 1124
 - atrophy of, 158f
 - augmentation of, 181–183
 - autorotation
 - soft tissue changes associated with, 1231t
 - bicuspid
 - impacted, 136
 - progressive soft tissue recession, 212f
 - bimanual manipulation, 1045f
 - block autografts, 223–224, 228
 - body of, 784
 - bone
 - formation n, 192–193
 - loss, 162
 - buttress, 548
 - children, 529
 - comminuted fractures
 - fixation, 375
 - condyle, 934f
 - condyle fractures
 - children, 538–539
 - contour irregularities, 162f
 - defects, 785
 - maxillofacial prostheses, 267–268
 - deformation, 1205
 - delayed union, 1251
 - development of, 1062–1063, 1062f
 - distraction, 1279–1280
 - fibroma, 313f
 - FPD, 268f
 - fracture, 149, 152, 549
 - anatomic location, 409
 - binding teeth together, 383
 - biomechanical considerations, 402–404
 - children, 424–425, 538–542
 - classification of, 407–412
 - clinical examination, 405–406
 - complex facial fractures, 418
 - complications, 425–429
 - concurrent condylar fracture, 418
 - delay in treating, 418
 - dentures, 406f
 - edentulous sites, 423–425, 424f
 - evaluation of, 404–407
 - gunshot wounds, 517f
 - intermaxillary techniques, 415–417
 - intraoral examination, 406
 - intraosteal wiring, 421
 - medically compromised patients, 418
 - nonreduced, 549f
 - one-point vs. two-point fixation, 377
 - open reduction, 417–418
 - pattern of, 409–410
 - penicillin, 425
 - postoperative management, 429–430
 - radiographic evaluation, 406–407, 407f
 - right angle and left body, 381f
 - rigid fixation for, 372f, 423
 - single vs. multiple, 380–381
 - sinus tract, 426f
 - site distribution, 413f
 - teeth in line of fracture, 425
 - treatment, 401–430
 - goals, 413–414
 - types of, 409f
 - unfavorable or unstable fracture, 417–418
 - gunshot wounds, 795f
 - fragmentation, 520f
 - hemorrhage, 1249
 - hybrid denture, 265f
 - hypoplasia
 - condylar fractures, 427f
 - implants, 263f
 - incisors
 - apical fractures, 390f
 - correct underangulated, 1126
 - crowding of, 141
 - impacted, 132f
 - with insufficient supracanal height, 268f
 - large traumatic defect
 - reconstruction of, 795–796
 - manipulation
 - for TMJ, 955, 955t
 - molars
 - lack of eruption, 131
 - muscular attachments, 162f
 - nonunion, 1251
 - occlusal view, 407
 - oral cancer, 645–646
 - orthognathic surgery
 - anatomic and physiologic considerations, 1138–1141
 - historical development of, 1135–1138
 - muscles, 1140–1141
 - nerves, 1139–1140
 - osteotomy techniques, 1141–1173
 - principles of, 1135–1173
 - vascular supply, 1138–1139
 - osteotomy fractures
 - lingual segment fracture, 1258–1259
 - proximal segment, mandible intact, 1257
 - proximal segment split complete, 1257–1258
 - unanticipated, 1257–1259

- palpation of, 405f
 posterior
 FPD, 262–263
 ramus
 position in facial asymmetry, 1213
 radiolucency, 577f
 reconstruction of, 794–795
 regions, 783, 784f
 relapse of, 1262
 ridge extension procedures, 174–175
 second molars
 impacted
 repositioning of, 135
 sensory injuries in, 1253–1254
 setback
 OSA, 1310–1311
 soft tissue changes associated with, 1231t
 subapical osteotomy
 Hullihen's, 1135, 1135f
 subcondyle fractures
 children, 538–539
 surgery
 anterior repositioning, 1226–1227
 anterior segmental posterior reposition-
 ing, 1226
 autorotation, 1228
 poor esthetic results, 1241
 posterior repositioning, 1227–1228
 soft tissue changes associated with,
 1226–1228
 swelling, 317f
 symphysis distraction osteogenesis,
 1124–1125, 1125f
 teeth
 eruption of, 1063
 third molars
 development of, 139–140
 impacted, 131
 partial eruption, 140
 titanium reconstruction plate, 796f
 tori, 172f
 removal of, 170–171
 vascularized fibular graft to
 implants, 268f
 vestibular incision, 551
 vestibuloplasty, 175
 widening
 with angle fracture, 381f
 with distraction osteogenesis, 1280–1281
 with symphysis fracture, 382f
 Mandibulectomy, 644, 646, 646f
 Mandrel and cover screw drivers, 242f
 Manic-depressive disorders, 39
 MAOI
 for affective disorders, 39
 for TMJ, 952–953
 Marginal incision
 rhinoplasty, 1356f
 Margin reflex distance, 1328f, 1329
 Marijuana
 anesthesia with, 122
 Marsupialization
 for dentigerous cyst, 577, 578f
 Mask-induction techniques, 115
 Masseter muscle, 445, 938, 939f
 MAST, 339
 Masticatory myalgia, 940–941
 Masticatory space, 278
 Matrix metalloproteinases (MMP), 6
 Maxilla, 784–785
 advancement
 posterior airway, 1301f
 soft tissue changes associated with, 1227t
 anatomy of, 437f
 anterior segmentalization of, 1179
 anterior teeth
 extraction, 1122–1123
 missing, 261f
 overangulated or crowded, 1122–1123
 retraction, 1122
 slenderizing, 1122
 antroostomy, 307–308
 arch, 1126–1127
 width of, 1114t, 1130–1131
 augmentation, 175–180
 bicuspid
 impacted, 131, 136
 bone loss, 162
 buttress, 548
 canine teeth
 impacted, 131, 132
 panoramic films, 133, 133f
 unerupted, 134f
 cranial onlay bone graft, 263f
 cross-section, 1183f
 defects, 237–238, 785
 maxillofacial prostheses, 268
 delayed union, 1250–1251
 distraction, 1282–1284
 maxillary hypoplasia, 1286f
 distractors
 intravenous tubing, 1285f
 four implants, 198
 fractures
 anatomy, 436–437
 avulsive injuries, 441
 children, 441
 clinical examination, 437–438
 complications, 439, 441–442, 442t
 computed tomography, 439f
 diagnosis, 437–438
 elderly, 441
 examination, 438f
 history, 435
 imaging, 438
 Le Fort classification system,
 435–436, 435f
 rigid internal fixation, 439
 surgical splints, 440–441
 treatment, 435–442, 438–439
 unanticipated, 1261
 Water's radiography, 438f
 hemorrhage, 1247–1249
 horizontal measurements of, 160f
 hypoplasia
 maxillary distraction, 1286f
 impaction
 soft tissue changes associated with, 1228t
 impaction osteotomy
 septal reduction during, 1242f
 incisors
 altering mesiodistal angulation of, 1122
 correct underangulated, 1125–1126
 extraction of, 1122
 subluxation, 392f
 inferiorly positioned, 1251f
 interpositional iliac crest grafts, 181f
 mesiodistal teeth diameter, 1112t
 model, 1182f
 molars
 impacted, 132f
 multiple implant-borne restorations,
 199–200
 nonunion, 1250–1251
 orthognathic surgery, 1179–1201
 anterior repositioning, 1192
 historical development of, 1179
 inferior repositioning, 1192
 intraoperative positioning, 1180–1181
 models marked for, 1181f
 osseous structures, 1181–1183
 posterior repositioning, 1192–1193
 reference marks for, 1180–1181
 soft tissue envelope, 1184–1185
 superior repositioning, 1192
 surgical anatomy, 1181–1185
 surgical techniques, 1185–1193
 vascular structures, 1183–1184
 orthopedic expansion appliances, 1071f
 osteoradionecrosis, 322f
 osteotomy
 anterior nasal spine reduction, 1241f
 first American report of, 1179
 lateral, 1273f
 stable fixation for, 1193
 palatal cuspid
 impacted, 134
 paresthesia, 1253
 posterior segmentalization of, 1179
 premolar replacement, 199f
 reconstruction of, 795–798, 798f
 case studies, 795–798
 regions, 784f

- ridge extension procedures, 174–175
- segmental distraction, 1284–1286
- sensory injury in, 1253
- setback
 - soft tissue changes associated with, 1228t
- severe atrophy, 237f
- single-unit restorations, 200
- sinus, 464, 1181
 - CT, 163f
 - fungal balls, 303f
 - Water's radiography, 470f
- sinusitis, 299
- submucosal vestibuloplasty, 176f
- surgery, 1185–1190
 - anterior repositioning, 1226
 - anterior segmental repositioning, 1225
 - inferior repositioning, 1226
 - labial structures, 1225, 1225f
 - multidirectional maxillary movements, 1226
 - nasal structures, 1224–1225, 1225f, 1225t
 - poor esthetic results with, 1234, 1235f
 - posterior repositioning, 1226
 - postoperative hemorrhage, 1248
 - soft tissue, 1224–1229, 1234
 - superior repositioning, 1226
- teeth
 - bone removal, 145
 - eruption of, 1063
 - extraction, 201t
- third molars
 - impacted, 131
 - delivery of, 149f
- tori, 171f
 - removal of, 170–171
- transverse tilting of, 1099f
- tuberosities, 1062, 1183
- tumor
 - Le Fort I island, 645f
 - vestibular incision, 551
 - vestibuloplasty, 175
- Maxillary-nasal base esthetic unit
 - craniofacial dysostosis syndrome, 904
- Maxillectomy, 254f
- Maxillofacial area
 - in trauma patient, 349
- Maxillofacial examination
 - dentoalveolar injuries, 384–386
- Maxillofacial imaging
 - osteomyelitis, 315
- Maxillofacial injuries, 349
- Maxillofacial prostheses, 267–268
 - craniofacial defects, 268–269
 - mandible defects, 267–268
 - maxillary defects, 268
 - radiotherapy, 269
- Maxillomandibular advancement
 - OSA, 1308–1310, 1311t
- Maxillomandibular complex
 - manual positioning of, 1188f
- Maxillomandibular discontinuities, 239f
- Maxillomandibular fixation
 - skeletal fixation, 1141f
- Maxillomandibular fixation (MMF), 371, 1281–1282
- McCain, Joseph, 964
- McGill Pain Questionnaire (MPQ), 825
- MDMA
 - anesthesia with, 121–122
- Measles, 688–689
- Meatus
 - narrowed, 1458
- MEC, 672
- Mechanical creep, 712
- Mechanical stimulation, 386
- Medial canthal ligament, 1321–1322
- Medial canthal tendon, 465, 484, 493
- instability, 496
- Medial canthus
 - left
 - reattachment, 477f
- Medial lid lacerations, 477f
- Medial zygomaticotemporal vein, 1389
- Median mandibular cyst, 608
- Median rhomboid glossitis, 680–681, 681f
- Medically compromised patients
 - mandibular fracture
 - open reduction, 418
- Medications
 - to avoid during pregnancy, 42t
 - for breast-feeding mothers, 42t
 - determining preoperative risk, 17–18
 - history
 - blepharoplasty, 1327–1328
- Medicinal leeches, 780
- Meglumine diatrizoate, 518
- Meissner's corpuscles, 709
- Melanin pigmentation
 - smoking
 - gingiva, 682
- Melanocytes, 709
- Melanocytic lesions, 683
- Melanoma in situ, 703
- Melanomas, 683–684, 684f, 701–714
 - acral-lentiginous, 684, 703
 - biopsy, 704t
 - description, 702–704
 - lentigo maligna, 684
 - nodular, 684, 703
 - risk factors, 701–702
 - superficial spreading, 684
 - survival rates, 704t
- Membrane-placement instrument, 213, 215
- Membranous bone
 - formation of, 192–193
- Meningitis, 500
- Mental foramina
 - radiography, 253f
- Mental status
 - of trauma patient, 338
- Menton
 - osseous deposition at, 1232f
- Meperidine
 - chemical structure of, 88f
 - in elderly, 41
 - overdose of, 344
 - pharmacology of, 88
 - reduction in liver disease, 35
- Merkel cell, 709
 - tumor, 697
- Merocel packing, 438
- Mesenchyme, 583
- Mesioangular impaction, 143, 147f
 - bone removal, 145
- Mesocephalic facial type, 1094f
- Messer technique, 422f
- MET, 48, 70
 - for common activities, 48t
- Metabolic acidosis, 53, 77
- Metabolic equivalents (MET), 48, 70
 - for common activities, 48t
- Metered-dose inhalers
 - for asthma, 29
- Methadone, 39
- Methohexital
 - chemical structure of, 90f
 - children, 113
 - pharmacology of, 91
- Methotrexate, 639
 - for rheumatoid arthritis, 36
- Methyldopa, 691
- Methylene blue dye, 499
- 3,4-methylenedioxymethamphetamine (MDMA)
 - anesthesia with, 121–122
- Methylprednisolone, 473
 - impacted teeth removal, 149
 - for sinus infection, 305
- Metoclopramide, 106
- Metopic synostosis, 889–890
- Metronidazole
 - for odontogenic infection, 289
- Microdermabrasion, 1429, 1429f
- Microesthetic examination, 1107
- Micrognathia, 1280
- Microhyphemas, 473
- Microliths, 674
- Microneurosurgery, 819–834
 - demographics, 819–820
 - exposure, 830
 - medicolegal issues, 834
 - postsurgical management, 834
 - referral indications, 828t

- treatment algorithms, 828–830
 - Micropigmentation, 1401–1402
 - Microsomia, 1282f
 - Microvascular anastomosis, 803–804
 - Microvascular flaps, 320
 - Microvascular free flaps, 792
 - Microvascular free tissue transfer, 803–816
 - Midazolam
 - chemical structure of, 86f
 - children, 112–113
 - with ketamine, 111
 - pharmacology of, 87
 - Middle meatus
 - anatomy and physiology of, 297
 - discharge from, 302f
 - polyp of, 302f
 - Midface
 - advancement surgery
 - timing of, 1269–1270
 - anatomy, 1318–1319
 - architecture, 1329–1330
 - for macroesthetic examination, 1100
 - superficial fascia, 1184
 - Midforehead lift, 1400
 - Midline palatal incision, 1198f
 - total maxillary alveolar osteotomy, 1191f
 - Midline ridging, 890f
 - Midsagittal osteotomy of inferior fragment, 1168
 - Midsymphyseal osteotomy, 1155
 - Midsymphysis
 - fracture
 - with condylar process fracture, 381
 - measurement of, 1099f
 - Military antishock trousers (MAST), 339
 - Millard, Ralph, 840
 - Milled-bar attachments, 265
 - Miller, Charles Conrad, 1317
 - Minié ball, 513f, 514
 - Miniplates, 373f, 380f, 402, 549f
 - isolated mandibular body fracture, 377f
 - Minocycline, 682
 - Minorities
 - maxillofacial trauma, 384
 - Minor salivary glands
 - tumors, 673–674
 - Missing teeth, 1131
 - Mitral insufficiency, 69
 - Mitral regurgitation, 24
 - Mitral stenosis, 23–24, 68–69
 - Mitral valve prolapse, 24–25, 69
 - Mivacurium
 - pharmacology of, 98
 - properties, 99t
 - Mixed sleep apnea, 1298
 - MMF, 371, 1281–1282
 - MMP, 6
 - Mobitz type I (Wenckebach), 28
 - Möbius sequence, 104
 - Modified Cawood and Howell classification of resorption, 161f
 - Modified channel retractor, 226
 - Modified Le Fort osteotomies, 1201–1202, 1201f
 - Modified radical neck dissection, 648
 - Modiolus, 1184
 - Mohs' micrographic surgery
 - nonmelanoma skin cancer, 705–708
 - Molars
 - impacted
 - neoplastic change around, 141
 - mandibular
 - lack of eruption, 131
 - restoration, 199
 - Monheit-Fulton index of photoaging skin, 1421t
 - Monoamine oxidase inhibitors (MAOI)
 - for affective disorders, 39
 - for TMJ, 952–953
 - Monocortical miniplate osteosynthesis, 423
 - Monocortical plate, 1262f
 - Monostotic fibrous dysplasia, 597
 - Moraxella catarrhalis*, 300
 - Morbid obesity, 58
 - Morphine
 - in elderly, 41
 - end-stage TMJ disease, 1017, 1021
 - pharmacology of, 88
 - reduction in liver disease, 35
 - Morse taper, 256
 - internal connection, 257f
 - Moses, Jeffrey, 964
 - Moses' release elevator, 971f
 - Motor function
 - in trauma patient, 346
 - Mouth
 - gunshot wound, 521f
 - Moxifloxacin
 - for odontogenic infection, 289
 - MPD, 941
 - MRI, 569. *See also* Magnetic resonance imaging (MRI)
 - Mucocele, 503, 676–677
 - Mucoepidermoid carcinoma (MEC), 672
 - Mucolytics, 502
 - Mucoperichondrium
 - elevation of, 1357f
 - Mucoperiosteal flap, 144
 - Mucosa. *See also* Oral mucosa
 - advancement flaps
 - labial, 662
 - flaps
 - buccal, 1270f
 - cross-lip, 662, 665f
 - lip cancer, 620–621
 - membrane pemphigoid
 - benign, 690–691
 - substitutes
 - wound healing, 13–14
 - Muller's muscle, 466, 1323
 - Multiple trauma algorithm, 331f
 - Murakami, Ken-Ischiro, 964
 - Murmurs, 107
 - Muscarinic receptor antagonists
 - children, 117
 - Muscle injections
 - for TMJ, 957
 - Muscle relaxants, 954t
 - TMJ, 953
 - Muscular dystrophy
 - anesthesia with, 120
 - Musculoaponeurotic system incision, 1376f
 - Musculocutaneous arteries, 710
 - Mustarde technique, 1453f, 1454–1456, 1456f
 - Muzzleloaders, 513
 - Myelin sheaths, 824
 - Mylohyoid attachment, 175
 - Mylohyoid ridge reduction, 171
 - Myocardial infarction, 49–50
 - general anesthesia risk after, 20
 - Myocardial ischemia, 18, 19, 48–49
 - Myocutaneous flaps, 770f
 - latissimus dorsi, 780
 - pectoralis major, 777–778
 - trapezium, 779–780
 - Myofascial pain and dysfunction (MPD), 941
 - Myositis ossificans progressiva, 941, 1035f
 - Myotonic dystrophy, 941
- N
- Nalbuphine
 - pharmacology of, 89
 - Naloxone
 - pharmacology of, 89
 - Narcolepsy, 1298, 1299
 - Narcotics
 - avoidance in COPD, 30
 - Nasal cavity
 - lateral wall of, 340f
 - packing of, 340, 340f
 - Nasal dorsum, 1352f, 1358–1359
 - augmentation, 1358–1359
 - reduction, 1358
 - rhinoplasty, 1352, 1353
 - Nasal septum, 437
 - abnormalities of, 298
 - alterations in, 1255
 - anatomy of, 437f, 1349f
 - anterior aspect of, 1189f
 - arteries, 1348f
 - cartilage resection, 1357f
 - hematomas, 364
 - repositioning, 1357f
 - sensory nerves, 1351f
 - suturing to anterior nasal spine, 1190f

- Nasal tip
 - defect, 366f
 - definition, 1352f
 - rhinoplasty, 1352
 - projection
 - rhinoplasty, 1352–1353
 - rhinoplasty, 1359–1363
 - rotation
 - rhinoplasty, 1353
- Nasal valve, 1350
 - alterations in, 1256
- Nasal wall
 - anatomy and physiology of, 297, 297f
- Nasoantral window, 298
- Nasociliary nerve, 1325
- Nasofrontal angle
 - rhinoplasty, 1351–1352
- Nasofrontal duct, 497f
 - evaluation of, 499f
 - identifying, 499f
 - intraoperative evaluation of, 498–499
 - obstruction, 500–501
 - patency, 496
- Nasofrontal suture line, 1385
- Nasolabial cysts, 608, 609f
- Nasolabial flap, 774–775, 776f
- Nasolacrimal apparatus
 - soft tissue injuries, 364–365
- Nasolacrimal duct
 - ostium, 437
- Nasolacrimal system
 - anatomy of, 365f
- Nasomaxilla
 - development of, 1060–1061
 - intramembranous growth, 1061f
 - malformations, 1065–1066
- Naso-orbitoethmoid (NOE) fractures,
 - 467, 488, 495f
 - children, 532–534
 - classification, 496, 498f
 - imaging, 496
 - osseous recovery, 498
 - reconstruction, 501–502
- Nasopalatine duct cyst, 608–609, 609f
- Nasopharyngeal carcinoma, 1036f
- Nasotracheal intubation, 439
- Nausea, 1299
- Neck. *See also* Head and neck
 - dissection
 - in-continuity vs. discontinuity, 650
 - examination of, 357
 - gunshot wounds, 517–519
 - decision tree, 519f
 - surgery, 520–522
 - injuries, 366–367
 - inspection of in trauma patient, 349
 - levels, 667f
 - lymph node levels of, 619f
 - oral cavity
 - squamous cell carcinoma, 648f
 - palpation of, 625
 - in trauma patient, 349
- Necrotizing fasciitis, 281, 281f
- Necrotizing ulcerative gingivitis, 681
- Needle decompression, 284
- Neisseria gonorrhoeae*, 682
 - TMJ, 944
- Neoadjuvant chemotherapy, 639
- Neochondyle
 - transport distraction osteogenesis, 1289–1290
- Neonate
 - cranial base, 1061f
 - skull
 - fontanelles, 1060f
 - sutures, 1060f
- Neonates, 42
- Neophyte clinician
 - vs. expert clinician
 - case study, 567–568
- Neovascularization, 8
- Nephrosclerosis, 32
- Nerve growth factor (NGF), 13
- Nerves
 - damage
 - BSSO, 1156–1158
 - grafts, 833
 - donor size, 833t
 - injuries, 1253–1255
 - classification of, 824–825, 824f
 - Seddon vs. Sunderland, 825t
 - mandibular fracture, 426–427
 - peripheral, 827–828, 828t
 - layer formation, 1051–1052
 - stump preparation, 832, 832f
 - treatment algorithms, 829f
 - wound healing, 6
- Neural complications
 - horizontal ramus osteotomies, 1164
- Neural crest migration, 1053f
- Neural damage
 - VSO, 1146
- Neural fascicular patterns, 822, 823f
- Neural innervation
 - children, 105
- Neural wound healing, 823f
- Neurocranium
 - formation of, 1055
- Neurofibroma, 610–611, 610f
- Neurofibromatosis, 682
- Neuroleptic malignant syndrome (NMS), 63
- Neurologic disorders
 - assessment of, 78–79
 - cerebrovascular disease, 37
 - epilepsy, 78
 - malignant hyperthermia, 37–38
 - spinal cord disorders, 38
 - stroke, 37, 78
 - caused by hypertension, 32, 79
 - TIA, 37, 78–79
- Neuroma, 6, 611f
 - traumatic, 611
 - types of, 824f
- Neuromuscular-blocking medications
 - pharmacology of, 97
 - properties, 99t
- Neuromuscular disorders, 37–38
 - assessment of, 78–79
 - seizure disorders, 37
- Neuropeptides, 300
- Neuropraxia, 6
- Neuropsychiatric disorders, 888
- Neurorrhaphy, 833, 833f
- Neurotmesis, 6
- Neutrophils, 4, 193
- Nevi, 683
- Nevoid basal cell carcinoma syndrome,
 - 580–581, 580f
- Nevus sebaceus of Jadassohn, 698, 699f
- Newborns. *See* Neonates
- New York Heart Association cardiac patient
 - classification, 67–68, 67t
- NGF, 13
- Nicardipine
 - for hypertension, 32
 - for hypertensive crisis, 50t
- Nicotine
 - effect on cardiovascular system, 57
- Nikolsky's sign, 690
- Nitroglycerin, 67
- Nitroprusside
 - for hypertensive crisis, 50t
- Nitrous oxide
 - avoidance in COPD, 30
 - chemical structure of, 96f
 - children, 114
 - pharmacology of, 93, 95–96
 - properties of, 94t
- NLP, 472
- NMS, 63
- Nobecutane spray, 718
- Nobel Biocare implants, 243
- Nocturnal myoclonus
 - sleep-related, 1298
- Nodes of Ranvier, 823
- Nodular melanomas, 684, 703
- NOE. *See* Naso-orbitoethmoid (NOE)
 - fractures
- Noel, Suzanne, 1317
- No light perception (NLP), 472
- Noncompetitive antagonists, 84
- Noncompression plate osteosynthesis
 - vs. compression plate osteosynthesis, 378
- Nondepolarizing agents
 - pharmacology of, 98

- Nondilated cardiomyopathy, 69
 Non-Hodgkin's lymphoma, 689–690
 Nonischemic heart disease, 68–69
 Nonmelanoma skin cancer, 697–700
 applied skin anatomy, 709–710
 chemotherapy, 708
 cryosurgery, 708
 curettage, 708
 electrodesiccation, 708
 epidemiology, 697
 etiology, 697–698
 excision, 705
 flaps, 710–711
 interferon, 709
 lasers, 708–709
 Mohs' micrographic surgery, 705–708
 photodynamic therapy, 709
 prevention, 699–700
 radiation therapy, 708
 retinoids, 709
 treatment, 704–705
 Nonopioid analgesics
 end-stage TMJ disease, 1018–1019
 Nonrestorable tooth
 orthodontic extrusion of, 266f
 replaced with immediate implant, 267f
 Nonrigid internal fixation, 371–373
 vs. rigid internal fixation, 371–382
 Nonsteroidal anti-inflammatory drugs
 (NSAID), 641, 952t
 avoidance
 in liver disease, 35
 in renal patients, 31
 ideal properties, 952t
 inhibiting platelet function, 78
 periarticular ectopic bone formation, 1027
 for rheumatoid arthritis, 36
 for TMJ, 951
 Nonsyndromic craniosynostosis, 887–899
 bilateral coronal synostosis, 892–895, 895f
 classification, 888–889
 diagnosis, 888
 functional considerations, 887–888
 management, 891–899
 metopic synostosis, 896f–897f
 sagittal synostosis, 896–897, 898f
 unilateral coronal synostosis, 891–895, 892f
 unilateral lambdoid synostosis, 899
 Nonunion
 mandible, 1251
 mandibular fracture, 425–426
 maxilla, 1250–1251
 maxillary fractures, 442
 Norepinephrine, 338
 Normal radiography of
 chest, 348f
 Normochromic anemia, 30–31
 Normocytic anemia, 30–31
 Nose
 air passages
 children, 528
 anatomy, 1345–1360
 anatomy and physiology of, 297
 basal cell cancer, 707f
 base alar reduction, 1363
 bilobed flap of Zitelli, 714
 blood supply, 1346–1347
 bones, 437, 1347–1348
 anatomy of, 437f
 cartilage, 1347–1348
 chemicals irritating, 300
 continuous positive airway pressure
 for OSA, 1302
 endoscope, 308f
 examination
 fiberoptic, 295
 external
 arteries of, 1347f
 sensory nerves, 1350f
 fractures
 children, 537–538
 incidence, 488
 gull in flight contour, 1098f
 laceration, 476f
 lateral wall
 arteries of, 1347f
 musculature, 1346, 1346f
 nerves, 1348–1350
 packing
 balloon catheters, 517f
 polyps, 298
 projection, 1353f
 secretions
 normal values of, 495t
 skin, 1345–1346
 soft tissue, 1345–1346
 injuries, 364–365
 structures
 maxillary surgical procedures,
 1224–1225, 1225f, 1225t
 surface anatomy, 1345, 1345t
 surgery
 OSA, 1305
 Novum restoration, 267f
 NSAID. *See* Nonsteroidal anti-inflammatory
 drugs (NSAID)
 Nutrition
 gunshot wounds
 neck, 519
 oral cancer, 635–636
 wound healing, 12
 Nystatin
 for fungal sinusitis, 307
 O
 Obesity, 40, 58
 drug pharmacokinetics, 40
 pulmonary problems, 40
 thrombophlebitis, 40
 Obstructive disk blockade, 975
 Obstructive pulmonary disease
 physical examination of, 71–72
 Obstructive sleep apnea (OSA), 1297–1311,
 1298, 1309f, 1310f
 bimaxillary advancement surgery for
 soft tissue changes associated with,
 1233–1234
 Bi-PAP, 1304
 cephalometric examination, 1300–1301, 1300f
 clinical manifestations of, 1299
 CPAP, 1304
 CT, 1301
 diagnosis, 1300–1302
 history of, 1299
 laser-assisted uvulopalatoplasty, 1306–1307
 maxillomandibular advancement
 soft tissue changes associated with, 1233
 medical treatment, 1302–1304
 obstruction site, 1301–1302
 oral appliances, 1302–1304, 1303f
 orthognathic surgery procedures,
 1307–1311
 physical examination, 1300
 physical findings, 1299
 polysomnography, 1301
 surgery, 1304–1311
 Obturators
 TMJ arthroscopy, 970
 Obwegeser's osteotomies of the ramus, 1150,
 1150f, 1179
 Obwegeser's technique, 415, 421
 Occlusal adjustment
 for TMJ, 959
 Occlusal radiographs
 alveolar and dental fractures, 386–387
 alveolar cleft reconstruction, 868f, 869f
 implants, 252
 Occlusal splint, 267f
 for TMJ arthroscopy, 984
 Occlusion
 craniofacial dysostosis syndrome, 903
 Occult neck metastasis, 644
 OCIF/OPG
 TMJ, 943
 O'Connor, Richard, 963
 Octylcyanoacrylate, 360
 Ocular. *See* Eyes
 Oculocephalic maneuver, 347, 347f
 Oculocephalic response, 347f
 Oculovestibular response test, 347
 Odontogenic carcinoma
 classification of, 588t
 clear cell, 589
 Odontogenic cysts, 576–582
 classification of, 577f

- dentigerous cyst, 576–578
- glandular, 581–582, 582f
- odontogenic keratocyst, 578–581
 - prevention of, 141
- Odontogenic infection, 277–292
 - airway compromise, 281–282
 - anatomic location, 277–278
 - antibiotics, 288–290, 288t
 - care setting, 283–284
 - hospital admission
 - indications for, 283t
 - host defenses, 282–283
 - medical support, 287–288
 - operating room procedures for
 - indications for, 284, 284f
 - patient evaluation, 290–292
 - rate of progression, 280–281
 - severity of, 277–282
 - stages of, 280, 280t
 - surgery, 284–287
 - surgical drainage, 284–286, 285f
 - treatment failure
 - causes of, 290t
- Odontogenic keratocysts, 579f, 580f, 699f
- Odontogenic myxoma, 591f
- Odontogenic tumors, 583–594
 - adenomatoid, 593, 593f
 - ameloblastic fibroma, 589–590
 - ameloblastic fibro-odontoma, 590
 - ameloblastoma, 583–588
 - calcifying epithelial, 592
 - classification of, 583t
 - incidence, 584t
 - malignant, 588–594
 - ameloblastic carcinoma, 588–589
 - clear cell odontogenic carcinoma, 589
 - epithelial ghost cell tumor, 589
 - metastasizing ameloblastoma, 588
 - primary intraosseous squamous cell carcinoma, 589
 - myxoma, 591–592
 - odontoma, 590–591, 591f
- Odontoma, 590–591, 591f
- Ohngren's line, 645
- Ohnishi, Masatoshi, 964
- Olfactory bulb
 - esthesioneuroblastoma
 - radiotherapy, 637f
- One-point fixation
 - vs. two-point fixation, 377
- One-stage protocol, 201–202
- Onlay bone grafts, 177–179, 1274f
- Open arthrotomy
 - TMJ
 - indications for, 943
- Open bites, 1261–1263, 1263f
- Open fractures, 410
- Open pneumothorax, 332–334
- Open reduction and internal fixation (ORIF),
 - 401f, 532
- Open sky
 - approach, 497
 - incision, 996
- Open submucosal vestibuloplasty, 177f
- Open technique
 - subepithelial connective tissue grafting
 - implants
 - recipient-site surgery, 215–217, 216f
- Ophthalmic artery, 1346
- Opiates, 87
 - overdose of, 344
- Opioids
 - abusers, 39–40
 - addiction, 1023
 - end-stage TMJ disease, 1017, 1020–1021
 - pharmacology of, 87–89
 - risk of addiction to, 1021
 - side effects of, 87–88
- Optic nerve, 493
 - injury, 473
- Optic neuropathy
 - traumatic
 - zygomatic arch fractures, 459
- Optimized problem list, 1108–1109
- Oral appliances
 - OSA, 1302–1304, 1303f
- Oral burning sensation, 680
- Oral cancer, 617–622
 - biopsy, 627
 - cervical lymphadenectomy, 666
 - cervical lymph node levels, 619–620
 - chemoprevention, 640–641
 - chemotherapy, 638–640
 - clinical correlation by site, 620–623
 - diagnosis, 626–627
 - distant metastasis, 626
 - histology, 631–632
 - lip, 641–645
 - perioperative issues, 635–636
 - premalignant disease, 618–619
 - treatment, 632–633
 - primary lesion assessment, 623–624
 - primary tumors, 623t
 - radiation, 636–637
 - recurrence, 651–653
 - regional lymph nodes, 623t
 - regional metastasis, 624–626
 - sentinel node biopsy, 650–651
 - squamous cell carcinoma, 617–618
 - staging, 623
 - surgery, 633–636
 - complications, 636
 - therapeutic neck dissection, 651
 - treatment, 631–653
 - future, 653
 - panendoscopy, 633
 - selection, 633
- Oral candidosis, 680f, 681f
- Oral cavity
 - fungal disease, 680–681
 - inspection of in trauma patient, 349
 - squamous cell carcinoma
 - neck dissection, 648–650, 648f
- Oral decongestants
 - for sinus infection, 305
- Oral disease
 - differential diagnosis, 564–572
- Oral hypoglycemic agents, 60
- Oral melanotic macules, 683
- Oral mucosa
 - bacterial infections, 681–682
 - generalized pigmentation, 682, 682f
 - pigmented lesions, 682–685
- Oral sedation, 109
- Oral submucous fibrosis, 619
- Orbicularis oculi, 1322–1323, 1387f
- Orbicularis oris, 1184
- Orbit, 445, 464f
 - anatomy of, 463
 - anterior boundary of, 466
 - apex, 445
 - arterial blood, 1324f
 - fat
 - aging changes, 1324
 - fissures, 464t
 - floor, 445, 463, 464
 - fractures, 480f
 - zygomatic arch fractures, 456–457
 - fractures
 - acute repair of, 484–488
 - anatomy of, 463–464
 - clinical examination, 467–470
 - configurations, 467
 - imaging, 470–471
 - medial orbital approach, 483–484
 - nonoperative management of, 476–479
 - indications, 479–480
 - inferior and lateral orbital approach, 480–482
 - superior and medial orbital approaches, 482–483
 - surgery, 479–488, 480–484
 - indications, 479–480
 - inferior and lateral orbital approach, 480–482
 - superior and medial orbital approaches, 482–483
 - injuries
 - surgery, 477
 - surgery vs. observation, 478
- lateral wall of, 464–465
- ligament, 1386
- lobe, 466
- potential sites for traumatic injuries, 463f
- rim, 1385, 1398f
 - anatomy of, 463
- roof, 445, 464
 - reconstruction, 500
- septum, 466, 1321, 1321f

- structures distance from bony landmarks, 465t
- upper trauma, 533f
- walls
 - anatomy of, 463
- Orbitonasal fracture, 535f
- ORIF, 401f, 532
- Oronasal communication, 1252f
- Orthodontic appliances
 - with surgical exposure
 - of impacted teeth, 134
- Orthodontic band pusher, 866
- Orthodontics, 1111–1134
 - diagnostic list, 1118
 - initial surgical treatment objective, 1118–1119
 - treatment, 1120–1133
- Orthodontic tooth movement
 - soft tissue changes associated with, 1225
- Orthodontic treatment
 - obstruction of, 141
- Orthognathic surgery
 - cleft palate, 1267–1275
 - bone grafting with maxillary advancement, 1272–1273
 - presurgical counseling, 1270–1271
 - cleft palate/maxilla
 - bone grafting, 1273–1274
 - complications of, 1247–1263
 - dental and periodontal injuries, 1251–1252
 - excessive lateral displacement, 1259
 - genial segment surgical procedures
 - soft tissue changes associated with, 1229–1233
 - historical perspective, 1221
 - interference with, 141
 - liposuction, 1411–1412
 - mandibular surgical procedures
 - soft tissue changes associated with, 1226–1228
 - maxillary surgical procedures
 - soft tissue changes with, 1224–1229
 - medial displacement, 1259
 - motor nerve injuries, 1254–1255
 - nasal and sinus considerations, 1255–1256
 - OSA, 1307–1311
 - poor esthetic results
 - secondary revision of, 1243
 - proximal segment rotation, 1259–1260
 - soft tissue changes associated with, 1221–1243, 1222t
 - cephalometric considerations, 1222–1223, 1224f
 - orthodontic considerations, 1222
 - orthodontic incisor retraction, 1223–1224
 - TMJ dysfunction, 1260–1261
 - unanticipated maxillary fractures, 1261
 - vascular complications, 1247–1250
 - velopharyngeal considerations, 1274–1275
- Orthognathic treatment planning
 - contemporary, 1087–1088, 1088f
- Orthopantomax view
 - osteomyelitis, 315, 315f, 316f, 318f
- Orthotic splints, 966
- OSA. *See* Obstructive sleep apnea (OSA)
- Osada surgical handpiece, 1430
- Osseointegration, 189–202
 - atrophic mandible augmentation, 195–197
 - defined, 192
 - edentulous mandible, 193–197
 - incision design, 194
 - physical examination, 194
 - radiologic examination, 194
 - edentulous maxilla, 197–199
 - eight implants without graft, 198
 - eight implants with sinus grafts, 198–199
 - esthetic sites
 - incisions, 200
 - failure of, 191–192
 - four or more implants, 195
 - implants materials, 189–190
 - one-stage protocol, 201–202
 - placement without trauma, 190–191
 - restorations, 199–200
 - surgical protocol, 190–192
 - time for, 191
 - two implants, 195
 - wound healing, 192–193
- Osseointegration implants, 251f
 - ear, 368f
- Osseous surgery, 1186–1187
- Ossification, 1055
- Ossifying fibroma, 599–600, 599f
- Osteoarthritis, 941
- Osteoblastoma, 600, 600f
- Osteoblasts, 7, 165, 192–193, 371
- Osteochondroma, 601–602, 602f
- Osteoclastogenesis inhibitory factor/osteoprotegerin (OCIF/OPG)
 - TMJ, 943
- Osteoclasts, 8, 166, 786
- Osteoid
 - bone formation in, 192–193
- Osteoid osteoma, 600
- Osteoma, 601, 601f
- Osteomeatal complex
 - CT, 303f
 - diagram of, 296f
- Osteomyelitis, 313–318, 500
 - classification of, 314
 - clinical characteristics, 314–315
 - malignancy masquerading as, 320f
 - mandibular fracture, 426
 - microbiology of, 314
 - pathogenesis of, 313–314
 - surgery, 317–318
 - treatment, 316–317
- Osteons, 371
- Osteopenia, 307
- Osteoplasty
 - arthroscopic, 978f
 - ridge split, 176–177
- Osteoporosis, 41, 252, 307, 424
- Osteoprogenitor cells, 164
- Osteoradionecrosis, 318–322
 - maxilla, 322f
- Osteotomes, 200, 233f
 - and condylar arthroplasty, 1003f
 - and lateral nasal wall, 1272f
 - and nasal septum separation, 1187f
- Osteotomy, 645–646, 1161–1164. *See also* specific osteotomy
 - Lane's, 1137f
 - lateral wall, 1187f
 - of ramus
 - Obwegeser's, 1150, 1150f, 1179
- Ostium
 - nasolacrimal duct, 437
- Outpatient anesthesia medications
 - distribution of, 84–85
 - pharmacodynamics of, 83–85
 - pharmacokinetics of, 84–85
 - pharmacology of, 83–100
- Overdentures
 - bar attachment, 264f
 - bar splint, 237f
 - implant-retained, 264
 - implant-supported, 254
 - attachment mechanisms for, 265
 - long-term overuse, 238f
 - precision detachable, 265f
- Oxazepam
 - for DT, 39
- Oxidative stress
 - TMJ, 942
- Oxycodone
 - for TMJ, 951
- Oxygenation
 - trauma patient, 336–337
- Oxygen dissociation curve, 57f
- Oxygen therapy
 - for OSA, 1302
- Oxymetazoline
 - for sinus infection, 305
- Oxymetazoline hydrochloride, 502
- P
- Pacinian corpuscles, 709
- Paclitaxel, 640
- Paget's disease, 611–612, 611f, 612f
- Pain, 405, 494
 - frontal sinus, 503
 - with impacted teeth removal, 150
 - with osteomyelitis, 314

- with TMJ end-stage disease, 1016–1018, 1016t
- unexplained, 142
- Palate, 1182
 - distraction appliance, 1073f
 - flaps, 866, 867f
 - rotated, 772
 - incisions, 218
 - mucosa, 1184–1185
 - pedicle
 - for anterior maxillary osteotomy, 1195f, 1196f
 - pleomorphic adenoma, 673f
 - recurrent low-grade polymorphous adenocarcinoma, 674f
 - salivary gland tumors, 673–674
 - squamous cell carcinoma, 645
- Palatine arteries, 1183f, 1184f, 1248
- Palatine bone, 437, 1188f
 - bone removal from, 1197f
- Palatoplasty
 - Bardach two-flap, 852
 - two-flap, 874f
- Palliative chemotherapy, 639
- Palpebral lobe, 466
- Pancuronium
 - pharmacology of, 98
 - properties, 99t
- Panendoscopy, 624
- Panfacial fractures, 547–557, 556f–557f
 - anatomic considerations, 547–548
 - bone grafts, 551–552, 552f
 - complications, 555
 - etiology, 547
 - historical perspective, 547
 - soft tissue resuspension, 551–552
 - treatment sequence, 552–555, 553f, 554f, 555t
- Panoramic radiograph
 - zygoma implants, 244f
- Panoramic radiographs
 - alveolar ridge, 163f
 - condylar neck fracture, 407, 407f
 - condyles asymmetry, 1208f
 - edentulous mandible, 194
 - facial asymmetry, 1209
 - implants, 253
 - maxillary canine teeth, 133, 133f
 - for preprosthetic and reconstructive surgery, 160
- Panorex
 - intrusion, 392f
- Papilla
 - creating/preserving, 252t
- Papillary epithelial lesion
 - asymptomatic, 565f
- Paraformaldehyde-containing paste, 299
- Parallel walled screw, 256
- Paranasal sinuses
 - anatomy and physiology of, 297
 - children, 529
 - CT, 304f
 - development of, 1057
- Paraplegia, 38
- Parasymphseal fractures, 541f
 - children, 541
- Parasymphysis fractures, 409
- Pare, Ambroise, 509
- Pare's classification of edentulous maxilla, 197
- Parents
 - presence during sedative administration, 105
- Paresthesia
 - maxilla, 1253
 - with osteomyelitis, 314
- Parotideomasseteric fascia, 994f
- Parotid gland, 358f, 671
 - ducts
 - sialogram, 676f
 - injuries, 358–359, 359f
 - pleomorphic adenoma, 673f
 - posterior duct stones, 676
 - squamous cell carcinoma, 642
 - stones, 676
 - terminal duct stones, 676
 - tumors, 672–673
- Paroxysmal atrial tachycardia (PAT), 27
- Paroxysmal supraventricular tachycardias (PSVT), 51
- Parry-Romberg syndrome, 1207
- Partial-thickness curvilinear incision, 213
- Partial-thickness pedicle flaps
 - subepithelial connective tissue graft, 212
- Partial transfixion, 1348f
- PASG, 339
- Passive jaw exercise
 - for TMJ, 955, 955f, 1025
- Pasteurella multocida*, 362f
- PAT, 27
- Pathologic fracture, 410
- Patient follow-up, 572, 572t
- Patient history, 564–565
- PCP
 - anesthesia with, 122–123
- PDGF-BB, 13, 225
- PDT
 - leukoplakia, 632–633
- Peck graft, 1361f
- Pectoralis major myocutaneous flaps, 777–778, 777f
 - harvesting, 796f
- Pediatric patients. *See* Children
- Pedicated grafts, 183
- Pedicle flaps
 - partial-thickness
 - subepithelial connective tissue graft, 212
 - split-thickness
 - subepithelial connective tissue graft, 212
- Pedicles
 - passive adaptation of, 207
- Pelvic fracture, 341f, 353
- Pemphigus, 690
 - antibodies, 690f
- Penicillamine, 691
 - for rheumatoid arthritis, 36
- Penicillin
 - avoided with renal patients, 31
 - mandibular fracture, 425
 - for rhinosinusitis, 305, 502
- Penicillin V
 - for odontogenic infection, 289
- Penrose drain, 285
- Pentazocine
 - avoidance in liver disease, 35
- Pentobarbital
 - chemical structure of, 90f
 - pharmacology of, 91
- Peptic ulcer disease, 35–36
- Peptostreptococcus*, 140
- Percussion sensitivity, 385
- Periapical cemento-osseous dysplasia, 598–599, 599f
- Periapical occlusal method, 133
- Periapical radiographs
 - alveolar and dental fractures, 386–387
 - implants, 252
- Periarticular ectopic bone formation, 1025–1027
- Pericardial aspiration, 339
- Pericardiocentesis, 339f
- Perichondritis
 - protruding ear, 1457–1458
- Perichondrium
 - identification, 1357f
- Pericoronitis
 - prevention of, 140
- Pericrestal incisions, 206, 206f
- Periimplant soft tissue
 - papilla regeneration, 207–208, 208f
 - resective contouring, 207, 208f
 - surgical maneuvers, 206–208
- Perimandibular space, 278
- Perinasal incision, 551
- Periodontal concussion, 389f
- Periodontal disease
 - HIV, 689
 - implants, 252
- Periodontal healing
 - after replantation, 395f
- Periodontal injuries
 - classification of, 391–392
- Periodontal ligament
 - cell metabolites
 - solutions to replenish, 394t
 - injury, 385
- Periodontal problems

- total alveolar osteotomy, 1167–1168
- Periodontal subluxation, 389f
- Periodontal tissue injuries, 390–395
- Perioperative analgesic medications
 - pharmacology of, 97
- Perioperative antibiotics
 - oral cancer, 635
- Perioperative cardiovascular evaluation
 - algorithm, 70–71
- Perioperative considerations, 47–63
 - cardiac assessment, 47–53
 - cigarette smoking, 56–58
 - electrolytes and acid-base disturbances, 53–54
 - endocrine assessment, 59–61
 - malignant hyperthermia, 62–63
 - pulmonary assessment, 54–55
 - renal insufficiency, 54
- Perioperative morbidity
 - risk factors associated with, 47t
- Perioperative risks
 - determinants of, 17
- Perioral-periorbital carbon dioxide laser
 - resurfacing, 1426f
- Periorbital ecchymosis, 437, 494
- Periorbital incision sites, 455f
- Periosteum
 - cells, 373f
 - children, 529
 - elevator, 866, 1387f
 - incision, 452
 - stripping, 1290
- Peripheral cranial nerves, 357
- Peripheral nerve injuries
 - pharmacologic management, 827–828, 828t
- Peritoneal lavage fluid
 - evaluation of, 352t
- Permanent cavity, 511
- Permanent teeth
 - developing buds, 398f
 - children, 529
 - impacted, 132
- PET. *See* Positron emission tomography (PET)
- Petechiae, 685
- Petzel technique, 422f
- Peutz-Jeghers syndrome, 682
- Pfannenstiel's incision, 501
- Pfeiffer syndrome, 903, 924f, 925f
- Pharyngeal flaps, 1274–1275
 - inferiorly based, 878
 - superiorly based, 878
- Pharyngeal space
 - abscess, 282f
 - computed tomography of, 291f
 - drainage of, 285f
 - lateral
 - borders of, 278t
 - infection, 279t
- Phenobarbital
 - chemical structure of, 90f
- Phenol, 1341
- Phenothiazines
 - children, 117
 - for psychotic disorders, 39
- Phentolamine
 - for hypertensive crisis, 50t
- Phenylephrine
 - for sinus infection, 305
- Phenytoin, 691
- Philtrum height, 1089
- Phonophoresis
 - for TMJ, 956
- Photoaging
 - Glogau's classification, 1419, 1419t
 - medical care of, 1420–1421
- Photodynamic therapy (PDT)
 - leukoplakia, 632–633
- Pierre Robin, 74, 104
- Piezoelectric sinus window, 233f
- Piezoelectric surgery, 233
- Pigmented lesions, 704f
 - localized, 682–685
 - oral mucosa, 682–685
- Pilot drill, 242f
- Pindborg tumor, 592, 593f
- Pink puffers, 73
- Pipercuronium
 - properties, 99t
- Pipe smoking
 - lip cancer, 659
- Pituitary gland, 76
- Plagiocephaly
 - description of, 1206–1207
 - frontal and superior views, 888f
 - and nasal bridge, 889f
 - positional, 891f
 - right anterior, 893f–894f
- Plain radiographs, 568
 - abdominal trauma, 352
 - atrophic mandible, 196f
 - zygomatic complex fractures, 448
- Plantar pitting, 581f
- Plaques, 18, 19
- Plastic skin, 1428
- Platelet-derived growth factor-BB (PDGF-BB), 13
- Platelet release, 224–225
- Platelet-rich plasma (PRP), 221, 792–794, 793f
- Platysmal plication, 1370f
- Playground injuries, 383
- Pleomorphic adenoma
 - palate, 673f
 - parotid gland, 673f
 - salivary gland, 671
- Plication, 1045, 1045f, 1371, 1372f
 - vs. imbrication, 1372f
- Plunger attachments, 265
- PMI, 22
- Pneumatic antishock garments (PASG), 339
- Pneumonia, 38
- Pneumothorax, 333f
 - closed, 333
 - tension, 332, 334, 335f
- Pocket principle, 366
- Pogonion
 - osseous resorption at, 1232f
- Point of maximal impulse (PMI), 22
- Pollutants, 300
- Polyethylene-tipped instruments, 271f
- Polymeric silicone catheter, 359
- Polymeric silicone implant, 1009f
- Polymeric silicone tubes, 364, 365f
 - placement of, 505f
- Polymorphous adenocarcinoma
 - low-grade, 672
 - recurrent low-grade
 - palate, 674f
- Polymyxin B sulfate, 359
- Polyostotic fibrous dysplasia, 597
- Polyps
 - recurrent, 310
- Polytetrafluoroethylene (PTFE), 1008
- Ponderal index, 40
- PONV, 100
 - children, 117–118
- Porcelain fracture, 270
- Porcelain-fused-to-metal, 239f
- Porous polyethylene implants, 1201f
- Porphyromonas*, 140, 288, 426
- Positron emission tomography (PET), 569
 - cervical lymph nodes, 647, 648f
 - oral cancer, 626, 626f
- Postauricular coronal (scalp) incision, 907
- Posterior cranial vault esthetic unit
 - craniofacial dysostosis syndrome, 903
- Posterior ethmoidal foramen, 465
- Posterior ethmoid artery, 1346
- Posterior maxilla
 - FPD, 262
- Posterior maxillary osteotomy, 1196–1197, 1196f
- Posterior plagiocephaly, 890
- Posterior teeth
 - distalizing, 1123
- Posteroanterior cephalometric radiographs
 - facial asymmetry, 1209
- Postnatal skull
 - changing proportions, 1059f
- Postoperative instructions
 - facial liposuction, 1418
- Postoperative nausea and vomiting (PONV), 100
 - children, 117–118
- Postoperative occlusal discrepancies, 1261
- Postorthodontic models, 549f
- Posturing

- abnormal, 346
- Preauricular incision, 993f
- Precession, 514
- Predistraction hyperbaric oxygen therapy, 1289
- Prednisone
 - for sinus infection, 305
 - and wound healing, 11
- Preemptive analgesia
 - end-stage TMJ disease, 1016–1018
- Pregnancy, 42
 - medications to avoid during, 42t
 - testing
 - adolescents, 107
- Preload, 22, 26, 49
- Premachined abutment
 - for cement-retained restorations, 257f
 - for screw-retained restorations, 257f
- Premature ventricular contraction (PVC), 27
- Premaxilla
 - bone grafts, 1274f
 - congenital agenesis, 1285
 - traumatic avulsion, 1287f
- Premolars
 - impacted, 133–134
 - replacement
 - maxilla, 199f
 - restoration, 199
- Prenatal craniofacial development, 1051–1058
- Preoperative patient, 65–79
 - bleeding disorders, 78
 - cardiovascular disease assessment, 21f, 66–70, 107
 - endocrine assessment, 74–77
 - fasting, 105–106
 - liver disease, 77
 - neurologic disorders, 78–79
 - neuromuscular disorders, 78–79
 - psychological, 105
 - pulmonary assessment, 71–73
 - questionnaire, 17t
 - renal disease, 77–78
 - screening tests for asymptomatic patients, 79
- Preprosthetic and reconstructive surgery, 157–185
 - alveolar distraction osteogenesis, 183–185
 - bone
 - regeneration, 162–164
 - exostoses, 169
 - fibrous inflammatory hyperplasia, 172
 - genial tubercle reduction, 169–170
 - grafts, 165–167
 - hard tissue
 - augmentation, 175–180
 - recontouring, 167–171
 - hypermobile tissue, 172
 - inflammatory papillary hyperplasia, 172
 - labial and lingual frenum, 172–174
 - medical considerations, 159–161
 - hard and soft tissue, 159–160
 - radiographic evaluation, 160–161
 - mylohyoid ridge reduction, 171
 - ridge extension procedures, 174–175
 - skeletal and alveolar ridge discrepancies, 180–181
 - soft tissue recontouring, 171–173
 - tori removal, 170–171
 - treatment planning, 161–162
 - tuberosity reduction, 169, 170f
- Preseptal cellulitis, 304
- Press-fit cylinder-type implant, 256f
- Presurgical orthodontics, 1119–1120
 - goals, 1118, 1119f
- Presurgical orthopedic (PSO) appliances, 846
- Pretracheal space
 - borders of, 278t
- Pretrichial forehead lift, 1395–1396
- Prevotella*, 288
- Primary bone
 - healing, 373f
 - loss, 159
 - union, 371
- Primary intraosseous squamous cell carcinoma, 589
- Primary retention, 132
- Primary teeth
 - incomplete eruption of, 1116f
 - lack of eruption, 131
- Primidone, 691
- Principle of favorableness, 408
- Procainamide, 691
- Procer a titanium framework
 - zygoma implants, 248f
- Procerus, 1387f
- Profile view
 - macroesthetic examination, 1101
- Proliferation
 - vs. apoptosis, 576f
- Propofol, 100
 - chemical structure of, 91f
 - children, 113
 - pharmacology of, 91–93
- Propofol-infusion syndrome, 113
- Propoxyphene
 - reduction in liver disease, 35
 - for TMJ, 951
- Proptosis, 495
- ProRoot, 394
- Prosthetic Fox plane, 1215f
- Prosthetic heart valves, 25
 - mitral valve prolapse, 25
- Proteus*, 300
- Prothrombin, 77
- Protriptyline
 - for OSA, 1302
- Protruding ear, 1098f, 1449–1458
 - complications, 1456–1458
 - surgical correction of, 1452–1456
- Protruding earlobe
 - correction of, 1456
- Prozac
 - TMJ, 953
- PRP, 221, 792–794, 793f
- Pseudoaneurysms, 517
 - maxillary fractures, 442
- Pseudoephedrine, 502
 - for sinus infection, 305
- Pseudomonas*, 301
- Pseudomonas aeruginosa*
 - TMJ, 944
- Pseudoshave biopsy, 704
- PSO appliances, 846
- PSVT, 51
- Psychiatric disorders, 38–40
 - affective disorders, 38–39
- Psychological assessment, 105
- Psychotherapy
 - for TMJ, 957–958
- Psychotic disorders, 39
 - illicit drug abusers, 39–40
 - opioid abusers, 39–40
 - substance abuse, 39–40
- Pterygoid fovea, 934
- Pterygoid muscle, 938–939, 939, 939f
 - lateral, 784
- Pterygoid plates, 644
- Pterygoid space
 - squamous cell carcinoma, 642
- Pterygomandibular space, 278
 - abscess, 282f
 - computed tomography of, 291f
 - borders of, 278t
 - infection, 279t
- Pterygomaxilla
 - fissure grafts, 1179
 - junction, 1183f
 - separation, 1187f
- Pterygomaxillary
 - suture, 437
- PTFE, 1008
- Ptosis, 495, 1329f, 1385f, 1394f
 - chin, 1242
 - upper eyelid blepharoplasty, 1339–1340
- Pulmonary assessment, 54–55, 71–73
 - bronchitis, 73
 - capnography, 59
 - emphysema, 73
 - obesity, 58
 - ventilation, 59
- Pulmonary contusions, 348
- Pulmonary edema, 24
- Pulmonary function
 - age-related changes, 41
 - testing, 28

- Pulp
 healing
 after replantation, 394f
 injuries
 diagram of, 388f
 testing, 385
 viability, 385
Pulseless ventricular tachycardia, 52
Pulse oximeter, 57, 282
 sources of error in, 58t
Pulse rate, 338
Pulsus paradoxus, 338
Punch biopsy, 704
Pupillary light
 reactivity, 468
 reflex, 347
PVC, 27
- Q
Quad-helix, 1072f
Quadrant defects, 468
Questionnaire
 preoperative patient, 17t
Quetiapine
 for psychotic disorders, 39
- R
Radial forearm free flaps, 804–811, 806f, 810f
 anatomic considerations, 807–809
 blood supply, 807
 complications, 808–809
 development, 805–807
 technique, 809–811
 vascular abnormalities, 807–808
Radiation injury
 and wound healing, 11
Radiation therapy
 periarticular ectopic bone formation, 1025–1027, 1026f
Radical neck dissection, 648, 649f
Radiographs. *See also* Panoramic radiographs
 alveolar and dental fractures, 386–387
 cervical spine, 351, 351f
 dentoalveolar injuries, 386–387
 facial asymmetry, 1209
 implant prosthodontics
 biomechanical considerations, 252–253
 complications of, 270
 lateral cephalometric
 facial asymmetry, 1209
 mandible fracture, 406–407, 407f
 mental foramina, 253f
 occlusal
 alveolar and dental fractures, 386–387
 implants, 252
 periapical
 alveolar and dental fractures, 386–387
 implants, 252
 plain, 568
 of abdominal trauma, 352
 atrophic mandible, 196f
 zygomatic complex fractures, 448
 posteroanterior cephalometric
 facial asymmetry, 1209
 Water's
 maxillary fractures, 438f
 maxillary sinus, 470f
 zygoma implants, 240, 245f
 zygomatic complex fractures, 447–448
Radionuclide imaging, 569
Radioprotectants, 638
Radiosensitizers, 638
RADPLAT protocol, 640
Ramus, 784
 fracture
 ascending, 409
Ramus buccal shelf block graft harvest, 225–230, 228–229
 case studies, 226–230
 recipient site morbidity, 229
Randall-Tennison repair, 847
Raney clips, 483
Ranulas, 676–677, 677f
Rare earth magnets, 134
Reactive airway disease, 55
 treatment of, 55–56
Reapproximation, 795f
Recipient site
 soft tissue grafts, 209
Recombinant human bone morphogenetic protein-2 (rhBMP-2), 13, 162
Recombinant human bone morphogenetic protein-7 (rhBMP-7), 13
Recombinant human keratinocyte growth factor 2 (KGF-2), 13
Reconstructive surgery. *See* Preprosthetic and reconstructive surgery
Rectal sedation, 110
Reduced enamel epithelium, 576
Reed-Sternberg cells, 688
Reepithelialization, 5
Regeneration, 3
Regional anesthesia
 end-stage TMJ disease, 1017
Regional dynamic forces, 376–377
Regional flaps, 769–781
Reiche, Charles Frederick William, 435
Relaxation
 for TMJ, 957
Relaxed skin tension lines (RSTL), 769
Releasing incisions, 218, 242
Remifentanyl
 chemical structure of, 88f
 pharmacology of, 89
Removable anterior repositioning splints
 OSA, 1303
Removable overdenture-type prosthesis, 198
Removable prostheses
 success of, 259
Removal, 136
Renal. *See* Kidneys
Repair, 3
Repositioning appliances
 for TMJ, 958–959, 958t, 959f
Residual ridge form, 159
Resin base fracture, 270
Resorbable fixation materials
 children, 542
Resorbable plate, 425f
Resorbable screws, 1154
Resorption
 modified Cawood and Howell classification of, 161f
Respiradone
 for psychotic disorders, 39
Respiratory acidosis, 53
Respiratory arrest
 algorithm for, 57f
Respiratory problems, 28–30
 airway and lung assessment, 28
 asthma, 28–29
 chronic obstructive pulmonary disease, 29–30
Restrictive cardiomyopathy, 69
Retinoids, 632, 641, 1421
 nonmelanoma skin cancer, 709
Retrobulbar hematoma, 472, 472f
Retrobulbar hemorrhage
 zygomatic arch fractures, 459, 459f
Retrograde knives
 TMJ arthroscopy, 970
Retromolar fossa, 674
Retromolar gingiva cancer, 621
Retromolar trigone
 cancer, 621
 oral cancer, 642
 squamous cell carcinoma, 642f
 ulcerative carcinoma, 622f
Retropharyngeal space
 borders of, 278t
Revised Trauma Score, 328–329
 variables, 329t
 predicting mortality, 329t
rhBMP-2, 13, 162
RhBMP-7, 13
Rhegmatogenous retinal detachment, 473
Rheumatoid arthritis, 36, 1037, 1037f
Rhinitis
 allergic, 106–107
Rhinitis medicamentosa, 305
Rhinoplasty, 1345–1363
 anesthesia, 1354
 cosmetic evaluation, 1350–1354

- endonasal
 - surgical sequence for, 1356t
- external
 - surgical sequence for, 1356t
- facial analysis, 1351
- functional considerations, 1354
- incisions, 1354–1355
- nasal analysis, 1351
- nasal anatomy, 1345–1360
- nasal base alar reduction, 1363
- nasal dorsum, 1358–1359
- nasal tip, 1359–1363
- osteotomies, 1359
- photographs, 1354
- postoperative, 1352f, 1363
- preoperative, 1351f
- psychiatric stability, 1351
- tip projection, 1360–1361
- tip rotation, 1361–1362
- tip shape, 1362
- turbinectomy, 1358
- Rhinorocket, 438
- Rhinosinusitis, 296, 502
 - factors associated with history of, 296t
 - treatment, 305
- Rhombic flaps, 773, 774f
- Rhytidectomy, 1365–1379
 - with complementing procedures, 1375f
 - deep plane, 1373–1378
 - flap development, 1371–1372, 1371f
 - generations of, 1366t
 - historical development, 1365–1366
 - incision, 1369f, 1370f
 - liposuction-assisted, 1412, 1413f
 - patient evaluation, 1366–1368
 - requirements, 1366t
 - skin closure, 1372–1373
 - superficial plane, 1368–1373, 1374f
 - surgical technique, 1368–1378
 - trocar sites, 1368f
- Rhytids, 1329
- Ribs
 - accessory muscles, 103
 - children, 103
- Ridge split osteoplasty, 176–177
- Rifle cartridges, 512f
- Rifles, 512
- Rifling, 513
- Rigid bronchoscope, 624
- Rigid fixation
 - mandibular fracture, 423
- Rigid internal fixation
 - mandibular fracture, 372f
 - maxillary fractures, 439
 - vs. nonrigid internal fixation, 371–382
- Rimfire, 514
- Rim/marginal incision
 - rhinoplasty, 1355
- Ring sign, 348
- Risdon incision, 421
- Robinson Inter-OSS alveolar device, 184
- Robinson technique, 422f
- Rocuronium
 - pharmacology of, 98
 - properties, 99t
- Rofecoxib
 - for rheumatoid arthritis, 36
- Root canal resorption, 391
- Roots
 - adjacent to interdental surgical sites
 - divergence of, 1129–1130
 - fracture, 389–390
 - in third molar removal, 151
 - impacted teeth, 144
 - injured surface, 1252f
 - resorption
 - classification of, 390
 - surface resorption, 390–391
- Rotary trough, 172f
- Rotated flaps, 1270f
- Rotated palatal flaps, 772
- Rotated teeth, 1131
- Rotational flaps, 713–714, 771f, 772
- Round bur, 242f
- Rounds, 512
- Rowe disimpaction forceps, 440, 440f
- RSTL, 769
- Rubella, 689
- Rule of 10's, 844
- S
- SAARD
 - for rheumatoid arthritis, 36
- Saddle nose, 364
- Saethre-Chotzen syndrome, 923–925
- Sagittal osteotomy, 1136–1137
 - of horizontal ramus, 1164
 - of vertical ramus
 - mandibular range of motion, 1159–1160
- Sagittal split osteotomy, 1153, 1215. *See also* Bilateral sagittal split osteotomy (BSSO)
 - aseptic necrosis, 1250
 - facial nerve injury, 1255f
 - hemorrhage, 1249
 - mandibular advancement, 1283f
 - sensory injuries, 1253–1254
- Sagittal synostosis, 890
- Salicylates
 - for TMJ, 950–951
- Salicylic acid peels, 1423, 1423f
- Salivary-cutaneous fistula, 523f
- Salivary ducts
 - gunshot wound, 522
- Salivary glands
 - injuries, 1263–1264
- minor
 - tumors, 673–674
- obstructive disease, 674–675
- tumors, 671–677
 - benign, 671–672
 - histopathology, 671–672
 - malignant, 672
 - site, 672–673
- Sanders, Bruce, 964
- Sandwich osteotomy, 183f
- Sandwich-visor osteotomy, 184f
- SARPE. *See* Surgically assisted rapid palatal expansion (SARPE)
- Save-A-Tooth, 393
- SCALP, 1386
- Scalp
 - defects, 713f
 - laps, 773f
 - soft tissue injuries, 363–364
 - squamous cell carcinoma, 711f
- Scalp incision, 907
- Scapha buckling, 1458
- Scaphocephaly, 890f
- Schwann cells, 6, 823
- Schwannoma, 610
- Scissors, 1371f
 - TMJ arthroscopy, 970
- Scleral rupture, 472
- Scleroderma, 1034f, 1037
- Scopolamine, 99, 473
- Screening tests
 - for asymptomatic patients, 79
- Screw-retained prosthesis, 262f
- Screw-retained restorations, 261
- Screw retention
 - vs. cement retention, 260t
- Screws, 439
 - loosening of, 270
- Scroll
 - configurations of, 1348f
- Seat belts, 529
- Secobarbital
 - chemical structure of, 90f
- Secondary bone healing, 373f, 374f
- Secondary bone loss, 159
- Secondary growth deformities, 1207
- Second molars
 - impacted, 132, 135f
- Sedation, 93, 109
 - children, 103–123
- Sedatives
 - parents' presence during administration of, 105
- Seddon classification, 824f
- Segmentalization, 1186f, 1190–1191
 - loss of vascularity, 1249–1250
- Seizure disorders, 37
- Selective neck dissection, 649

- Selective serotonin reuptake inhibitors
for affective disorders, 38
- Selective serotonin reuptake inhibitors (SSRI)
for TMJ, 952–953
- Semilunar incision, 501
- Senile keratosis, 698
- Senn retractor, 1188f
- Sensitivity testing
odontogenic infection, 286–287
- Sensory nerve, 445, 1325–1326, 1451
- Sensory recovery
classification of, 830t
- Sentinel node biopsy, 650–651, 650f
- Sentinel vein, 1389
- Septocutaneous arteries, 710
- Septoplasty, 1238, 1355–1358
- Serine proteases, 6
- Seromas
cervicofacial liposuction, 1411
- Serotonin receptor antagonists
children, 117–118
- Serum
normal values of, 495t
- Serum albumin, 77
- Serum aspartate transaminase, 35
- Serum prealbumin, 12
- Setback genioplasty
soft tissue changes associated with, 1233t
- 702L tapered fissure bur, 225
- Severe maxillary vertical deficiency, 231f
- Sevoflurane, 95
chemical structure of, 96f
children, 114, 115
pharmacology of, 97
- Shave biopsy, 704
- Shield graft, 1361f
- Shock
assessment of, 337
- Shock trauma center
University of Maryland, 527
- Short subcondylar osteotomy, 1252f
- Shot
classification of, 513
- Shotguns, 512
shells, 513f
wounds, 515
- Sialography, 568
- Sialoliths
calcified, 674
- Sigmoid notch
excessive flaring at, 1259f
- Silicone elastomer, 1008
- Silverman technique, 422f
- Simon's method, 1353
- Simple fracture, 409, 409f
- Single-incision approach
subepithelial connective tissue graft
harvesting, 212–213, 214
- Single-stage gold implant, 189
- Single-tooth osteotomy, 1132, 1132f
- Sinonasal mucosa
histology of, 298f
- Sinonasal polyps, 298
- Sinonasal tumors, 298
- Sinus. *See also* Frontal sinus
bone grafts, 232–234, 241f
dysrhythmia, 1299
ethmoid, 494f
anatomy and physiology of, 297
grafts, 192, 198–199
infection, 295–310
anatomic factors, 298–299
clinical characteristics of, 296–297
diagnosis of, 302–305
etiology, 297–302
fungi, 300–301
genetic disorders, 301–302
inflammatory conditions, 299–300
treatment, 305–310
medical management, 305–307
surgery, 307–310
lifts, 179–180, 181f
obliteration, 501, 502f
postoperative medical therapy, 502–503
postoperative symptoms, 1256–1257
tachycardia, 25, 27
window, 243f
- Sinusitis, 295, 299f, 442, 500. *See also* Rhino-sinusitis
allergic fungal, 301, 304f
Aspergillus, 304f
bacteriology of, 300–301
complications of, 304
etiology, 299t
fungal, 303–304
intracranial complications of, 305f
maxillary, 299
orbital complications of, 305f
- Sinus slot technique
zygoma implants, 243f
- Sjögren's syndrome, 37
- Skeleton
craniofacial
growth and remodeling field of, 165f
nasal base, 1439–1443
- Skin
aging, 709
biomechanics, 711–712
blood supply, 710
cross-section of, 1420f
laser resurfacing, 1342
perfusion
in trauma patient, 337–338
rejuvenation, 1419–1432
mechanical resurfacing procedures,
1429–1432
- resurfacing
ablative, 1420t
postoperative complications, 1432t
rhinoplasty, 1351
- Skin cancer. *See* Nonmelanoma skin cancer
- Skin grafts, 8, 716–717
age-related changes, 41
full-thickness, 8, 717–718
reinnervation of, 8
split-thickness, 8, 718–719
- Skin-muscle flap, 481
excision of, 1332
- Skoog's technique, 1365
- Skulls
by age, 539f
assessment of
in trauma patient, 345–346
fractures
basilar, 471
- SLE, 36–37, 691
- Sleep
normal stages of, 1297
- Sleep apnea
craniofacial dysostosis syndrome, 902–903
- Sleep apnea syndrome, 1297–1300
classification of, 1298
differential diagnosis, 1298–1299
- Sleep paralysis, 1298
- Sleep-related abnormal swallowing syndrome,
1298
- Sleep-related nocturnal myoclonus, 1298
- Slenderizing teeth, 1121, 1121f
- Sliding, 710
- Sliding buccal gingival flap, 1270f
- Slit-lamp examination, 468, 470
- Slow-acting antirheumatic drugs (SAARD)
for rheumatoid arthritis, 36
- SMAS. *See* Superficial musculoaponeurotic
system (SMAS)
- Smile
gummy, 1097f
- Smile arc, 1090–1091, 1104, 1105f
- Smoking, 71, 252, 719
melanin pigmentation
gingiva, 682
orbital injuries, 481
squamous cell carcinoma, 617
and wound healing, 10
- Sniffing position, 281
- Sodium bicarbonate
for blepharoplasty, 1331
- Sodium citrate, 106
- Soft endotracheal tube
children, 528
- Soft eye, 470
- Soft palate
squamous cell carcinoma, 645f
- Soft tissue

- craniofacial dysostosis syndrome, 907
- grafts, 209–217
 - implants, 208–209, 220–221
- incision
 - maxillary surgery, 1185f
- injuries, 349
 - cleansing, 359
 - closing, 360
 - ear, 365–366
 - eyelids, 364–365
 - forehead, 363–364
 - lip, 366
 - management of, 357–358
 - nasolacrimal apparatus, 364–365
 - neck, 366–367
 - nose, 364–365
 - postoperative care, 368–369
 - repair of, 359–360
 - scalp, 363–364
 - types of, 360–363
- integration, 205
- management
 - implants, 205–221
- resuspension
 - panfacial fractures, 551–552
- Solar keratosis, 698
- South America, 189
- Soviet AK-47, 512
- Spade drill, 191
- Spark erosion, 265
- Spatial descriptors, 1346f
- Specimens, 570–571
- Speckled erythroplakia, 619
- Spectacle incision, 497
- Sphenoid bone, 437
- Sphenopalatine artery, 1346
- Sphenopalatine foramen, 1183
- Sphenozygomatic suture, 549–550, 550f
- Sphincteroplasty procedure, 880f
- Spinal accessory nerve
 - dissection, 649f
- Spinal cord disorders, 38
 - neurologic examination of, 350
 - physical examination of, 350
 - in trauma patient, 349–352
- Spiral drill, 191
- Spirometry, 28
- Spline implants, 228
- Splints. *See also* specific splints
 - avulsed tooth, 395, 396t
 - crowns, 224
- Split-thickness flaps
 - supraperiosteal dissection, 214
- Split-thickness pedicle flaps
 - subepithelial connective tissue graft, 212
- Split-thickness skin grafts, 8, 718–719
- Sports, 530
 - contact, 383
- Squamous cell carcinoma, 321f–322f
 - alveolar ridge, 621f
 - alveolus, 644–645
 - basaloid, 632
 - buccal mucosa, 621f, 642, 642f
 - cervical lymph nodes, 646–648
 - description of, 700–701
 - floor of mouth, 644f
 - gingiva, 644–645
 - lip, 641–645, 642f
 - lower lip, 661f, 663f
 - on midforehead, 714f
 - nasal defect after excision, 775f
 - on nasal tip, 702f
 - and NMSC, 697
 - oral cavity
 - neck dissection, 648–650
 - risk factors for, 617–618
 - palate, 645
 - primary intraosseous, 589
 - retromolar trigone, 642f
 - scalp, 711f
 - soft palate, 645f
 - tongue, 643–644, 644f
 - well-differentiated
 - lip, 660–661
- Squamous papilloma, 565f
- SSRI
 - for TMJ, 952–953
- Stability
 - BSSO, 1155–1156
 - horizontal ramus osteotomies, 1164
 - total alveolar osteotomy, 1167
 - VSO, 1145–1146
- Stabilization appliances
 - for TMJ, 958, 958f, 958t
- Stafne's bone defect, 609–610, 610f
- Staphylococcus*, 362f
- Staphylococcus aureus*, 287, 300
 - TMJ, 944
- Steiger bur, 1191f
- Steinmann pin, 1214
- Stensen's papilla, 676
- Stents, 253f, 254f, 261f, 270f
 - implants, 253–254
- Stephenson technique, 422f
- Step osteotomy, 1162f, 1163f
- Stereolithographic modeling
 - facial asymmetry, 1209
- Sternocleidomastoid flap, 779, 780f
- Sternocleidomastoid muscle
 - blood supply to, 779f
- Sternocleidomastoid torticollis, 1207
- Steroids, 424
 - for adrenal gland disorders, 34
 - for asthma, 29
 - immunocompromised, 283
 - impacted teeth removal, 149
- Stevens-Johnson syndrome, 693
- Stickler's syndrome, 842
- Stiffness, 281
 - with impacted teeth removal, 150
 - with osteomyelitis, 314
 - zygomatic arch fractures, 459–460
- Stout's method, 415
- Strauman system, 201
- Streptococcus*, 288, 362f, 426
- Streptococcus pneumoniae*, 300
- Streptococcus pyogenes*, 300
- Streptococcus viridans*, 289
- Stress relaxation, 712
- Stroke, 37
 - caused by hypertension, 32
- Stud-retained overdenture, 263f
- Subapical osteotomies, 1164–1166
 - anterior, 1164–1165, 1164f
 - Kole's, 1138f
 - posterior, 1165–1166, 1166f
- Subarachnoid hemorrhage
 - CT, 346f
- Subciliary incision, 453f, 481, 551
- Subcondylar fracture, 405
 - mandible series, 408f
- Subcondylar osteotomy, 1135
- Subconjunctival hemorrhage, 469f
- Subcutaneous dissection, 1376f
- Subcutaneous fat atrophy
 - TMJ
 - arthroscopy, 986
- Subdural hemorrhage, 345f
 - CT, 346f
- Subepithelial connective tissue grafting
 - harvesting from premolar region, 212–213
 - implants
 - donor-site surgery, 212–213, 214f
 - recipient-site surgery, 214–215
- Sublingual ecchymosis, 406
 - floor of mouth, 385
- Sublingual gland, 671
 - tumors, 674
- Sublingual space
 - borders of, 278t
- Subluxation, 391–392, 391f
 - maxillary central incisor, 392f
- Submandibular gland, 671, 674f
 - anterior duct stone, 675
 - posterior duct, 675
 - retraction of, 675f
 - tumors, 673
- Submandibular space
 - borders of, 278t
 - infection, 279t
 - through-and-through drain, 286f
- Submasseteric space, 278
 - borders of, 278t
 - infection, 279t

- Submental intubation, 439f
- Submental space
borders of, 278t
infection, 279t
- Submentovertebral view
zygomatic complex fractures, 448
- Submerged implants
ready for abutment connection, 211f
- Submerged teeth, 131
- Submersible threaded cylindrical implant, 189
- Submucous vestibuloplasty, 174
- Subperiosteal abscess, 304, 305f
- Subperiosteal dissection, 465
- Subscleral hemorrhage, 346
- Substance abuse, 39–40
children, 120–123
inhalational
anesthesia with, 122
maxillofacial trauma, 384
- Substance P, 300
- Succinylcholine
avoiding in malignant hyperthermia, 38
children, 116
pharmacology of, 98
properties, 99t
- Suction-assisted lipectomy
informed consent, 1416–1417
- Suction device, 1409
- Sufentanil
chemical structure of, 88f
pharmacology of, 89
- Suicide
shotgun wounds, 515, 515f
- Sulbactam, 944
- Sulcular incision, 225
- Sulfa
avoided with renal patients, 31
- Sulfasalazine
for rheumatoid arthritis, 36
- Sulfonyleureas
mechanism of action, 60t
- Sunder classification, 824, 824f
- Sunscreens, 700
- Superficial chemical peeling, 1422–1423
- Superficial fascia, 992
- Superficial musculoaponeurotic system (SMAS), 1318, 1374–1378
description of, 1318
and manipulation, 1371
and rhytidectomy, 1365
and subcutaneous dissection, 1374, 1376f, 1377f
- Superficial spreading melanoma, 684
- Superficial temporal
infection, 279t
- Superficial temporal artery, 1389
- Superior dislocation, 411
- Superior joint space, 996f
- Superiorly based pharyngeal flaps, 878, 879f
- Superior meatus
anatomy and physiology of, 297
- Superior oblique muscle pulley, 465
- Superior orbital fissure syndrome, 472
zygomatic arch fractures, 459
- Superior orbital rim, 464
- Suprahyoid muscles, 938, 1141
- Supramandibular muscles, 938
- Supraomohyoid neck dissection, 649f
- Supraorbital bar reconstruction, 500
- Supraorbital nerves, 465, 1325, 1389, 1393f
- Supraorbital notch, 464
- Supraorbital ridge fractures
children, 532
- Supraorbital vessels, 1393f
- Supratarsal fold incision, 452, 453f
- Supratrochlear nerve, 1389, 1390
- Supraventricular tachycardias, 25
- Surgeons
experience and training of, 149
- Surgical guides, 1288f
- Surgically assisted rapid palatal expansion (SARPE), 1197–1198
arch length discrepancy, 1198
arch morphology, 1198
history, 1197–1198
surgical technique, 1198–1200, 1199f, 1200f
vertical dimension, 1198
- Surgical microscope
historical development of, 803
- Surgical mobilization
position in facial asymmetry, 1213
- Surgical patient
medical management of, 17–42
- Surgical splints
maxillary fractures, 440–441
- Surgical stent
for implant placement, 164f
- Suture milia
upper eyelid blepharoplasty, 1339
- Sutures
neonatal skull, 1060f
- Sweat test, 301
- Swelling
with impacted teeth removal, 150
- Swiss Association for the Study of Internal Fixation (AO/ASIF)
compression plates, 402
fracture management biomechanical principles, 373
- Swiss screw, 201
- Switching stick, 1187f
TMJ arthroscopy, 971f
- Swivel latches, 266f
- Symmetry
rhinoplasty, 1351–1352
- Symphysis
block graft harvest, 225
donor site morbidity, 228
force, 404f
fracture, 405, 409
bone plate, 382f
internal wire fixation, 373f
posteroanterior mandibular view, 414f
reconstruction, 1288
- Syncope, 68
- Synechiae, 309
- Synovial chondromatosis, 601–602
TMJ, 945
- Synovial disorders
classification of, 941t
- Synovium
TMJ, 934–935
- Syphilis, 681–682
- Syringe liposuction system, 1409f
- Systemic lupus erythematosus (SLE), 36–37, 691
- Systemic reserve
odontogenic infection, 283
- T
- T3, 33
- T4, 33
- Tachycardia, 338
with hypotension, 345
- Tagaki, Kenji, 963
- Tanning, 697
- Tapered fissure bur
702L, 225
- Tapered-wall screw implant, 256f
- Tarsal plate, 466
- Tarsus, 1321, 1322f
- Tattoo deformity, 10
- Tattooing, 359, 360, 685
- TCA, 1341
peels, 1427t
- Tear film, 1326
composition, 1326
- Technetium 99m
facial asymmetry, 1209
osteomyelitis, 315
- Teeth
arch symmetry, 1115, 1115f
missing, 1131
permanent
developing buds, 398f
children, 529
impacted, 132
sectioning, 145
selling for transplantation, 189
size, 1112–1113
discrepancy, 1120–1122
vitality, 385
- Telecanthus, 476
- Telephone ear deformity, 1458

- Telescoped fractures, 410
- Temporal incisions, 450, 1398
- Temporalis fascia, 446
- Temporalis flap, 778–779, 778f
- Temporalis muscle, 938, 938f, 1007
 - flap, 778f
 - graft
 - disk replacement, 1007f
- Temporalis myofascial flap, 1007
- Temporal space, 278
- Temporary bridge
 - demonstrating vertical deficiency, 230f
- Temporary cavity, 511
- Temporomandibular ankylosis, 1038
- Temporomandibular joint (TMJ)
 - anatomy and physiology of, 933–946
 - arthrocentesis, 963–987
 - arthroscopy, 963–987
 - anesthesia, 971
 - anesthetic complications, 986
 - anterolateral approach, 980
 - appliance therapy, 984
 - approaches, 979, 979f
 - articular pathology, 971–975
 - cannula, 970
 - capsular stretch procedures, 980
 - complications, 984–986
 - contraindications for, 967–968
 - development of, 964–965
 - elevators, 970
 - endaural approach, 980
 - entry errors, 980–981
 - equipment hookup sequence, 971f
 - history, 965–966
 - imaging, 966
 - indications for, 966–967
 - instrument breakage, 985–986
 - instruments, 968–971
 - intra-articular injury, 985
 - joint entry techniques, 975–982
 - lateral eminence release, 984f
 - neurologic injury, 985
 - obturators, 970
 - otologic complications, 986
 - patient selection, 965–966
 - physical examination, 965–966
 - physical therapy, 984
 - posterolateral approaches, 979
 - postoperative management, 982–983
 - postoperative medications, 984
 - preoperative management, 982
 - puncture anatomy and landmarks, 977–979
 - superior posterolateral approaches, 979
 - superoposterior lateral approach, 980
 - trocars, 970
 - trocars, 970
 - trocars, 970
 - vascular injury, 985
 - visible fields, 983f
 - articular disk, 935–936
 - articular disorders, 941–942
 - benign tumors, 945
 - biologic mechanisms, 942–943
 - bony structures, 933–934
 - capsular herniation, 979f
 - cartilage, 934–935
 - classification, 933
 - coronal view, 934f
 - CPM, 541
 - diet, 950
 - disk immobility, 974f
 - disk migration, 974f
 - disk placement, 975f
 - dysfunction, 1260–1261
 - BSSO, 1158–1160
 - VSO, 1146
 - effusion, 411
 - endaural arthroscopic approach, 981–982, 981f, 982f
 - end-stage disease, 1015–1027
 - pain control, 1016–1018
 - periarticular ectopic bone formation, 1025–1027
 - perioperative management, 1016
 - physical therapy, 1024–1025
 - postsurgical pain management, 1018–1024
 - preemptive analgesia, 1016–1018
 - sympathetically maintained pain, 1024
 - hemarthrosis, 411–412
 - hypermobility, 1044–1047
 - classification, 1044
 - etiology, 1044, 1045t
 - treatment, 1045–1046
 - hypomobility, 1033–1044
 - classification, 1033
 - clinical characteristics, 1033–1034
 - complications, 1040–1044
 - etiology, 1033, 1034t
 - following orthognathic surgery, 1037
 - following radiation therapy, 1036
 - imaging, 1034
 - inflammatory and rheumatologic causes, 1036–1037
 - postcraniotomy, 1036
 - postinfectious, 1035–1036
 - postoperative physical therapy, 1044
 - posttraumatic, 1034–1035
 - treatment, 1037–1040
 - infection, 943–944
 - innervation, 937
 - internal derangement, 989–1010
 - capsular incisions, 995–997, 997f
 - complications, 1010
 - diagnosis, 989–991
 - diskectomy without replacement, 1006
 - disk reapproximation, 1002f
 - disk-removal procedures, 1002–1006
 - disk replacements, 1006–1008
 - disk repositioning, 1003f
 - disk-repositioning procedures, 998–1000, 998f, 999f
 - endaural approach, 994–995, 994f
 - operative procedures, 997–1000
 - partial diskectomy, 1002–1004, 1004f
 - perforated posterior attachment, 1000–1002, 1001f
 - postauricular approach, 995, 995f
 - postoperative management, 1009–1010
 - preauricular approach, 992–994
 - surgical anatomy, 991–992
 - surgical approaches, 991–1008
 - surgical goals, 991
 - total diskectomy, 1004–1005, 1006f
 - internal derangement of, 427–428
 - lateral view, 936f, 937f
 - ligaments, 936–937
 - malignant tumors, 945–946
 - mandibular fracture, 426–429
 - medial view, 937f
 - movement biomechanics, 940
 - musculature, 937–940
 - neoplastic disease, 945
 - nonarticular disorders, 940–941
 - nonsurgical management, 949–959
 - occlusal appliances, 958–959
 - orthopedic development history, 963–964
 - pathology of, 940
 - perforated disk, 942f
 - pharmacotherapy, 950–953
 - physical therapy, 953–957, 954t
 - retrodiskal tissue, 936
 - stress reduction, 957–958
 - synovial tumors, 945
 - synovium, 934–935
 - vascular supply, 937
 - Wilkes staging classification, 967t
 - Temporomandibular (lateral) ligaments, 936
 - TENS
 - for TMJ, 956
 - Tension pneumothorax, 332, 334, 335f
 - Tension-stress
 - bone, 164
 - Tentative diagnosis, 564
 - Tent pole bone screws, 224f
 - Teratogens, 1067f
 - Terminal ballistics, 510
 - Terminally ill
 - avoidance of, 652–653
 - Tessier no. 7 left facial cleft, 855f
 - Tetanus-prone wounds, 357
 - Tetanus prophylaxis, 385t
 - Tetracycline, 168
 - for alveolar osteitis, 151

- avoidance in liver disease, 35
 Tetraplegia, 350
 TGF, 225, 785
 Theophylline
 for asthma, 29, 56
 reduction in liver disease, 35
 TheraBite Jaw Motion Rehabilitation System,
 955, 955f
 Therapeutic neck dissection
 oral cancer, 651
 Thermal agents
 for TMJ, 956
 Thermal injury
 lip cancer, 659
 Thermal test, 386
 Thiamylal
 chemical structure of, 90f
 Thiazolidinediones
 mechanism of action, 60t
 Thiopental
 chemical structure of, 90f
 pharmacology of, 90–91
 Thiouracil, 691
 Thioxanthenes
 for psychotic disorders, 39
 Third Molar Project, 150
 Third molars
 antibiotics, 148
 failure to erupt, 140
 impacted
 removal contraindications, 152
 removal of, 149
 mandibular
 development of, 139–140
 impacted, 131
 partial eruption, 140
 in path of second molars eruption,
 135, 135f
 removal of
 root fracture, 151
 retarded maturation of, 140
 surgery
 periodontal healing after, 152–153
 Thoma technique, 422f
 Thoracic vascular injury
 chest radiographs, 349f
 Threaded cobalt-chrome-molybdenum screw,
 189
 Thrombin, 340
 Thrombocytes, 4
 Thromboembolism, 38
 Thrombophlebitis
 obesity, 40
 Through-and-through drain
 submandibular space, 286f
 Thyroid
 assessment, 61–62
 assessment of, 74
 disorders, 33–34
 orbitopathy, 1327f
 Thyroxine (T3), 33
 TIA, 37, 78–79
 Tiagabine
 for seizure disorders, 37
 Ti-6Al-4V, 189
 Tibial bone grafts, 791–792, 792f
 Tip
 support, 1350t
 rhinoplasty, 1353
 Tissue
 oxygenation
 evaluation of, 337
 smoking effect on, 10
 perfusion, 10
 evaluation of, 337
 shaver, 309f
 trauma
 minimizing, 9
 Titanium, 439–440
 mesh, 441f, 485, 500, 500f
 microscrews, 500
 plasma-sprayed surface, 190f
 reconstruction plate
 mandible, 796f
 screws, 1439f
 Titanium alloy (Ti-6Al-4V), 189
 TMJ. *See* Temporomandibular joint (TMJ)
 Tobacco. *See* Cigarette smoking
 Tobramycin, 944
 Toluidine blue, 626–627
 Tongue
 cancer, 622–623, 622f
 children, 103
 edema, 516f
 flaps, 662, 775–776, 777f
 leukoplakia, 632f
 magnetic resonance imaging, 643f
 radial forearm flap, 643f
 squamous cell carcinoma, 643–644, 644f
 traction of, 624f
 Tongue-retaining device (TRD)
 OSA, 1303
 Tonometry, 468
 Tonsils
 children, 103
 surgical specimen of, 1306f
 Topical 5-FU, 708
 Topiramate
 for seizure disorders, 37
 Tori, 612–613
 mandibular, 172f
 Torus mandibularis, 613
 Torus palatinus, 612, 612f, 613f
 Total alveolar osteotomy, 1166–1168, 1167f
 Total maxillary alveolar osteotomy, 1193
 midline palatal incision, 1191f
 vertical incision, 1191f
 Total pulp necrosis, 386
 Toxic epidermal necrolysis, 693, 694
 Trachea
 children, 103, 104
 injuries
 signs of, 518
 Tracheostomy, 516
 OSA, 1304–1305
 Tracheotomy, 281
 Track Plus System, 184
 Traffic accidents, 530
 Transantral osteotomy, 1197f
 Transblepharoplasty, 1401
 Transcolumellar incision
 rhinoplasty, 1355
 Transconjunctival incision, 455f, 482, 483, 551
 Transconjunctival upper lid blepharoplasty, 1334
 Transcutaneous nerve stimulation (TENS)
 for TMJ, 956
 Transforming growth factor (TGF), 225, 785
 Transfusion
 oral cancer, 635
 Transient ischemic attacks (TIA), 37, 78–79
 Transmucosal sedation, 109
 Transnasal wiring, 501–502
 Transosseous circum-mandibular wiring, 421,
 424f
 Transpalpebral procedure, 1401
 Transplantation, 136
 Transport diagnosis, 1288f
 Transport distraction osteogenesis, 1286–1289,
 1289f
 neocondyle, 1289–1290
 Transpositional flaps, 178f, 714, 773–774
 Transverse characteristics, 1103–1104, 1107f
 Transverse compensations, 1107
 Transverse facial proportion, 1096–1098
 Transverse orthopedic treatment, 1071–1072
 Transverse smile, 1104f
 Trapezium myocutaneous flaps, 779–780
 Trauma patient
 airway maintenance, 330
 breathing, 332–337
 cervical spine, 330
 circulation, 337–344
 initial management of, 327–354
 injury severity assessment, 327–330
 neurologic examination of, 344–345
 primary survey, 330–344, 344f
 secondary assessment of, 344–345
 stabilization of, 349f
 triage decision scheme, 328f
 Trauma Score, 328
 Traumatic avulsion
 premaxillary segment, 1287f
 Traumatic bone cyst, 609, 610f
 Traumatic hyphema

- zygomatic arch fractures, 459
- Traumatic loop deformity, 776f
- Traumatic neuroma, 611
- Traumatic optic neuropathy
 - zygomatic arch fractures, 459
- Trauner, 1150
- TRD
 - OSA, 1303
- Treacher Collins, 74, 104
- Treponema pallidum*, 681
- Triage decision scheme
 - trauma patient, 328f
- Triamcinolone acetoneide, 475
- Triazolam
 - pharmacology of, 87
- Tricalcium phosphate, 168
- Trichloroacetic acid (TCA), 1341
 - peels, 1427t
- Trichophytic forehead lift, 1395–1396
- Tricyclic antidepressants
 - for affective disorders, 38–39
 - for TMJ, 952–953
- Trigeminal nerve, 1325
 - anatomy and physiology, 822–824, 822f
 - fibers, 823t
 - injuries, 821
 - demographics, 819–820
 - third division of, 1139–1140
- Trigger points
 - for TMJ, 957
- Trigonocephaly, 890f, 896f
- Triiodothyronine (T4), 33
- Trimethadione, 691
- Trimethaphan camsylate
 - for hypertensive crisis, 50t
- Trimethoprim
 - for COPD, 30
- Trimethoprim/sulfamethoxazole
 - for rhinosinusitis, 305, 502
 - for sinus infection, 305
- Triple endoscopy, 624
- Trismus (stiffness), 281
 - with impacted teeth removal, 150
 - with osteomyelitis, 314
 - zygomatic arch fractures, 459–460
- Trocars
 - rhytidectomy, 1368f
 - TMJ arthroscopy, 970, 971f
- Trochlea, 464
- T-shaped incision, 996
- Tuberculectomy
 - lateral, 1003f
- Tuberosity reduction, 169, 170f
- Tube shift method, 133
- Tumescent solution, 1410t
- Tumescent technique, 1368f
 - Klein's, 1409
- Turbinate pneumatization, 298
- Turbinectomy
 - rhinoplasty, 1358
- Turner syndrome, 1066
- Twist drill, 242f
- Two-flap palatoplasty, 874f
 - Bardach, 852
- Two-implant bar
 - clip overdenture retention, 194f
- Two-point fixation
 - one-point fixation, 377
- Two-staged titanium implants, 189
- U
- Ulcerated lesions, 685–686
- Ulcers, 565
- Ultrasonography, 569
 - abdominal injuries, 352–353, 354t
 - cervical lymph nodes, 647
 - oral cancer, 625–626
 - TMJ, 956
- Ultraviolet damage, 1420
- Umbrella graft, 1361f
- Uncinate
 - anatomy and physiology of, 297
- Unconjugated bilirubin, 77
- Unerrupted teeth
 - vs. impacted teeth, 140
 - localizing, 133
- University of Maryland
 - shock trauma center, 527
- Upper blepharoplasty incision, 482–483
- Upper eyelid
 - crease, 1328
 - crease incision, 551
- Upper eyelids
 - blepharoplasty, 1331–1334
 - complications, 1339–1340
 - fat removal, 1339
 - high lid crease, 1339
 - lid crease asymmetry, 1339
 - preoperative concerns, 1331–1333
 - skin excision, 1339
 - examination of, 1328
 - fat pads, 1324
 - laxity, 1394f
 - transcutaneous blepharoplasty, 1333f
- Upper lips
 - augmentation, 1443f
 - changes with orthodontic incisor retraction, 1223–1224
 - developing, 660f
- Upper respiratory infection
 - children, 106–107
- UPPP, 1305f
 - OSA, 1305–1306
- Urethral meatus
 - blood at, 343f, 353
- Urinalysis, 353
- Urinary tract disease, 30
- Urine
 - output in children, 42t
- Uvula
 - surgical specimen of, 1306f
- Uvulopalatopharyngoplasty (UPPP), 1305f
 - OSA, 1305–1306
- V
- Vagus nerve, 1451
- Valacyclovir, 688
- Valdecoxib
 - for rheumatoid arthritis, 36
- Valvular heart disease, 23–24, 68
 - mitral regurgitation, 24
 - mitral stenosis, 23–24
- Vancomycin
 - for odontogenic infection, 289
- Van Graefe, Carl Ferdinand, 435
- Varicella-zoster virus, 686, 687–688
- Varix, 684–685
- Vascular compromise
 - management of tissue after, 1253–1254
- Vascularity
 - loss of, 1249–1250
- Vascularized fibular graft to mandible
 - implants, 268f
- Vascularized interpositional periosteal
 - connective tissue flap (VIP-CT), 217–220, 217f, 218f, 220f
 - surgical technique, 217–218
- Vascular lesions, 684–685
- Vascular malformation
 - high-flow, 606f, 607f
- Vasopressin
 - for arrhythmias, 52
- Vector control devices, 1292f
- Vecuronium
 - properties, 99t
- Velopharyngeal insufficiency (VPI), 845
- Velopharyngeal mechanism
 - anatomy of, 876f
 - muscle groups contributing to, 876t
- Velopharyngeal port
 - catheter passed through, 1272f
- Ventilation, 59
 - children, 103
- Ventricular ectopy
 - benign, 52
- Ventricular fibrillation, 52
- Ventricular tachycardia, 27
- Verapamil
 - reduction in liver disease, 35
- Vermilionectomy, 641, 641f, 662
- Verrucous carcinoma, 631
 - buccal mucosa, 631f
- Vertical alveolar augmentation
 - bone grafts, 223–234

- alveolar distraction osteogenesis, 230–231
 - guided, 223
 - iliac corticocancellous, 231–232
 - interpositional, 230
 - mandibular block autografts, 223–224
 - sinus, 232–234
 - symphysis block graft harvest, 225
 - ramus buccal shelf block graft harvest, 225–230
- Vertical augmentation or reduction
 - genioplasty
 - soft tissue changes associated with, 1233t
- Vertical dystopia, 468
- Vertical facial proportions, 1093–1096
- Vertical impaction, 143
 - bone removal, 146
 - removal of, 148f
- Vertical incision, 996–997
 - total maxillary alveolar osteotomy, 1191f
- Vertical orthopedic treatment, 1077–1079
- Vertical ramus
 - osteotomies, 1141–1142
 - sagittal osteotomy
 - mandibular range of motion, 1159–1160
- Vertical rhytids
 - glabella, 1398
- Vertical subcondylar osteotomy (VSO), 1142–1146, 1142f, 1143f, 1144f
 - complications of, 1145–1146
 - indications for, 1142
 - techniques for, 1142–1145
- Vesicular lesions, 685–686
- Vesiculoulcerative disease
 - idiopathic, 691–692
- Vestibular incisions, 1185, 1186f
 - atrophic mandible, 196
- Vestibuloplasty
 - lasers, 175
- ViaSpan, 393, 393f
- Video monitoring cart
 - TMJ
 - arthroscopy, 969f
- Video monitoring equipment
 - TMJ
 - arthroscopy, 968
- VIP-CT. *See* Vascularized interpositional periosteal connective tissue flap (VIP-CT)
- Viral infection, 686–687
- Viscerocranium
 - formation of, 1055
- Vision
 - craniofacial dysostosis syndrome, 902
 - loss
 - lower eyelid blepharoplasty, 1341
 - upper eyelid blepharoplasty, 1340
- Visor osteotomy, 183f
- Visual acuity, 468, 1330
- Visual analog scale, 826f
- Visual field evaluation, 1330–1331
- Visual fields, 468
 - TMJ
 - arthroscopy, 969–970
- Visual impairment, 472–474, 887
- Vital signs, 404
- Vitamin A
 - effect on wound healing, 12
- Vitamin B
 - effect on wound healing, 12
- Vitamin C
 - effect on wound healing, 12
- Vitamin E, 641
- Vitreous hemorrhage, 473
- Volkmann's contracture, 475, 477
- Von Eiselberg's step osteotomy, 1138f
- Von Graefe, Ferdinand, 1317
- Von Langenbeck procedure, 874, 874f
- Von Willebrand's factor, 78
- VPI, 845
- Vs. unerupted teeth, 140
- VSO. *See* Vertical subcondylar osteotomy (VSO)
- V-Y closure, 1235–1236, 1236f, 1240f, 1442f
 - alar cinch with, 1236–1237
 - double, 1239–1241, 1242f
- V-Y flap, 772
- W
 - Wadcutters, 514
 - Wallerian degeneration, 828
 - Warthin's tumors
 - salivary gland, 671–672
 - Watanabe, Masaki, 963
 - Water's radiographs
 - maxillary fractures, 438f
 - maxillary sinus, 470f
 - maxilla sinus, 470f
 - zygomatic complex fractures, 448
- Wedge excision, 641
- Weight loss
 - for OSA, 1302
- Weir's excision, 1363f
- Well-differentiated squamous cell carcinoma
 - lip, 660–661
- Wenckebach, 28
- Wharton's duct
 - calcified sialolith, 675f
- White blood cell count
 - odontogenic infection, 283
- Whitenall's ligament, 1322, 1322f
- Whitenall's tubercle, 446, 465, 466
- Whitlow
 - herpetic, 687, 687f
- Wickham's striae, 692
- Wide-eyed look, 466
- Wilkes staging classification, 942t
 - IJD, 967t
- Wire brush, 1430
- Wiring techniques, 424f
- Witch's chin, 1242, 1243f
- Wolff-Parkinson-White syndrome, 51, 52f
- Wood's lamp, 470
- Working diagnosis, 564
- Wound care
 - advances in, 12–14
- Wound debridement, 10
- Wound dehiscence, 9
 - upper eyelid blepharoplasty, 1339
- Wound healing, 3–24
 - age, 12
 - bone, 6–7
 - complications of, 8–9
 - dermal substitutes, 13–14
 - extraction wounds, 7–8
 - gene therapy, 13
 - hyperbaric oxygen therapy, 11–12
 - inflammatory phase, 4–5, 193
 - maturation phase, 193
 - mucosal substitutes, 13–14
 - nerves, 6
 - nutrition, 12
 - optimizing, 9–12
 - osseointegration, 192–193
 - phases of, 193
 - process, 3
 - proliferative phase, 5, 5f, 193
 - proliferative scarring, 9
 - remodeling phase, 5–6
 - response, 3–6
 - skin grafts, 8
 - specialized, 6–8
 - stages of, 361f
- Wound hypoxia, 9
- Woven bone, 193
- X
 - Xenograft, 168
 - Xeroderma pigmentosa, 698
 - Xerostomia, 638
- Y
 - Yaw, 514
 - Young's syndrome, 302
 - Youthful brow, 1384f
 - Youthful forehead, 1384
 - Yperman, Jehan, 840
- Z
 - Zinc
 - effect on wound healing, 12
 - Zinc oxide-eugenol cement, 388
 - Ziprasidone
 - for psychotic disorders, 39
 - Zone of fixation, 1391
 - Z-plasty incision, 772

- Z-plasty technique
 - for frenum attachment excision, 173
- Z-shaped osteotomy, 1192f, 1193f
- Zygoma
 - anatomy of, 437f
- Zygoma fixture placement, 243f, 437
- Zygoma implants, 235–248, 238f, 242f, 270f
 - abutment platform, 243
 - abutments, 245f
 - armamentarium, 242f
 - border molding, 245f
 - buccal index, 247f
 - cast framework, 247f
 - casting technique, 247f
 - clinical assessment, 240
 - complications of, 239–240
 - contraindications for, 238–239
 - final impressions, 246f
 - fixtures, 198, 235f
 - fully inserted, 244f
 - hybrid denture tooth processing, 248f
 - immediate loading, 240f
 - impression coping, 241f
 - indications for, 236–238
 - acquired and congenital defects, 237–238
 - atrophy, 236
 - immediate loading, 238
 - inadequate posterior support, 236
 - partial edentulism, 238
 - syndromes, 236–237
 - master cast, 246f
 - milled bar structure, 247f
 - milling process, 248f
 - mounted casts, 246f
 - panoramic radiograph, 244f
 - presurgical assessment, 240
 - porcelain-fused-to-metal fixed partial denture, 248f
 - procera technology, 247f, 248f
 - procera titanium framework, 248f
 - prosthetic procedure, 244–248
 - final construction, 245–246
 - healing phase, 244
 - protective splinting, 244–245
 - protective splint, 246f
 - radiographic assessment, 240, 245f
 - record bases, 246f
 - screw access holes, 247f
 - sinus slot technique, 243f
 - soft tissue conditioning material, 246f
 - stage II surgery, 245f
 - surgical cast, 246f
 - surgical protocol, 242–243
 - waxed teeth, 247f
- Zygoma retractor, 242, 243f
- Zygomatic arch, 445
 - coronal section, 992f
- fractures
 - incidence, 488
 - internal fixation, 455–456
 - orbital floor, 456–457
 - orbital fractures with, 477
 - reduction of, 451f
 - surgery, 457–460
 - treatment, 450–451
- internal fixation of, 456
- surgical approach to, 455
- Zygomatic buttress, 548
- Zygomatic complex
 - displaced
 - elderly, 486f–487f
 - fractures, 445–460, 446f, 447f, 448f, 467
 - children, 534–537
 - classification of, 448–449
 - computed tomography, 454f
 - diagnosis, 447–448
 - high-energy, 451–455
 - history, 447
 - low-energy, 451
 - middle-energy, 451
 - physical examination, 447
 - radiographic evaluation, 447–448
 - surgical anatomy, 445–446
 - treatment, 449–457, 451–456
 - without need for internal orbit reconstruction, 452f
- Zygomatic nerve, 1326
- Zygomaticofrontal buttress, 451
 - internal fixation of, 456
 - surgery, 452–453
- Zygomaticofrontal suture
 - palpation of, 447
- Zygomaticomaxillary buttress
 - fracture
 - fixation, 453f
 - subciliary incision, 453f
 - supratarsal fold incision, 453f
 - internal fixation of, 456
 - surgery, 452
- Zygomatic osteotomy, 1200–1201
- Zygomatic retractor, 242f
- Zygomaticus major, 445